SEDAR 16 South Atlantic and Gulf of Mexico King Mackerel Workshop Document List

Document #	Title	Authors	Working Group
]	ор		
SEDAR16-DW-01	Standardized Catch Rates of King Mackerel from the Southeast Shark Drift Gillnet Fishery: 1993-2007	Carlson, J.K., K. Siegfried, and I. Baremore	Indices
SEDAR16-DW-02	Biological data collection and ageing procedures under the Fisheries Information Network (FIN)	Donaldson, D. and G. Bray	Life History
SEDAR16-DW-03	Backcalculation of recreational catch of king mackerel from 1930 to 1980. SEFSC-SFD contribution.	Walter, J. F.	Recreational Statistics
SEDAR16-DW-04	Standardized catch rates of king mackerel from Florida commercial trip ticket data for the Gulf and South Atlantic 1986- 2007.	Walter, J. F.	Indices
SEDAR16-DW-05	Estimating the king mackerel bycatch in the shrimp fisheries of the Gulf of Mexico and the south Atlantic	Siegfried, K.	Commercial Statistics
SEDAR16-DW-06	Batch fecundity and an attempt to estimate spawning frequency of king mackerel (<i>Scomberomorus cavalla</i>) in U.S. waters	Fitzhugh, G.R., C.F. Levins, W.T. Walling, M. Gamby, H. Lyon, and D.A. DeVries	Life History
SEDAR16-DW-07	A review of Gulf of Mexico and Atlantic king mackerel (<i>Scomberomorus cavalla</i>) age data, 1986 – 2007, from the Panama City Laboratory, Southeast Fisheries Science Center, NOAA Fisheries Service	Palmer, C., D. DeVries, and L. Lombardi-Carlson	Life History
SEDAR16-DW-08	Abundance Indices of King Mackerel, <i>Scomberomorus cavalla</i> , collected in Fall SEAMAP Groundfish Surveys in the Western U.S. Gulf of Mexico (1972- 2007)	Ingram, Jr., G. Walter	Indices
SEDAR16-DW-09	Abundance Indices of King Mackerel, <i>Scomberomorus cavalla</i> , collected during SEAMAP Shallow Water Trawl Surveys in the South Atlantic Bight (1989-2006)	Ingram, Jr., G. Walter	Indices
SEDAR16-DW-10	Update analysis of king mackerel mark and recapture data from the NMFS SEFSC Cooperative Tagging Center	Ortiz, M.	Life History
SEDAR16-DW-11	Standardized catch rates of Atlantic king mackerel (<i>Scomberomorus cavalla</i>) from the North Carolina Commercial fisheries	Bianchi, A. and M. Ortiz	Indices

	trip ticket		
SEDAR16-DW-12	Review and estimates of von Bertalanffy growth curves for king mackerel Atlantic and Gulf of Mexico stock units	Ortiz, M. and C. Palmer	Life History
SEDAR16-DW-13	Analysis of king mackerel size and size- frequency samples data available for use in stock assessment	Ortiz, M.	Life History
SEDAR16-DW-14	Standardized catch rates of king mackerel, <i>Scomberomorus cavalla</i> from the Marine Recreational Fisheries Statistical Survey MRFSS	Ortiz, M.	Indices
SEDAR16-DW-15	Estimated conversion factors for calibrating MRFSS charterboat landings and effort estimates from the Southeastern US (North Carolina to Florida-east coast) in 1981-2003 with For-Hire Survey estimates with application to King Mackerel landings	Sminkey, T.	Recreational Statistics
SEDAR16-DW-16	Standardized catch rates of king mackerel (<i>Scomberomorus cavalla</i>) from the headboat fishery in the U.S. Gulf of Mexico and U.S. South Atlantic	Cass-Calay, S.L.	Indices
SEDAR16-DW-17	Spatial and temporal variability in the relative contribution of U.S. king mackerel (<i>Scomberomorus cavalla</i>) stocks to winter mixed fisheries off South Florida	Clardy, T.R., W.F. Patterson, III, D.A. DeVries, and C. Palmer	Life History
SEDAR16-DW-18	Age and Growth and Stock Mixing in Gulf of Mexico and Atlantic King Mackerel (<i>Scomberomorous cavalla</i>)	Shepard, K.W. F. Patterson, III, D. A. Devries, and C. Palmer	Life History
SEDAR16-DW-19	King Mackerel Length Frequencies and Condition of Released Fish from Florida and Alabama At-Sea Headboat Observer Surveys in the Gulf of Mexico and Atlantic Ocean, 2005 to 2007	Sauls, B.	Recreational Statistics
SEDAR16-DW-20	Data Summary of King Mackerel (<i>Scomberomorus cavalla</i>) Collected During Small Pelagic Trawl Surveys in the U.S. Gulf of Mexico, 1988 – 1996 and 2002-2007	Ingram, Jr., G. Walter	Indices
SEDAR16-DW-21	Recreational Survey Data for King Mackerel in the Atlantic and Gulf of Mexico	Matter, V.	Recreational Statistics
SEDAR16-DW-22	Standardized catch rates of king mackerel from the United States Gulf of Mexico, south Atlantic, and Mixing Zone commercial hook and line fisheries, 1993- 2006	McCarthy, K.	Indices

SEDAR16-DW-23	Calculated discards of king mackerel from commercial fishing vessels in the Gulf of Mexico, south Atlantic, and Mixing Zone	McCarthy, K.	Commercial Statistics
SEDAR16-DW-24	Compilation of Historical Commercial Landings of King Mackerel, <i>Scomberomorus cavalla</i> , from US Coastal Waters in the Gulf of Mexico and Atlantic	Orhun, R.	Commercial Statistics
SEDAR16-DW-25	Estimates of released king mackerel in the South Atlantic and Gulf of Mexico Headboat fishery, 2004-2006.	Brennan, K.	Recreational Statistics
SEDAR16-DW-26	Estimation of the Stock Composition of Winter King Mackerel Fisheries off South Florida with Natural Tags Based on Otolith Stable Isotope Chemistry	Patterson, W.F., III, and Shepard, K.	Life History
SEDAR16-DW-27	Additional ageing data for Gulf of Mexico king mackerel	Shepard, K, and W.F. Patterson, III	Life History
SEDAR16-DW-28	Review of Catch, Catch at Size, Sex ratios and Catch at Age of king mackerel from U.S. Gulf of Mexico and South Atlantic fisheries	Ortiz, M.	Commercial and Recreational Statistics
SEDAR16-DW-29	King mackerel (<i>Scomberomorus cavalla</i>) larval indices of relative abundance from SEAMAP Fall plankton surveys, 1986 to 2006	Hanisko, David S. and J. Lyczkowski- Shultz	Indices
SEDAR16-DW-30	Discrimination Among U.S. South Atlantic and Gulf of Mexico King Mackerel Stocks With Otolith Shape Analysis and Otolith Microchemistry	Patterson, III, W.F., R.L. Shipp, T. R. Clardy, and Z. Chen	Life History
SEDAR16-DW-31	Review of king mackerel sampling data provided by The Fisheries Research in the Gulf of Mexico and Caribbean Sea at the Instituto Nacional de Pesca in Mexico	Ortiz, M.	Commercial Statistics
Documen	ts Prepared for the Assessment	Workshop	
SEDAR16-AW-01	Commercial King Mackerel Sampling Fractions for North Carolina by District,	Gloeckner, David	
SEDAR16-AW-02	Effects of King Mackerel Fishing Regulations on the Construction of Fisheries Dependent Indices of Abundance	McCarthy, K, S. Cass-Calay, M. Ortiz, and J. Walter	
SEDAR16-AW-03	Commercial King Mackerel Trip Sampling in NC, Differences in Fishing by State District	Gloeckner, David	
SEDAR16-AW-04	Technical Description of the Stock Synthesis II Assessment Program	Methot, Richard D.	
SEDAR16-AW-05	User Manual for the Integrated Analysis Program Stock Synthesis 2 (SS2)	Methot, Richard D.	

SEDAD16 AW OC	Virtual Danulation Analyses of Culf of	Case Calary C and	
SEDAR16-AW-06	Virtual Population Analyses of Gulf of	Cass-Calay, S. and M. Ortiz	
	Mexico and Atlantic King Mackerel	M. Oruz	
	Migratory Groups: Continuity Case and		
	Sensitivity Runs (Version 1)		
SEDAR16-AW-07	Updated Estimates of Gulf king mackerel	Ortiz, M. and K.	
	bycatch from the U.S. Gulf of Mexico	Andrews	
	Shrimp trawl fishery		
SEDAR16-AW-08	Preliminary Report King Mackerel stock	Ortiz, M. R. Methot,	
	assessment results 2008	S.L. Cass-Calay, and	
		B. Linton	
SEDAR16-AW-09	Notes on the weighting of the indices for	Restrepo, V.R., S.	
	the king mackerel VPA analyses	Cass-Calay, and M.	
		Ortiz	
SEDAR16-AW-10	Virtual Population Analyses of Gulf of	Cass-Calay, S., M.	
	Mexico and Atlantic King Mackerel	Ortiz and V.R.	
	Migratory Groups: Continuity Case and	Restrepo	
	Sensitivity Runs (Version 2)		
SEDAR16-AW-11	Virtual Population Analyses of Gulf of	Cass-Calay, S., M.	
	Mexico and Atlantic King Mackerel	Ortiz and V.R.	
	Migratory Groups: Continuity Case and	Restrepo	
	Sensitivity Runs (Version 3)		
SEDAR16-AW-12	Virtual Population Analyses of Gulf of	Cass-Calay, S., M.	
	Mexico and Atlantic King Mackerel	Ortiz and V.R.	
	Migratory Groups: Continuity Case and	Restrepo	
	Sensitivity Runs (Version 4)		
	ocuments Prepared for the Review Works		
SEDAR16-RW-01	Virtual Population Analyses of Gulf of	Cass-Calay, S., M.	
	Mexico and Atlantic King Mackerel	Ortiz and V.R.	
	Migratory Groups: Continuity Case and	Restrepo	
	Updated Runs Through July 2008		
	Final Stock Assessment Reports		
SEDAR16-SAR			
	Reference Documents		
SEDAR16-RD01	Microsatellite variation suggests	Broughton, R.E.,	
SEDANIO-NDUI		L.B. Stewart, and	
	substantial gene flow between king	J.R. Gold	
	mackerel (<i>Scomberomorus cavalla</i>) in the western Atlantic Ocean and Gulf of	J.K. 0010	
	Mexico		
SEDAR16-RD02	Mitochondrial DNA variation in king	Gold, J. R., Â. Y	
	mackerel (<i>Scomberomorus cavalla</i>) from	Kristmundsdottir,	
	the western Atlantic Ocean and Gulf of	and L. R.	
	Mexico	Richardson	
SEDAR16-RD03	Population structure of king mackerel	Gold, J. R., E. Pak	
	(Scomberomorus cavalla) around	and D. A. DeVries	
	peninsular Florida, as revealed by		
	microsatellite DNA		

SEDAR16-RD04	Spatial and temporal variation in age	DeVries, D.A. and
	composition and growth of king mackerel	C. Grimes
	Scomberomorus cavalla from the	
	southeastern U.S., 1986-1989; omplications	
	for stock structure and recruitment	
	variability	
SEDAR16-RD05	BREVIARIO DE LA PESQUERÍA DE	Provided by M.
	SIERRA Y PETO DEL GOLFO DE	Ortiz
	MEXICO	
SEDAR16-RD06	Optimizing yields of king mackerel	Chavez, E.A. and F.
	(Scomberomorus cavalla) fishery in the	Arreguin-Sanchez
	western and southern Gulf of Mexico	
SEDAR16-RD07	Population dynamics of the king mackerel	Arreguin-Sanchez,
	(Scomberomorus cavalla) of the	F., M.A. Cabrera,
	Campeche Bank, Mexico	F.A. Aguilar
SEDAR16-RD08	THE FLORIDA KEYS WAY BACK	Little, Jr, E.J.
	WHEN (FISHING FOR KING	
	MACKEREL IN THE "GOOD OLD	
	DAYS" OF KEY WEST'S HISTORIC	
	SEAPORT DISTRICT)	
SEDAR16-RD09	King mackerel hooking mortality	Edwards, Randy E.
	assessment	
SEDAR16-RD10	Three different strategies for modeling the	Walter, J. and C.
	terminal-year fishing mortality rates in	Porch
	Virtual Population Analyses of western	
	bluefin tuna: retrospective patterns and	
	consequences for projections	