

WENNER ET AL.: LIFE HISTORY OF BLACK SEA BASS

- HELWIG, J. T., AND K. A. COUNCIL (editors).
1979. SAS users guide. 1979 ed. SAS Instit., Inc., N.C., 294 p.
- HILGE, V.
1977. On the determination of the stages of gonad ripeness in female bony fishes. *Meeresforschung* 25:149-155.
- HUMASON, G. L.
1972. Animal tissue techniques. W. H. Freeman and Co., San Francisco, CA, 641 p.
- HUNTSMAN, G. R.
1976. Offshore headboat fishing in North Carolina and South Carolina. *Mar. Fish. Rev.* 38(3):13-23.
- HYDER, M.
1969. Histological studies on the testes of *Tilapia leucosticta* and other species of the genus *Tilapia* (Pisces:Teleostei). *Trans. Am. Microsc. Soc.* 88:211-231.
- LAVENDA, N.
1949. Sexual differences and normal protogynous hermaphroditism in the Atlantic sea bass *Centropristis striatus*. *Copeia* 1949:185-194.
- LOW, R. A., JR.
1981. Mortality rates and management strategies for black sea bass off the southeast coast of the United States. *No. Am. J. Fish. Manage.* 1:93-103.
- MERCER, L. P.
1978. The reproductive biology and population dynamics of black sea bass, *Centropristis striata*. Ph.D. Thesis, College of William and Mary, Williamsburg, VA, 196 p.
- MOE, M. H., JR.
1969. Biology of the red grouper *Epinephelus morio* (Valenciennes) from the eastern Gulf of Mexico. *Fla. Dep. Nat. Resour. Mar. Res. Lab., Prof. Pap.* 10, 95 p.
- MUSICK, J. A., AND L. P. MERCER.
1977. Seasonal distribution of black sea bass, *Centropristis striata*, in the Mid-Atlantic Bight with comments on the ecology and fisheries of the species. *Trans. Am. Fish. Soc.* 106:12-25.
- POOLE, J. C.
1961. Age and growth of the fluke in Great South Bay and their significance in the sport fishery. *N.Y. Fish Game J.* 8:1-11.
- POSTUMA, K. H.
1974. The nucleus of the herring otolith as a racial character. *J. Cons. Int. Explor. Mer* 35:121-129.
- POWLES, H., AND C. A. BARANS.
1980. Groundfish monitoring in sponge-coral areas off the southeastern United States. *Mar. Fish. Rev.* 42(5):21-35.
- RADTKE, R. L., M. L. FINE, AND J. BELL.
1985. Somatic and otolith growth in the oyster toadfish (*Opsanus tau* L.). *J. Exp. Mar. Biol. Ecol.* 90:259-275.
- REINBOTH, R.
1970. Intersexuality in fishes. *Mem. Soc. Endocr.* 18:515-544.
- RICKER, W. E.
1973. Linear regressions in fishery research. *J. Fish. Res. Board Can.* 30:409-434.
1975. Computation and interpretation of biological statistics of fish populations. *Fish. Res. Board Can. Bull.* 191, 382 p.
- RIVERS, J. B.
1966. Gear and technique of the sea bass trap fishery in the Carolinas. *Commer. Fish. Rev.* 28(4):15-20.
- SMITH, C. L.
1965. The patterns of sexuality and the classification of serranid fishes. *Am. Mus. Novit.* 2207, 20 p.
- SMITH, C. L., AND P. H. YOUNG.
1966. Gonad structure and the reproductive cycle of the kelp bass, *Paralabrax clathratus* (Girard) with comments on the relationships of the serranid genus *Paralabrax*. *Calif. Fish Game* 52:283-292.
- SOKAL, R. R., AND F. J. ROHLF.
1981. *Biometry*. 2d ed. W. H. Freeman & Co., N.Y., 859 p.
- STRUHSAKER, P.
1969. Demersal fish resources: composition, distribution, and commercial potential of the continental shelf stocks off southeastern United States. *U.S. Fish. Wildl. Serv., Fish. Ind. Res.* 4:261-300.
- WALLACE, R. A., AND K. SELMAN.
1981. Cellular and dynamic aspects of oocyte growth in teleosts. *Am. Zool.* 21:325-343.
- WENNER, C. A.
1983. Species associations and day-night variability of trawl caught fishes from the inshore sponge-coral habitat, South Atlantic Bight. *Fish. Bull., U.S.* 81:537-552.