





















## LITERATURE CITED

- BREDER, C. M., JR. 1926. A small cobia. N. Y. Zool. Soc. Bull. 29: 179-180.
- , AND R. F. NICRELLI. 1934. Fish notes for 1933 and 1934 from Sandy Hook Bay and other New York localities. Copeia 1934(4): 193-195.
- BRIGGS, J. C. 1958. A list of Florida fishes and their distribution. Bull. Fla. State Mus. Biol. Sci. 2: 1-318.
- . 1960. Fishes of world wide (circum-tropical) distribution. Copeia 1960(3): 171-180.
- CADENAT, J. 1950. Poissons de mer du Sénégal. Inst. Français Noire, Init. D'Africaines III. 345 p.
- FOWLER, H. W. 1945. A study of the fishes of the southern Piedmont and coastal plain. Acad. Nat. Sci. Phila. Monogr. No. 7, 408 pp.
- HILDEBRAND, S. F., AND W. C. SCHROEDER. 1928. Fishes of the Chesapeake Bay. Bull. U. S. Bur. Fish. 43 (pt. 1). 366 p.
- JOSEPH, E. B., J. J. NORCROSS AND W. H. MASSMANN. 1964. Spawning of the cobia, *Rachycentron canadum*, in the Chesapeake Bay area, with observations of juvenile specimens. Chesapeake Sci. 5: 67-71.
- KNAPP, F. T. 1951. Food habits of the sergeant fish, *Rachycentron canadus*. Copeia 1951(1): 101-102.
- RICHARDS, C. E. 1965. Availability patterns of marine fishes caught by charter boats operating off Virginia's Eastern Shore, 1955-1962. Chesapeake Sci. 6: 96-108.
- RICKER, W. E. 1958. Handbook of computations for biological statistics of fish populations. Fish Res. Bd. Canada, Bull. 119, 300 p.
- RYDER, J. A. 1887. On the development of osseous fishes, including marine and freshwater forms. Rept. U. S. Fish. Comm. 13 (1885): 488-604.
- SMITH, H. M. 1907. The fishes of North Carolina. North Carolina Econ. Geol. Surv. 2: 453 p.
- UNITED STATES FISH AND WILDLIFE SERVICE. 1958-1963. Chesapeake fisheries, Annual summaries: Comm. Fish. Stat. Nos. 2203, 2444, 2685, 3043, 3353, 3616, 3967.