





















- Carlson, J. K., and I. E. Baremore. 2003. Changes in biological parameters of Atlantic sharpnose shark *Rhizoprionodon terraenovae* in the Gulf of Mexico: evidence for density-dependent growth and maturity? *Marine and Freshwater Research* 54:277–234.
- Carlson, J. K., M. R. Heupel, D. M. Bethea, and L. D. Hollensead. 2008. Coastal habitat use and residency of juvenile Atlantic sharpnose sharks (*Rhizoprionodon terraenovae*). *Estuaries and Coasts* 31:931–940.
- Carlson, J. K., J. R. Sulikowski, and I. E. Baremore. 2006. Do differences in life history exist for blacktip sharks, *Carcharhinus limbatus*, from the United States South Atlantic Bight and eastern Gulf of Mexico? *Environmental Biology of Fishes* 77:279–292.
- Castro, J. I. 1993. The shark nursery of Bulls Bay, South Carolina, with a review of the shark nurseries of the southeastern coast of the United States. *Environmental Biology of Fishes* 38:37–48.
- Clark, E., and K. von Schmidt. 1965. Sharks of the central gulf coast of Florida. *Bulletin of Marine Science* 15:13–83.
- Clarke, R. K., P. J. Somerfield, and M. G. Chapman. 2006. On resemblance measures for ecological studies, including taxonomic dissimilarities and a zero-adjusted Bray–Curtis coefficient for denuded assemblages. *Journal of Experimental Marine Biology and Ecology* 330:55–80.
- DeAngelis, B. M., C. T. McCandless, N. E. Kohler, C. W. Recksieck, and G. B. Skomal. 2008. First characterization of shark nursery habitat in the United States Virgin Islands: evidence of habitat partitioning by two shark species. *Marine Ecology Progress Series* 358:257–271.
- Driggers, W. B., G. W. Ingram, M. A. Grace, C. T. Gledhill, T. A. Henwood, C. N. Horton, and C. M. Jones. 2008. Pupping areas and mortality rates of young tiger sharks *Galeocerdo cuvier* in the western North Atlantic Ocean. *Aquatic Biology* 2:161–170.
- Driggers, W. B., D. A. Oakley, G. Ulrich, J. K. Carlson, B. J. Cullum, and J. M. Dean. 2004. Reproductive biology of *Carcharhinus acronotus* in the coastal waters of South Carolina. *Journal of Fish Biology* 64:1540–1551.
- Drymon, J. M., W. B. Driggers, III, D. Oakley, and G. F. Ulrich. 2006. Investigating life history differences between finetooth sharks, *Carcharhinus isodon*, in the northern Gulf of Mexico and the western North Atlantic Ocean. *Gulf of Mexico Science* 1:2–10.
- Grubbs, R. D. 2010. Ontogenetic shifts in movements and habitat use. Pages 319–350 in J. C. Carrier, J. A. Musick, and M. R. Heithaus, editors. *Sharks and their relatives, II. Biodiversity, adaptive physiology, and conservation*. CRC Press, Boca Raton, Florida.
- Heupel, M. R., J. K. Carlson, and C. A. Simpfendorfer. 2007. Shark nursery areas: concepts, definition, characterization, and assumptions. *Marine Ecology Progress Series* 337:287–297.
- Heupel, M. R., and R. E. Hueter. 2001. Use of an automated acoustic telemetry system to passively track juvenile blacktip shark movements. Pages 217–236 in J. R. Sibert and J. L. Nielson, editors. *Electronic tagging and tracking in marine fisheries*. Kluwer Academic Publishers, Dordrecht, The Netherlands.
- Heupel, M. R., C. A. Simpfendorfer, and R. E. Hueter. 2004. Estimation of shark home ranges using passive monitoring techniques. *Environmental Biology of Fishes* 71:135–142.
- Hueter, R. E., and J. P. Tyminski. 2007. Species-specific distribution and habitat characteristics of shark nurseries in Gulf of Mexico waters off peninsular Florida and Texas. Pages 193–223 in C. T. McCandless, N. E. Kohler, and H. L. Pratt Jr., editors. *Shark nursery grounds of the Gulf of Mexico and East Coast waters of the United States*. American Fisheries Society, Symposium 50, Bethesda, Maryland.
- Killam, K. A., and G. R. Parsons. 1989. Age and growth of the blacktip shark, *Carcharhinus limbatus*, near Tampa Bay, Florida. U.S. National Marine Fisheries Service Fishery Bulletin 87:845–857.
- Knip, D. M., M. R. Heupel, and C. A. Simpfendorfer. 2010. Sharks in nearshore environments: models, importance, and consequences. *Marine Ecology Progress Series* 402:1–11.
- NMFS (National Marine Fisheries Service). 2007. SEDAR 13 stock assessment report: small coastal shark complex—Atlantic sharpnose, blacknose, bonnethead, and finetooth sharks. National Oceanic Atmospheric Administration, Silver Spring, Maryland.
- Parsons, G. R. 1983. The reproductive biology of the sharpnose shark, *Rhizoprionodon terraenovae* (Richardson). U.S. National Marine Fisheries Service Fishery Bulletin 81:61–73.
- Parsons, G. R., and E. R. Hoffmayer. 2005. Seasonal changes in the distribution and relative abundance of the Atlantic sharpnose shark *Rhizoprionodon terraenovae* in the north-central Gulf of Mexico. *Copeia* 2005:914–920.
- Parsons, G. R., and E. R. Hoffmayer. 2007. Identification and characterization of shark nursery grounds along the Mississippi and Alabama gulf coasts. Pages 301–316 in C. T. McCandless, N. E. Kohler, and H. L. Pratt Jr., editors. *Shark nursery grounds of the Gulf of Mexico and East Coast waters of the United States*. American Fisheries Society, Symposium 50, Bethesda, Maryland.
- Rountree, R. A., and K. W. Able. 1996. Seasonal abundance, growth, and foraging habitats of juvenile smooth dogfish, *Mustelus canis*, in a New Jersey estuary. U.S. National Marine Fisheries Service Fishery Bulletin 94:522–534.
- Skomal, G. B. 2007. Shark nursery areas in the coastal waters of Massachusetts. Pages 17–33 in C. T. McCandless, N. E. Kohler, and H. L. Pratt Jr., editors. *Shark nursery grounds of the Gulf of Mexico and East Coast waters of the United States*. American Fisheries Society, Symposium 50, Bethesda, Maryland.
- Speed, C. W., I. C. Field, M. G. Meekan, and C. J. A. Bradshaw. 2010. Complexities of coastal shark movements and their implications for management. *Marine Ecology Progress Series* 408:275–293.
- Springer, S. 1967. Social organization of shark populations. Pages 149–174 in P. W. Gilbert, R. F. Matheson, and D. P. Rall, editors. *Sharks, skates, and rays*. Johns Hopkins University Press, Baltimore, Maryland.
- Ulrich, G. F., C. M. Jones, W. B. Driggers, III, J. M. Drymon, D. Oakley, and C. Riley. 2007. Habitat utilization, relative abundance, and seasonality of sharks in the estuarine and nearshore waters of South Carolina. Pages 125–139 in C. T. McCandless, N. E. Kohler, and H. L.

- Pratt Jr., editors. Shark nursery grounds of the Gulf of Mexico and East Coast waters of the United States. American Fisheries Society, Symposium 50, Bethesda, Maryland.
- Vidal, L., and D. Pauly. 2004. Integration of subsystems models as a tool towards describing feeding interactions and fisheries impacts in a large marine ecosystem, the Gulf of Mexico. *Ocean and Coastal Management* 47:709–725.
- Ward, P., and R. A. Myers. 2006. Inferring the depth distribution of catchability for pelagic fishes and correcting for variations in the depth of longline fishing gear. *Canadian Journal of Fisheries and Aquatic Sciences* 62:1130–1142.