


Discard Mortality Reference List

Discard Mortality Ad-hoc Group

SEDAR32-DW-12

11 February 2013



This information is distributed solely for the purpose of pre-dissemination peer review. It does not represent and should not be construed to represent any agency determination or policy.

Please cite this document as:

Discard Mortality Sub-group. 2013. Discard Mortality Reference List. SEDAR32-DW12. SEDAR, North Charleston, SC. 3 pp.

Gray Triggerfish Discard Mortality References

Ansley, H. L. H. and C. D. Harris. 1981. Migration and standing stock of fishes associated with artificial and natural reefson Georgia's outer continental shelf. (Final Report, Dingel-Johnson Project F-31, Georgia). GA Department of Natural Resources, Coastal Resources Division, Brunswick, GA 38p.

Collins, M.R. 1994. Survival estimates for demersal reef fishes released by anglers. (Non-peer reviewed section). Proceedings of the 44th Annual Gulf and Caribbean Fisheries Institute, 259 – 269.

Patterson W.F. III, Ingram G.W. Jr, Shipp R.L. & Cowan J.H. Jr (2002). Indirect estimation of red snapper (*Lutjanus campechanus*) and gray triggerfish (*Balistes capriscus*) release mortality. Proceedings of the Annual Gulf and Caribbean Fisheries Institute 53, 526–536.

Rudershausen, P.J., J. A, Buckel, T. Burgess. 2010. Estimating discard mortality of black sea bass (*Centropristis striata*) and other reef fish in NorthCarolina using a tag-return approach. SEDAR25-RD10.

Stephen, J. A. and P.J. Harris. 2010. Commercial catch composition with discard and immediate release mortality proportions off the southeastern coast of the United States. Fisheries Research 103: 18-24.

Blueline Tilefish Discard Mortality

A literature search yielded no information on discard mortality.