


List of documents and working papers for SEDAR 32  
(South Atlantic gray triggerfish and blueline tilefish)

## SEDAR50-RD02

27 April 2016



SEDAR 32  
 South Atlantic Gray Triggerfish and Blueline Tilefish  
 Workshop Document List

Document #	Title	Authors
<b>Documents Prepared for the Data Workshop</b>		
SEDAR32-DW01	MRIP Recreational Survey Data for Gray triggerfish and Blueline tilefish in the Atlantic	Matter 2013
SEDAR 32-DW02	MRFSS to MRIP Adjustment Ratios and Weight Estimation Procedures for South Atlantic and Gulf of Mexico Managed Species	Matter and Rios 2013
SEDAR32-DW03	Report on Age Determination and Reproductive Classification Workshops for Gray Triggerfish ( <i>Balistes capriscus</i> ), September 2011 and October 2012	Kolmos et al. 2013
SEDAR32-DW04	Trends in relative abundance of gray triggerfish in waters off the SE US based on fishery-independent surveys	Ballenger et al. 2013
SEDAR32-DW05	Marine Resources Monitoring, Assessment and Prediction Program: Report on South Atlantic Gray Triggerfish, <i>Balistes capriscus</i> , for the SEDAR 32 Data Workshop	Kolmos et al. 2013
SEDAR32-DW06	Evaluation of MRFSS Intercept Data for Developing Gray Triggerfish and Blueline Tilefish Abundance Indices	Martino et al. 2013
SEDAR32-DW07	Fractions of Blueline Tilefish and Gray Triggerfish to Total Tilefishes and Triggerfishes from Sampling Data (TIP) 1983-2012	Beerkircher and Gloeckner 2013
SEDAR32-DW08	SCDNR Charterboat Logbook Program Data, 1993 - 2011	Errigo et al. 2013
SEDAR32-DW09	Standardized catch rates of Southeast US Atlantic gray triggerfish ( <i>Balistes capriscus</i> ) from headboat logbook data	Sustainable Fisheries Branch, NMFS 2013
SEDAR32-DW10	Standardized catch rates of U.S. gray triggerfish ( <i>Balistes capriscus</i> ) from commercial logbook data	Sustainable Fisheries Branch, NMFS 2013
SEDAR32-DW11	Calculated discards of gray triggerfish and blueline tilefish from US South Atlantic commercial fishing vessels	McCarthy 2013

SEDAR32-DW12	Discard Mortality Reference List	Discard mortality Sub-group 2013
SEDAR32-DW13	Standardized catch rates of Southeast US Atlantic blueline tilefish ( <i>Caulolatilus microps</i> ) from headboat logbook data	Sustainable Fisheries Branch, NMFS 2013
SEDAR32-DW14	A Summary of Data on the Size Distribution and Release Condition of Gray Triggerfish Discards from Recreational Fishery Surveys in the Atlantic Ocean	Sauls et al. 2013
SEDAR32-DW15	Indices of Abundance Report Cards	SEDAR 32 Panel
SEDAR32-DW16	Standardized catch rates of U.S. blueline tilefish ( <i>Caulolatilus microps</i> ) from commercial logbook handline data	Sustainable Fisheries Branch, NMFS 2013
SEDAR32-DW17	Standardized catch rates of U.S. blueline tilefish ( <i>Caulolatilus microps</i> ) from commercial logbook longline data	Sustainable Fisheries Branch, NMFS 2013
SEDAR32-DW18	Standardized catch rates of gray triggerfish ( <i>Balistes capriscus</i> ) from headboat at-sea-observer data	Sustainable Fisheries Branch, NMFS 2013
<b>Documents Prepared for the Assessment Workshop</b>		
SEDAR32-AW01	Age and length composition weighting for U.S. blueline tilefish ( <i>Caulolatilus microps</i> )	Sustainable Fisheries Branch, NMFS 2013
SEDAR32-AW02	Age and length composition weighting for U.S. gray triggerfish ( <i>Balistes Capriscus</i> )	Sustainable Fisheries Branch, NMFS 2013
SEDAR32-AW03	Development of an ageing error matrix for U.S. blueline tilefish ( <i>Caulolatilus microps</i> )	Sustainable Fisheries Branch, NMFS 2013
SEDAR32-AW04	Development of an ageing error matrix for U.S. gray triggerfish ( <i>Balistes Capriscus</i> )	Sustainable Fisheries Branch, NMFS 2013
SEDAR32-AW05	The Beaufort Assessment Model (BAM) with application to cobia <sup>1</sup> : mathematical description, implementation details, and computer code	Sustainable Fisheries Branch, NMFS 2013
SEDAR32-AW06	The Beaufort Assessment Model (BAM) with application to black sea bass <sup>1</sup> : mathematical description, implementation details, and computer code	Sustainable Fisheries Branch, NMFS 2013

<b>Documents Prepared for the Review Workshop</b>		
SEDAR32-RW01	The Beaufort Assessment Model (BAM) with application to blueline tilefish: mathematical description, implementation details, and computer code	Sustainable Fisheries Branch, NMFS 2013
SEDAR32-RW02	Catch curves for blueline tilefish from the commercial handline and longline fleets	Sustainable Fisheries Branch, NMFS 2013
<b>Final Assessment Reports</b>		
SEDAR32-SAR2	Assessment of Blueline Tilefish in the US South Atlantic	To be prepared by SEDAR 32
<b>Reference Documents</b>		
SEDAR32-RD01	List of documents and working papers for SEDAR 4 (Caribbean – Atlantic Deepwater Snapper Grouper) – all documents available on the SEDAR website.	SEDAR 4
SEDAR32-RD02	Comparison of Reef Fish Catch per Unit Effort and Total Mortality between the 1970s and 2005–2006 in Onslow Bay, North Carolina	Rudershausen et al. 2008
SEDAR32-RD03	Source document for the snapper-grouper fishery of the South Atlantic region.	SAFMC 1983
SEDAR32-RD04	FMP, regulatory impact review, and final environmental impact statement for the SG fishery of the South Atlantic region	SAFMC 1983
SEDAR32-RD05	Age, growth and reproductive biology of blueline tilefish along the southeastern coast of the United States, 1982-99	Harris et al. 2004
SEDAR32-RD06	List of documents and working papers for SEDAR 9 (Gulf of Mexico Gray Triggerfish, Greater Amberjack, and Vermillion Snapper)	SEDAR 9
SEDAR32-RD07	Estimated Conversion Factors for Adjusting MRFSS Gulf of Mexico Red Snapper Catch Estimates and Variances in 1981-2003 to MRIP Estimates and Variances	Rios et al. 2012
SEDAR32-RD08	Estimates of Historic Recreational Landings of Spanish Mackerel in the South Atlantic Using the FHWAR Census Method	Brennan and Fitzpatrick 2012
SEDAR32-RD09	Excerpt from ASMFC Atlantic Croaker Stock Assessment & Peer Review Reports 2003 – Information on Jacquard Index	ASMFC 2003
SEDAR32-RD10	Survival estimates for demersal reef fishes released by anglers	Collins 1994

SEDAR32-RD11	Indirect estimation of red snapper ( <i>Lutjanus campechanus</i> ) and gray triggerfish ( <i>Balistes capriscus</i> ) release mortality	Patterson et al. 2002
SEDAR32-RD12	Estimating discard mortality of black sea bass ( <i>Centropristis striata</i> ) and other reef fish in North Carolina using a tag-return approach	Rudershausen et al. 2010
SEDAR32-RD13	Commercial catch composition with discard and immediate release mortality proportions off the southeastern coast of the United States	Stephen and Harris 2010
SEDAR32-RD14	Migration and Standing Stock of Fishes Associated with Artificial and Natural Reefs on Georgia's Outer Continental Shelf	Ansley & Harris 1981
SEDAR32-RD15	Age, Growth, and Reproductive Biology of the Gray Triggerfish ( <i>Balistes capriscus</i> ) from the Southeastern United States, 1992-1997	Moore 2001
SEDAR32-RD16	Size, growth, temperature, and the natural mortality of marine fish	Gislason et al. 2010
SEDAR32-RD17	Evolutionary assembly rules for fish life histories	Charnov et al. 2012
SEDAR32-RD18	A Review for Estimating Natural Mortality in Fish Populations	Siegfried & Sansó