


List of documents and working papers for SEDAR 25 (South Atlantic Black Seabass)

SEDAR56-RD03

23 February 2017



SEDAR 25
South Atlantic Black Sea Bass and Golden Tilefish
Workshop Document List

Document #	Title	Authors
Documents Prepared for the Data Workshop		
SEDAR25-DW01	Black sea bass length frequencies and condition of released fish from at-sea headboat observer surveys, 2004-2010	Sauls, Wilson, and Brennan 2011
SEDAR25-DW02	Standardized CPUE of black sea bass (<i>Centropristis striata</i>) caught in blackfish and Florida snapper traps deployed by MARMAP	Bacheler, Shertzer, Reichert, Stephen, and Pate 2011
SEDAR25-DW03	Standardized CPUE of black sea bass (<i>Centropristis striata</i>) from chevron trapping by MARMAP	Bacheler, Shertzer, Reichert, Stephen, and Pate 2011
SEDAR25-DW04	Catch-per-unit-effort of golden tilefish from MARMAP bottom longlining	Bacheler, Reichert, Stephen, and Pate 2011
SEDAR25-DW05	Klibansky and Scharf batch fecundity methods	Klibansky and Scharf 2011
SEDAR25-DW06	The Regulations that have already affected the Black Sea Bass rebuilding	Fex 2011
SEDAR25-DW07	Commercial Longline Vessel Standardized Catch Rates of Tilefish in the US South Atlantic, 1993-2010	McCarthy 2011
SEDAR25-DW08	The potential for using the sea bass pot fishery to assess changes in abundance of black sea bass (<i>Centropristis striata</i>) in the South Atlantic region	Hull and Hester 2011
SEDAR25-DW09	Fisheries-dependent landings data for the east Florida golden tilefish (<i>Lopholatilus chamaeleonticeps</i>) fishery	Hull and Barile 2011
SEDAR25-DW10	Black sea bass and tilefish discard mortality working paper	Collier, Fex, Rudershausen, and Sauls 2011
SEDAR25-DW11	Bottom longline fishery bycatch of golden tilefish from observer data	Hale 2011
SEDAR25-DW12	Abundance indices of black sea bass collected during SEAMAP shallow water trawl surveys in the South Atlantic Bight (1990-2010)	Ingram 2011
SEDAR25-DW13	Standardized discard rates of US black sea bass	Sustainable

	(<i>Centropristis striata</i>) from headboat at-sea observer data	Fisheries Branch, NMFS 2011
SEDAR25-DW14	Preliminary standardized catch rates of Southeast US Atlantic black sea bass (<i>Centropristis striata</i>) from headboat data	Sustainable Fisheries Branch, NMFS 2011
SEDAR25-DW15	South Carolina Department of Natural Resources State Finfish survey (SFS)	Hiltz and Byrd 2011
SEDAR25-DW16	SCDNR Charterboat Logbook Program Data, 1993-2010	Errigo et al. 2011
SEDAR25-DW17	A note on the occurrence of bank sea bass (<i>Centropristis ocyurus</i>) in the Florida hook and line and black sea bass pot fisheries	Nelson 2011
SEDAR25-DW18	Commercial vertical line vessel standardized catch rates of black sea bass in the US South Atlantic, 1993-2010	McCarthy 2011
SEDAR25-DW19	Calculated discards of black sea bass and tilefish from commercial fishing vessels in the US South Atlantic	McCarthy
SEDAR25-DW20	Summary of black sea bass (<i>Centropristis striata</i>) length composition sampling from the Gulf and South Atlantic Fisheries Foundation observer program, 2007-2009	Gloeckner 2011
SEDAR25-DW21	Summary of black sea bass (<i>Centropristis striata</i>) length composition sampling from the Trip Interview Program (TIP) 1981-2010	Gloeckner 2011
SEDAR25-DW22	Summary of golden tilefish (<i>Lopholatilus chamaeleonticeps</i>) length composition sampling from the Trip Interview Program (TIP) 1981-2010	Gloeckner 2011
SEDAR25-DW23	Revised working paper: SCDNR Charterboat logbook program data, 1993-2010 (replaces SEDAR25-DW16)	Errigo et al 2011
SEDAR25-DW24	Standardized catch rates of black sea bass from commercial fish traps in the US South Atlantic, 1993-2010	McCarthy 2011
Documents Prepared for the Assessment Workshop		
SEDAR25-AW01	Is pooling MARMAP chevron trap data justifiable for Black Sea Bass (<i>Centropristis striata</i>) in the South Atlantic Region?	Hull and Hester 2011
Documents Prepared for the Review Workshop		
SEDAR25-RW01	Comments and notes received during the data, assessment and review for SEDAR 25	Multiple authors

SEDAR25-RW02	Comments and notes received during the assessment and review for SEDAR 25	Multiple authors
SEDAR25-RW03	The Beaufort Assessment Model (BAM) with application to black sea bass: model description, implementation details, and computer code	Sustainable Fisheries Branch, NMFS 2011
SEDAR25-RW04	The Beaufort Assessment Model (BAM) with application to tilefish: model description, implementation details, and computer code	Sustainable Fisheries Branch, NMFS 2011
SEDAR25-RW05	Development and diagnostics of the Beaufort assessment model applied to black sea bass	Sustainable Fisheries Branch, NMFS 2011
SEDAR25-RW06	Development and diagnostics of the Beaufort assessment model applied to tilefish	Sustainable Fisheries Branch, NMFS 2011
SEDAR25-RW07	Use of MARMAP age compositions in SEDAR 25 – Methods of addressing sub-sampling concerns from SEDAR 2 and SEDAR 17	Ballenger, Reichert, and Stephen, 2011
SEDAR25-RW08	Fisheries management actions confound the ability of the Beaufort Assessment Model (BAM) to explain dynamics of the Golden Tilefish fishery off of east Florida	Hull and Barile, 2011
SEDAR25-RW09	A note on the use of flat-topped selectivity curves in SEDAR 25	Hull and Hester, 2011
SEDAR25-RW10	On steepness	Hull and Hester, 2011
SEDAR25-RW11	Some considerations of area interactions	Hull and Hester, 2011
Final Assessment Reports		
SEDAR25-SAR1	Assessment of Black Sea Bass in the US South Atlantic	To be prepared by SEDAR 25
SEDAR25- SAR2	Assessment of Golden Tilefish in the US South Atlantic	To be prepared by SEDAR 25
Reference Documents		

SEDAR25-RD01	Tilefish off South Carolina and Georgia	Low et al. 1983
SEDAR25-RD02	Temporal and spatial variation in habitat characteristics of tilefish (<i>Lopholatilus chamaeleonticeps</i>) off the east coast of Florida	Able et al. 1993
SEDAR25-RD03	The fishery for tilefish, <i>Lopholatilus chamaeleonticeps</i> , off South Carolina and Georgia	Low et al. 1982
SEDAR25-RD04	The complex life history of tilefish <i>Lopholatilus chamaeleonticeps</i> and vulnerability to exploitation	Grimes and Turner 1999
SEDAR25-RD05	South Carolina Sea Grant Project: To investigate and document legal and undersized fish (Black Sea Bass) and injuries to released fish.	D. Lombardi 2008
SEDAR25-RD06	The 1882 tilefish kill – a cold event in shelf waters off north-eastern United States?	March et al. 1999
SEDAR25-RD07	Contributions to the life history of black sea bass, <i>Centropristis striata</i> , off the Southeastern United States	Wenner et al. 1986
SEDAR25-RD08	Population characteristics of the black sea bass <i>Centropristis striata</i> from the Southeastern US	Vaughan et al. 1995
SEDAR25-RD09	The summer flounder, scup, and black sea bass fishery of the Middle Atlantic Bight and southern New England waters	Shepherd and Terceiro 1994
SEDAR25-RD10	Estimating discard mortality of black sea bass (<i>Centropristis striata</i>) and other reef fish in North Carolina using a tag-return approach	Rudershausen et al. 2010
SEDAR25-RD11	List of working papers for SEDAR 4 (Atlantic and Caribbean deepwater snapper and grouper) – all documents are available on the SEDAR website	SEDAR 4
SEDAR25-RD12	List of reference documents for SEDAR 4 (Atlantic and Caribbean deepwater snapper and grouper) – all documents are available on the SEDAR website	SEDAR 4
SEDAR25-RD13	Evaluation of multiple survey indices in assessment of black sea bass from the US South Atlantic Coast	Vaughan et al. 1997
SEDAR25-RD14	Seasonal distribution and movement of black sea bass (<i>Centropristis striata</i>) in the northwest Atlantic as determined from a mark-recapture experiment	Moser and Shepherd 2009
SEDAR25-RD15	Species profiles: Life histories and environmental requirements of coastal fishes and invertebrates (South Atlantic) – Black sea bass	Mercer et al. 1989
SEDAR25-RD16	Black sea bass	Shepherd 2006

SEDAR25-RD17	Seafood Watch – Black Sea Bass (<i>Centropristis striata</i>), northeast region	Kerkering 2004
SEDAR25-RD18	Dispersal of black sea bass (<i>Centropristis striata</i>) larvae on the southeast US continental shelf: results of a coupled vertical larval behavior – 3D circulation model	Edwards et al. 2008
SEDAR25-RD19	List of working paper for SEDAR 2 (SA Black sea bass) – all documents are available on the SEDAR website	SEDAR 2
SEDAR25-RD20	Catch rates and selectivity among three trap types in the US South Atlantic black sea bass commercial trap fishery	Rudershausen et al. 2008
SEDAR25-RD21	Lead-radium dating of golden tilefish (<i>Lopholatilus chamaeleonticeps</i>)	Andrews 2009
SEDAR25-RD22	Black sea bass, <i>Centropristis striata</i> , life history and habitat characteristics (second edition)	Drohan et al. 2007
SEDAR25-RD23	Spawning locations for Atlantic reef fishes off the Southeastern US	Sedberry et al. 2006
SEDAR25-RD24	Growth of black sea bass (<i>Centropristis striata</i>) in recirculating aquaculture systems	Perry et al. 2007
SEDAR25-RD25	American food and game fishes. A popular account of all the species found in America north of the equator, with keys for ready identification, life histories and methods of capture – <i>Tilefish excerpt</i>	Jordan and Evermann 1908
SEDAR25-RD26	American fishes: A popular treatise upon the game and food fishes of North America with especial reference to habits and methods of capture – <i>Sea basses excerpt</i>	Goode and Gill 1903
SEDAR25-RD27	American food and game fishes. A popular account of all the species found in America north of the equator, with keys for ready identification, life histories and methods of capture – <i>Centropristes excerpt</i>	Jordan and Evermann 1908
SEDAR25-RD28	Returns from the 1965 Schlitz tagging program including a cumulative analysis of previous results	Beaumariage 1969
SEDAR25-RD29	Source Document for the Snapper-Grouper Fishery of the South Atlantic region	SAFMC 1983
SEDAR25-RD30	FMP, Regulatory Impact Review, and final Environmental Impact Statement for the SG fishery of the South Atlantic region	SAFMC 1983
SEDAR25-RD31	Biological-statistical census of the species entering fisheries in the Cape Canaveral area	Anderson and Gehringer 1965

SEDAR25-RD32	Survey of offshore fishing in Florida	Moe 1963
SEDAR25-RD33	Southeastern US Deepwater reef fish assemblages, habitat characteristics, catches, and life history summaries	Parker and Mays 1998
SEDAR25-RD34	Sea bass pots: bigger mesh may yield larger fish	Lee 2007
SEDAR25-RD35	Migration and standing stock of fishes associated with artificial and natural reefs on Georgia's outer continental shelf	Ansley and Harris 1981
SEDAR25-RD36	The South Carolina fishery for black sea bass (<i>Centropristis striata</i>), 1977-1981	Low 1982
SEDAR25-RD37	Age sampling of the commercial snapper grouper fishery and age description of the black sea bass fishery in North Carolina	Collier and Stewart, 2010
SEDAR25-RD38	Black sea bass 2009 stock assessment update (Northeast Fisheries Science Center Reference Document 09-16)	Shepherd 2009
SEDAR25-RD39	The recreational fishery in South Carolina: The Little River story	Burrell
SEDAR25-RD40	Otolith and histology interpretation workshop for golden tilefish and snowy grouper	Joint agency report 2009
SEDAR25-RD41	Age workshop for black sea bass (<i>Centropristis striata</i>)	Joint agency report 2009
SEDAR25-RD42	Population genetic structure of black seabass (<i>Centropristis striata</i>) on the eastern US coast, with an analysis of mixing between stocks north and south of Cape Hatteras, North Carolina	McCartney and Burton 2011
SEDAR25-RD43	Delineation of tilefish, <i>Lopholatilus chamaeleonticeps</i> , stocks along the United States east coast and in the Gulf of Mexico	Katz et al 1982
SEDAR25-RD44	Foreign fishing off the southeastern United States under the currently accepted contiguous sea limitation	Fuss
SEDAR25-RD45	Black sea bass, managing a fishery. A case study. *website document*	Camblos et al. 2005
SEDAR25-RD46	SAFMC Science and Statistics Committee, Bio-Assessment sub-committee	SA SSC 2003
