

SEDAR 28
Gulf and South Atlantic -- Spanish Mackerel and Cobia
Workshop Document List

Document #	Title	Authors
Documents Prepared for the Data Workshop		
SEDAR28-DW01	Cobia preliminary data analyses – US Atlantic and GOM genetic population structure	Darden 2012
SEDAR28-DW02	South Carolina experimental stocking of cobia <i>Rachycentron canadum</i>	Denson 2012
SEDAR28-DW03	Spanish Mackerel and Cobia Abundance Indices from SEAMAP Groundfish Surveys in the Northern Gulf of Mexico	Pollack and Ingram, 2012
SEDAR28-DW04	Calculated discards of Spanish mackerel and cobia from commercial fishing vessels in the Gulf of Mexico and US South Atlantic	K. McCarthy
SEDAR28-DW05	Evaluation of cobia movement and distribution using tagging data from the Gulf of Mexico and South Atlantic coast of the United States	M. Perkinson and M. Denson 2012
SEDAR28-DW06	Methods for Estimating Shrimp Bycatch of Gulf of Mexico Spanish Mackerel and Cobia	B. Linton 2012
SEDAR28-DW07	Size Frequency Distribution of Spanish Mackerel from Dockside Sampling of Recreational and Commercial Landings in the Gulf of Mexico 1981-2011	N.Cummings, J. Isely
SEDAR28-DW08	Size Frequency Distribution of Cobia from Dockside Sampling of Recreational and Commercial Landings in the Gulf of Mexico 1986-2011	J. Isely and N. Cummings
SEDAR28-DW09	Texas Parks and Wildlife Catch Per unit of Effort Abundance Information for Spanish mackerel	N. Cummings, J. Isely
SEDAR28-DW10	Texas Parks and Wildlife Catch Per unit of Effort Abundance Information for cobia	J. Isely, N. Cummings
SEDAR28-DW11	Size Frequency Distribution of Cobia and Spanish Mackerel from the Galveston, Texas, Reef Fish Observer Program 2006-2011	J Isely and N Cummings
SEDAR28-DW12	Estimated conversion factors for calibrating MRFSS charterboat landings and effort estimates for the South Atlantic and Gulf of Mexico in 1981-1985 with For Hire Survey estimates with application to Spanish mackerel and cobia landings	V. Matter, N Cummings, J Isely, K Brennen, and K Fitzpatrick
SEDAR28-DW13	Constituent based tagging of cobia in the Atlantic	E. Orbesen

	and Gulf of Mexico waters	
SEDAR28-DW14	Recreational Survey Data for Spanish Mackerel and Cobia in the Atlantic and the Gulf of Mexico from the MRFSS and TPWD Surveys	V. Matter
SEDAR28-DW15	Commercial Vertical Line and Gillnet Vessel Standardized Catch Rates of Spanish Mackerel in the US Gulf of Mexico, 1998-2010	N. Baertlein, K. McCarthy
SEDAR28-DW16	Commercial Vertical Line Vessel Standardized Catch Rates of Cobia in the US Gulf of Mexico, 1993-2010	K. McCarthy
SEDAR28-DW17	Standardized Catch Rates of Spanish Mackerel from Commercial Handline, Trolling and Gillnet Fishing Vessels in the US South Atlantic, 1998-2010	K. McCarthy
SEDAR28-DW18	Standardized catch rates of cobia from commercial handline and trolling fishing vessels in the US South Atlantic, 1993-2010	K. McCarthy
SEDAR28-DW19	MRFSS Index for Atlantic Spanish mackerel and cobia	Drew et al.
SEDAR28-DW20	Preliminary standardized catch rates of Southeast US Atlantic cobia (<i>Rachycentron canadum</i>) from headboat data.	NMFS Beaufort
SEDAR28-DW21	Spanish mackerel preliminary data summary: SEAMAP-SA Coastal Survey	Boylan and Webster
SEDAR28-DW22	Recreational indices for cobia and Spanish mackerel in the Gulf of Mexico	Bryan and Saul
SEDAR28-DW23	A review of Gulf of Mexico and Atlantic Spanish mackerel (<i>Scomberomorus maculatus</i>) age data, 1987-2011, from the Panama City Laboratory, Southeast Fisheries Science Center, NOAA Fisheries Service	Palmer, DeVries, and Fioramonti
SEDAR28-DW24	SCDNR Charterboat Logbook Program Data, 1993 - 2010	Errigo, Hiltz, and Byrd
SEDAR28-DW25	South Carolina Department of Natural Resources State Finfish Survey (SFS)	Hiltz and Byrd
SEDAR28-DW26	Cobia bycatch on the VIMS elasmobranch longline survey:1989-2011	Parsons et al.
Documents Prepared for the Assessment Workshop		
SEDAR28-AW01	Florida Trip Tickets	S. Brown
SEDAR28-AW02	SEDAR 28 Spanish mackerel bycatch estimates	NMFS Beaufort

	from US Atlantic coast shrimp trawls	
Documents Prepared for the Review Workshop		
SEDAR28-RW01	The Beaufort Assessment Model (BAM) with application to cobia: mathematical description, implementation details, and computer code	Craig
SEDAR28-RW02	Development and diagnostics of the Beaufort assessment model applied to Cobia	Craig
SEDAR28-RW03	The Beaufort Assessment Model (BAM) with application to Spanish mackerel: mathematical description, implementation details, and computer code	Andrews
SEDAR28-RW04	Development and diagnostics of the Beaufort assessment model applied to Spanish mackerel	Andrews
Final Assessment Reports		
SEDAR28-SAR1	Assessment of Spanish mackerel in the US South Atlantic	To be prepared by SEDAR 28
SEDAR28-SAR2	Assessment of Spanish mackerel in the US Gulf of Mexico	To be prepared by SEDAR 28
SEDAR28-SAR3	Assessment of cobia in the US South Atlantic	To be prepared by SEDAR 28
SEDAR28-SAR4	Assessment of cobia in the US Gulf of Mexico	To be prepared by SEDAR 28
Reference Documents		
SEDAR28-RD01	List of documents and working papers for SEDAR 17 (South Atlantic Spanish mackerel) – all documents available on the SEDAR website	SEDAR 17
SEDAR28-RD02	2003 Report of the mackerel Stock Assessment Panel	GMFMC and SAFMC, 2003
SEDAR28-RD03	Assessment of cobia, <i>Rachycentron canadum</i> , in the waters of the U.S. Gulf of Mexico	Williams, 2001
SEDAR28-RD04	Biological-statistical census of the species entering fisheries in the Cape Canaveral area	Anderson and Gehringer, 1965
SEDAR28-RD05	A survey of offshore fishing in Florida	Moe 1963

SEDAR28-RD06	Age, growth, maturity, and spawning of Spanish mackerel, <i>Scomberomorus maculatus</i> (Mitchill), from the Atlantic Coast of the southeastern United States	Schmidt et al. 1993
SEDAR28-RD07	Omnibus amendment to the Interstate Fishery Management Plans for Spanish mackerel, spot, and spotted seatrout	ASMFC 2011
SEDAR28-RD08	Life history of Cobia, <i>Rachycentron canadum</i> (Osteichthyes: Rachycentridae), in North Carolina waters	Smith 1995
SEDAR28-RD09	Population genetics of cobia <i>Rachycentron canadum</i> : Management implications along the Southeastern US coast	Darden et al, 2012
SEDAR28-RD10	Inshore spawning of cobia (<i>Rachycentron canadum</i>) in South Carolina	Lefebvre and Denson, 2012
SEDAR28-RD11	A review of age, growth, and reproduction of cobia <i>Rachycentron canadum</i> , from US water of the Gulf of Mexico and Atlantic ocean	Franks and Brown-Peterson, 2002
SEDAR28-RD12	An assessment of cobia in Southeast US waters	Thompson 1995
SEDAR28-RD13	Reproductive biology of cobia, <i>Rachycentron canadum</i> , from coastal waters of the southern United States	Brown-Peterson et al. 2001
SEDAR28-RD14	Larval development, distribution, and ecology of cobia <i>Rachycentron canadum</i> (Family: Rachycentridae) in the northern Gulf of Mexico	Ditty and Shaw 1992
SEDAR28-RD15	Age and growth of cobia, <i>Rachycentron canadum</i> , from the northeastern Gulf of Mexico	Franks et al 1999
SEDAR28-RD16	Age and growth of Spanish mackerel, <i>Scomberomorus maculatus</i> , in the Chesapeake Bay region	Gaichas, 1997
SEDAR28-RD17	Status of the South Carolina fisheries for cobia	Hammond, 2001
SEDAR28-RD18	Age, growth and fecundity of the cobia, <i>Rachycentron canadum</i> , from Chesapeake Bay and adjacent Mid-Atlantic waters	Richards 1967
SEDAR28-RD19	Cobia (<i>Rachycentron canadum</i>) tagging within Chesapeake Bay and updating of growth equations	Richards 1977
SEDAR28-RD20	Synopsis of biological data on the cobia <i>Rachycentron canadum</i> (Pisces: Rachycentridae)	Shaffer and Nakamura 1989
SEDAR28-RD21	South Carolina marine game fish tagging program 1978-2009	Wiggers, 2010
SEDAR28-RD22	Cobia (<i>Rachycentron canadum</i>), amberjack	MARFIN 1992

	(<i>Seriola dumerili</i>), and dolphin (<i>Coryphaena hipurus</i>) migration and life history study off the southwest coast of Florida	
SEDAR28-RD23	Sport fish tag and release in Mississippi coastal water and the adjacent Gulf of Mexico	Hendon and Franks 2010
SEDAR28-RD24	VMRC Cobia otolith preparation protocol	VMRC
SEDAR28-RD25	VMRC Cobia otolith ageing protocol	VMRC
SEDAR28-RD26	Age, growth, and reproductive biology of greater amberjack and cobia from Louisiana waters	Thompson et al. 1991
SEDAR28-RD27	Gonadal maturation in the cobia, <i>Rachycentron canadum</i> , from the northcentral Gulf of Mexico	Lotz et al. 1996
SEDAR28-RD28	Cobia (<i>Rachycentron canadum</i>) stock assessment study in the Gulf of Mexico and in the South Atlantic	Burns et al. 1998
SEDAR28-RD29	Total mortality estimates for Spanish mackerel captured in the Gulf of Mexico commercial and recreational fisheries 1983 to 2011	Bryan 2012