


The commercial reef fish fishery in Puerto Rico with emphasis on
yellowtail snapper, Ocyurus chrysurus: landings and catch per unit of
effort from 1983 through 2003 (SEDAR 8-DW-08)

Nancie J. Cummings and Daniel Matos-Caraballo

SEDAR84-RD-12

May 2024



This information is distributed solely for the purpose of pre-dissemination peer review. It does not represent and should not be construed to represent any agency determination or policy.

SEDAR 8 DW-8

**The commercial reef fish fishery in Puerto Rico with emphasis on yellowtail
snapper, *Ocyurus chrysurus*: landings and catch per unit of effort from 1983
through 2003**

by

Nancie J. Cummings¹
and
Daniel Matos-Caraballo²

¹U.S. Department of Commerce
National Oceanic and Atmospheric Administration (NOAA)
National Marine Fisheries Service (NMFS)
Southeast Fisheries Science Center (SFSC)

Sustainable Fisheries Division (SFD)
75 Virginia Beach Drive
Miami, Florida 33149

²Fisheries Research Laboratory
Puerto Rico Department Natural and Environmental Resources (DNER)
Mayaguez, Puerto Rico

Final Draft Report December 1 2004

Sustainable Fisheries Division Contribution No. SFD-2004-046

And

SEDAR-8 Data Workshop Report No 8

Introduction and Fishery Background

Information on the historical fisheries off Puerto Rico was reviewed by Cummings and Matos-Caraballo (2003a). Accounts of commercial fishing exist as far back as the 1930s. Most of the early reports indicate that although fishing occurred in Puerto Rico during the late 1800's, prior to about 1900's it was mainly for subsistence purposes (see Wilcox 1899, 1900, Jarvis 1932 as cited in Cummings and Matos-Caraballo 2003a). This is further supported by Jarvis's work (1932), who under the sponsorship of the U.S. Department of Commerce, Bureau of Fisheries, conducted a detailed survey in 1931 of the marketing and economic aspects of the fisheries and was one of the earliest researchers to document Puerto Rico's commercial fishery. Jarvis described fishing methods, number of fishermen and number of boats operating, number of different gear being used (nets, pots, lines, etc.) and provided comprehensive descriptions on the regional differences of Puerto Rico's fisheries.

More recent studies since the late 1990s of the Puerto Rico commercial fisheries have raised concern as to the condition of several species or species groups commonly reported in these fisheries including several snappers and groupers (see Matos-Caraballo 2002). Declining landings in some fisheries off Puerto Rico (i.e. pot fisheries) and increasing landings in other gears (i.e., hand lines, gill nets, and diver operations) have been reported. Matos-Caraballo (2002) also reported declines in total landings from the west coast of Puerto Rico and, for the first time since 1972 a trend of increasing landings from the south coast of Puerto Rico. Matos-Caraballo (1998, 2004) reported that several species including shellfish, previously considered as trash fish and discarded by most commercial fishers in Puerto Rico are now being landed and sold. These included the squirrel fish species *Holocentrus ascensionis* and *H. rufus* and also *Carpilius corallinus* and *Mythrax spp.*. In fact these species brought up to \$1.25 per pound in the market in 2001-2002 according to Matos-Caraballo (2004). Matos-Caraballo (2002) also reported that a number of species including members of the Acanthurid and Pomacentrid families, are being fished off of the island of Vieques to be sold in St. Thomas and St. Croix, US VI. In addition, Matos-Caraballo (2004) reported a decline in the number of active fishermen in recent years as well as the number of vessels participating in the deep water snapper fishery.

The yellowtail snapper, *Ocyurus chrysurus*, has historically been an important component of the Puerto Rico commercial landings, on average contributing about 5% of the total combined shellfish and finfish landings by weight and about 10% of the annual landings of reef fish (Matos-Caraballo 2004, 2002, 2001, 1998).

The primary focus of this report is to present detailed information on the yellowtail snapper for the commercial fisheries off Puerto Rico including landings statistics from 1983 through 2003 and information on catch per unit of effort. This information is needed to address the status or condition of the population. Information is also presented on the value of the yellowtail snapper fishery and on landings and value of all fish and shellfish sold in Puerto Rico.

Data Sources and Methods

Commercial Landings

Statistics for the commercial fisheries of Puerto Rico were collected by the Fisheries Research Laboratory (FRL) of the Puerto Rico Department of Natural and Environmental Resources (DNER). Since 1967, the Puerto Rico Fisheries Statistics Program (FSP) has collected data on the commercial fishery through primarily cooperative agreements. The FSP was administered through the Department of Agriculture of Puerto Rico from 1966 to 1979. The Commercial Fisheries Statistics Program (CFSP) was implemented in 1967 under the Commercial Fisheries Research and Development Act of 1964 (PL 88-309) (see Matos-Caraballo 2004, Collazo and Calderon 1988). From 1979 through the late 1980's, the FSP program was administered by the Corporation for the Development and Administration of the Marine, Lacustrine and Fluvial Resources of Puerto Rico (CODREMAR) and during this period, the CFSP statistics program was supported contractually by NOAA. Since the early 1990's the CFSP, FSP has been supported through a cooperative agreement with NOAA, NMFS through the State/Federal (SF) Cooperative and Interjurisdictional Fisheries Program (IJ). Through the SF/CSP/IJ program, commercial fishery landings data were collected from Puerto Rico's fishers, fish buyers and fishing associations, whom voluntarily cooperate with the FSP. However, not all participants in the fisheries (i.e., fishers, dealers, cooperatives, fisher helpers) always cooperate in all years.

In addition to collecting data on landings, fisheries port samplers in Puerto Rico routinely visited the coastal municipalities ($n=42$) including the islands of Vieques and Culebra, and the fishing centers ($n=88$, Figure 1). Matos-Caraballo (2002) presented details of the data collection program in Puerto Rico. Briefly, information is recorded for each fisher sale as to the date of sale, name of fish buyer, fisherman identification, information on fisher helper identification, the municipality and the fishing center of sale, the number of trips (ntrips) that were made for this sale, gear type used, amount of fishing effort (e.g., hours fishing, number of gear, number of traps, number of hours soaked, number of lines), weight in pounds of the species sold, taxonomic identification (species or family), and market value (dollars). Sometimes information is recorded on the minimum and maximum depth of the fishing area that resulted in this catch but not always. Not all data records contained information on gear quantity or effort and for many records the 'ntrips' data variable exceeded one, indicating that some fishers perhaps retained their catch over several trips and were later sold. In Puerto Rico's commercial fisheries, the majority of the finfish are landed in the round except for the deep water snappers which are usually gutted. Lobster, oyster and octopus were also landed in the round, and according to Matos-Caraballo (2002) conch landings include the meat only. For some sales in nearly all years, finfish were classified as to first, second, or third class fish, or trash fish as defined by Matos-Caraballo and Sadovy (1990). According to Matos-Caraballo and Sadovy, the definitions of these four categories varied somewhat by region but in general were broadly defined as: "first class fish included large snappers, grouper, grunt, trunkfish and hogfish; second class fish included small snapper and grouper, parrotfish, goatfish, and triggerfish; third class fish included smaller individuals of second class fish and large squirrelfish. The "trash fish" category included

butterfly fish, angelfish, surgeonfish, small squirrelfish and small fishes of a number of other species.”

It was not possible for this report to identify individual fishing trips in the total commercial landings dataset with complete accuracy since unique trip identification was not maintained at the time of computer processing by the PR FRL, CFSP, FSP for the data collected from 1983-2002. Beginning in 2003, the CFSP FSP implemented the addition of a unique trip identification number on each separate fishing trip. Efforts are underway by the senior author to develop logic for assigning unique trip id codes to the data before 2003 for use in future analyses of the commercial sales records in Puerto Rico.

The Puerto Rico commercial landings records represent only a portion of the total commercial removals as noted by Matos-Caraballo (2002). Not all active fishermen in Puerto Rico report their sales as discussed in that report. Matos-Caraballo (2004) provided updated information on the number of active commercial fishers in Puerto Rico, the number of full time or part time fishers, and the number and size (length) of active commercial vessels. Information from Matos-Caraballo (2004) and from Cummings and Matos-Caraballo (2003) is provided here for purposes of calculating total expanded commercial landings in Puerto Rico. In 2004, a fisherman licensing system was implemented in Puerto Rico.

The economic value, measured in U.S. dollars (\$), of yellowtail snapper by year, month, and gear was calculated using the reported data from the commercial fishing sales records from 1983-2003. Information is presented in this report on total annual value of yellowtail snapper for all fisheries combined and also for the two primary gears used to catch yellowtail snapper, lines and pots. Value for all fish and shellfish landed in Puerto Rico was also calculated and is presented by year, month, and gear. The average value, price per pound (\$), was also calculated by year and by fishery and is presented for all yellowtail snapper.

Catch Per Unit of Effort (CPUE) of Yellowtail Snapper

Nominal CPUE

The raw commercial sales records were used to calculate unadjusted nominal catch per unit of effort (CPUE) for yellowtail snapper for future consideration as possible stock status measures. CPUE was computed using the fisher sales trip as the basic measure of effort as previously done for these data in Matos-Caraballo (2002). For yellowtail snapper, two sets of observations were constructed for yellowtail snapper. First, a dataset containing only observations where the ‘number of trips’ data variable was recorded as ‘ntrips’ = 1 and a second data set was constructed of the sales records in which the ‘ntrips’ data variable was less than or equal to seven. Additional information for selection of a value of seven or less as a cutoff value for ‘ntrips’ is given in the results section. In Puerto Rico many fishers do not apply ice to the day’s catch thus it seemed impractical to assume that more than a weeks catch would be retained and later sold and still receive a reasonable price per pound. The measure of CPUE was total pounds sold per trip. CPUE for each sale was computed as total pounds divided by number of trips.

For each yellowtail snapper CPUE observation data set ('ntrips' = 1 and 'ntrips' ≤ 7) nominal unadjusted CPUE, were calculated for each year in the data, 1983-2003 combining the data across all possible classifications of municipalities of sale (i.e., gears used, month of sale, municipality of sale, and fisherman id). Next, nominal CPUE was computed by year for each major fishing gear used to capture yellowtail snapper (hook and line, pot, net, seines and other) again where the number of trips variable, ntrips, was equal to one and ntrips≤ 7.

Standardized CPUE

After calculating nominal CPUE of yellowtail snapper the individual landings data records were used to calculate standardized CPUE for use as abundance indices using general linear modeling (GLM) methods (Robson 1966). For the standardization analyses three data sets were constructed for yellowtail snapper. The first set contained only observations where the 'ntrips' variable was equal to one as done earlier in calculating nominal unadjusted CPUE. Then a second data set was formed by only including observations from sales in which the 'ntrips' data variable equaled seven or less. Finally, a third data set of all the yellowtail snapper CPUE observations was formed. For each data set a GLM model was fit which contained auxiliary terms for several independent variables traditionally considered statistically important in explaining the variation in fisheries CPUE data. The auxiliary data collected by the FSP on each sale considered in these analyses were year, month of sale, municipality as a proxy for general area of catch, and gear used in the capture. Some sales records also included information on depth of fishing however this information was incomplete in most cases. Incorporating auxiliary information into the calculation of CPUE is considered important in explaining the total variation in CPUE.

Results

Commercial Sales of Yellowtail Snapper in Puerto Rico

Computerized data documenting levels of commercial sales of fish and shellfish in Puerto Rico were available through the PR DNER, CFSP, FSP for 1983 through 2003. Computerized data documenting species specific sales of yellowtail snapper in Puerto Rico are not currently available prior to 1983 although this information was collected by the CFSP since 1966. Annual pounds of yellowtail snapper sold in Puerto Rico from 1983 through 2003 ranged from 77,232 pounds (1988) to 363,037 pounds (2000) (Table 1, Figure 2a, 2b). The information for 2003 calendar year should be considered as preliminary. The number of individual fisher sales of yellowtail snapper varied over the 21 year period from 2,024 (1984) sales to 7,694 (2001) sales over the same period. Peak years in the total pounds of yellowtail snapper sold and the number of individual fisher sales were 2000 and 2001 respectively. The statistics on commercial sales from the FRL CFSP indicates an increasing trend of fisher sales of yellowtail snapper pounds in Puerto Rico from 1984 continuing through 1995 (Figures 2a, 2b). From 1995 through 2000 fisher sales of this species varied without trend and after 2000, the data do not reveal a strong declining or increasing trend in yellowtail snapper fisher sales through 2002. The 2003 data should be considered as preliminary in all of the discussions below.

Trends in Sales of Yellowtail Snapper in Puerto Rico by Major Gear Category

The individual commercial sales records of yellowtail snapper were summarized by reported fishing gear, as recorded on the fisher sales ticket, and by calendar year to identify the primary gears used to catch yellowtail snapper off Puerto Rico over the 21 year time series and also to identify possible trends in fisher sales by gear over time. The Puerto Rico commercial sales records indicate that yellowtail snapper were caught mainly by fishers using some type of line (e.g., rod and reel, hand line, bottom line, silk haul) or were caught with pots (Tables 2 and 3, Figures 3a). These two capture gears are referred to in this report as the “major” gears involved in the capture of yellowtail snapper off Puerto Rico. In general ‘lines’ referred to in this document, as ‘rod and reel’ in data categorizations, contributed from about 50% to 85% by weight of the total annual sales of this species from 1983-2003 (Table 3, Figures 3b, 3c). On average, the percentage by weight that pots contributed ranged from about 8% to 30% (Table 3). The annual percentage contribution of yellowtail sales by pot gear declined from 1983 to 1992 and remained stable thereafter as did total landings. Other gears that were reported to catch yellowtail snapper off Puerto Rico were: cast nets, seines, vertical lines, and diving (scuba, skin diving, spear) however on average these gears contributed less than ten percent of the annual total weight landed of yellowtail snapper. Seines, followed by nets of various types were the main gears in the “minor” gears involved in capture of this species.

The reported commercial statistics can be used to evaluate general patterns regarding changes in the yellowtail snapper fishery across the 21 year period, 1983-2003, within these gear categories. Sales of yellowtail snapper from rod and reel gear show an increase from about 1987 through 2000 (Table 2). Although the percentage of yellowtail taken by rod and reel remains about the same overall since 2000, at around 75%, total annual landings from this gear declined each year since 2001 (Table 3). Prior to 1988 the percentage of yellowtail caught with rod and reel gear was about 55%. Before 1988 pots were reported catching more yellowtail snapper than since 1988 at about 25% annually by weight (Table 3). Sales from fishers reportedly using the minor gears (cast nets, and vertical lines) have for the most part remained stable over the entire 21 year time series. The single exception to this trend was landings from seines which have varied from 1 % to 10 % by weight (Table 3). The complete data series suggest that over this period, 1983-2003, in Puerto Rico line gear has remained the most important gear for yellowtail snapper, contributing currently about 75% of the total removals. Since the late 1980’s pots have become less important to the total landings of yellowtail, contributing currently about 10% by weight of the total removals. Sales of landings from pot gear have shown an overall decline from about 30% to 10% over the period while rod and reel gear contributions have increased from about 55% to 75% by weight. It is important to note that although the percentage of the yellowtail snapper landings from pots declined from the early part of the time series, that landings from pot gear remained stable since about 1994 while landings from lines increased steadily over the entire 21 year time period. As in earlier discussions of these data 2003 should be considered preliminary.

Temporal Trends in Yellowtail Snapper Sold in Puerto Rico

The data were also explored to identify temporal trends in the commercial sales of yellowtail snapper (Table 4). Sales of yellowtail snapper in Puerto Rico by month ranged from about 7 to 11% in general not revealing any strong seasonality across the entire period from 1983 through 2003 (Table 5 and Figures 4a, 4b). For some years a small increase in sales was evident around February-March and also around August – September (Table 5 and Figures 4b, 4c) however this was not consistently observed in all years. Some researchers have reported increases in observations of ripe fishes during this same time. These type observations were reported on in more detail in the review of the biology of this species by Cummings (2004).

Spatial Trends in Yellowtail Snapper Sold in Puerto Rico

The commercial sales of yellowtail snapper were summarized by major fishing reporting center and calendar year to identify the primary municipalities of sale for yellowtail snapper in Puerto Rico. The tabled summary data were organized beginning from the most northeast located municipality (Isabela) moving eastward along the north coast to the municipality of Ceiba, then along the east coast of Puerto Rico to Humacao off the southeast coast, then southwest to Cabo Rojo and finally to the last municipality at the northwest coast of Aquadilla (Figure 1). Unfortunately, the PR, DNER, CFSP, FRL does not request exact information on the capture location on the sales ticket (e.g., latitude/longitude of fishing location). In this study, municipality was considered as a very general proxy for approximate fishing location.

The 21 year time series of fisher sales statistics from 1983-2003, indicates that yellowtail snapper have been caught and landed in all of the major island municipalities in Puerto Rico in nearly all years (Tables 6a, 6b). Historically, only six of the municipalities have contributed five percent or more of the landings over all years and the remaining municipalities on average contributed about 1-2% of the annual sales (Table 6b). These major fishing centers were located in the municipalities of San Juan (northeast), Fajardo and Humacao (east and southeast coast) and in Guanica, Cabo Rojo, and Mayaguez off the southwest and west coasts of Puerto Rico (see Figure 1). Of these six municipalities, those from the northeast and east coast (San Juan, Fajardo), and the southwest coast (Guanica) contributed more than 10% of the long term landings. Interestingly the municipality of Cabo Rojo showed a decline in sales of yellowtail from a steady 20% in 1983 to about 5% in 1993, that trend not varying since then. Similarly the municipality of San Juan in the northeast contributed about 20% annually from 1983-1990 declining thereafter to about 10% of the annual yellowtail sales. It is important to note when reviewing the summarized data in Tables 6a, 6b that the trend comparisons references refer to the “All Years Combined” column.

The distribution of fisher sales of yellowtail snapper by municipality was also evaluated for the two primary gears which caught this species (i.e., lines and pots) (Tables 7-8). In general, the data when partitioned by gear indicate a similar distribution as to all gears combined. There are a few differences however including the following. Sales of yellowtail snapper from lines (rod and reel gear) were mainly from four municipalities representing three regions of the coasts. These were the San Juan district

on the northeast, Fajardo on the east coast, and Guanica and Mayaguez on the southwest coast (Table 7a, 7b). The remaining municipalities contributed 3% or less, usually to the total annual sales of yellowtail snapper by lines. Yellowtail snapper were caught by pots and sold in numerous municipalities within these same regions (northeast, east, southeast and southwest coast). In general there were many municipalities which contribute 3-5% or more of the annual pot landings of yellowtail snapper (Tables 8a, 8b). Sales from pots also showed more inter-year variability than did sales of yellowtail from lines. As noted, above trend comparisons across municipalities mainly refer to the 'All Years' column.

Commercial Removals of All Fish and Shellfish Sold in Puerto Rico

Total sales of all fish and shellfish ranged from about 2.0 million to 3.8 million pounds over the 21 year period (Table 9, Figures 5a, b). An increase in total sales (in pounds) was reported from around 1985 through 1997 followed by a declining trend from 1997 through 2002. The 2003 data are preliminary. Matos-Caraballo (2004) noted that during the middle 1990's there was increased fisher cooperation in reporting sales of fish and shellfish throughout Puerto Rico and suggested the increase in fisher cooperation could explain some of the observed increase in landings. This increase in reporting cooperation through 2002 is evident from the annual census data presented by Matos-Caraballo (2000) and Matos-Caraballo et al. (2004). Matos-Caraballo (2004) also reported a decline in fisher cooperation from 2002 to 2003 from 86% to 56% and also a decline in the total number of fishing tickets submitted for all fish and shellfish combined.

Trends in Sales of Commercial Fish and Shellfish by Gear and by Family

Sales of all fish and shellfish varied very little throughout the year varying from about 6 % to 11 % by month across the entire time period, 1983-2003 (Table 10 and Figure 6). As with sales of yellowtail snapper, line and pot gear were the major gears used for all fish and shellfish fisheries in Puerto Rico (Tables 11a, 11b and, Figure 7). The trend of declining percentage of total landings, from pot gear observed with the yellowtail commercial sales was also evident in the combined all species fishery sales data. Over the 21 year time series, pots declined from about 40% to 28% of the total annual contribution to commercial sales of all fish and shellfish, while rod and reel gear landings increased from about 20% to nearly 40% after 1994. The percentage increase in landings by lines was not as large as observed for yellowtail snapper nor was the percentage decrease as large for pots however a similar trend of increasing total landings by lines was evident (Table 11a). Increasing landings by line gear began in 1985 and continued through 1997. Landings by line gear have continued to decline since 1998. Commercial sales of all fish and shellfish, from nets increased from about 10% between 1983 and 1989, and thereafter increased to about 16% of the annual commercial sales contribution (Table 11b, Figure 7). The annual percentage contribution by the dive gear fisheries to the total landings ranged from 21 % in the early 1980's to a low of 11 % in the early 1990's and since around 1992 has increased each year. The contribution of the dive fishery to total landings in 2002 was 17% (Table 11b). Annual landings by dive gear showed large increases since the early 1990's while landings by rod and reel (line) gear of all species (fish and shellfish) showed declines. While the 'all species' landings

from line (rod & reel) fisheries declined after the late 1990's, landings of yellowtail only showed continued increases through 2002 (see Table 2).

The commercial landings sales statistics for each individual species on each fish ticket were summarized for each year in the time series and are presented in Table 12 by year and individual common name. The data were also re-summed by common scientific family name (e.g., snappers, groupers, wrasses, etc.) and are presented here in Table 13 for landings and Table 14 for percentage of landings by year. Table 14 provides the annual commercial sales of all fish and shellfish by year and by family in terms of percentage composition within the year to the total fishery yield (across all fish and shellfish species, all months, all gears, all municipalities). Graphics presentations of the total annual sales of all fish and shellfish are presented in Figures 6 and 7 by month and gear category respectively.

Across the 21 year time series, 1983-2003, some 323 individual species were landed and sold in Puerto Rico. These species represented about 103 families of marine fish and shellfish. Snappers dominated the overall species composition and contributed on average about 26 % annually of the total reef fish and shellfish landed and sold in Puerto Rico (Table 14). Snappers were followed by tunas (9.9%), conch (7.3%), seabasses-including groupers (5.9%), grunts (5.7%), and dolphin fishes (Table 14). There were no obvious patterns in percentage sales across years for any individual family. However, these data summaries deserve more comprehensive review and possible re-grouping into like families depending on area (location) in addition to stratifying by fishery (i.e., gear of capture) for further evaluations. As in earlier discussion, data from 2003 should be considered as preliminary.

Trends in Reporting of the Sales of Un-Identified Species

Historically in Puerto Rico some fish have not always been identified on the commercial sales catch record by the fisher or the dealer, although species codes were available in the CFSP, FSP reporting system for nearly all species observed in the catch. Such species were frequently separated into first, second, third class fish and also a category for trash fish was often included. According to the literature (see Matos-Caraballo and Sadovy, 1990), "First class fish included large snappers, grouper, grunt, trunkfish and hogfish; Second class fish included small snapper and grouper, parrotfish, goatfish, and triggerfish; Third class fish included smaller individuals of second class fish and large squirrelfish. The "Trash Fish" category included butterfly fish, angelfish, surgeonfish, small squirrelfish and small fishes of a number of other species". The amount of First, Second, Third and Trash Fish were summarized for this report and is presented in Tables 12 and 13 as well as the percentage of the total annual landings in Table 14. The statistics here indicate that current levels of fish reported as First Class fish are probably about 40-50% (by weight) below that of between 1986 and 1995. In 2002, the amount of First Class fish reported was 2.3% (4.2% = average across all years by weight) of the total annual sales (all fish and shellfish combined). The amount of landings classified as Second Class fish has varied without trend from about 1% to 6.8% of the total combined fish and shellfish landings. Current reported levels of this group are about 1.4% for 2002 (3.2% = average across all years by weight). The amount of

Third Class fish reported throughout the time series, 1983-2003, ranged from 1% to 2.7% and in 2002 was 0.9% (1.5% = average by weight). Fish were apparently classified as Trash fish only until 1997. From 1983-1997 the percentage contribution the ‘Trash Fish’ category, comprised on average was about 0.2% of the total combined fish and shellfish weight.

Value of Yellowtail Snapper Sold in Puerto Rico

The annual total revenue in dollars that sales of yellowtail snapper received was calculated, to identify possible temporal changes in the value of this species to the commercial fishery in Puerto Rico. The reported total value of the landings and sales of yellowtail snapper ranged from \$ 119,351 in 1988 to \$ 699,582 in 2000 (Table 15 and Figure 8). The average price of yellowtail caught and sold in Puerto Rico by all gears varied from \$1.26 per pound (1983) to \$2.20 per pound (2002) over the period (Table 16 and Figure 9). In general, total annual revenue of yellowtail snapper in Puerto Rico has increased along with increases in landings and increases in price per pound particularly between 1984 and 2000. Yellowtail snapper caught by rod and reel gear received a higher price per pound than fish caught on pots or other gears. Yellowtail snapper caught by rod and reel gear ranged in value from \$1.45 per pound (1983) to \$2.25 per pound (2003) while yellowtail snapper landed from pot gear received \$1.05 per pound to \$2.25 per pound for the same years (Tables 16-18, Figures 10a, 10b). As observed in total landings, line gear and pots contributed most to the total value of yellowtail snapper sold in Puerto Rico however fish landed on lines received more value per pound with the exception of fish apparently landed with cast nets (Table 18, Figure 10a, 10b). The average price per pound of cast net landed yellowtail snapper showed large variation over the 21 year period, ranging from about \$1.1 per pound (1984) to \$2.42 per pound. It was not possible to determine the validity of these prices nor the accuracy of the gear recorded for these sales records for this report. Since the primary ‘major’ gears involved in the yellowtail snapper landings are lines and pots and the primary ‘minor’ gears are nets, followed by seines, total value and price variation for these gears should be given most attention.

Value of All Fish and Shellfish Sold in Puerto Rico

Between 1983 and 2003 the total value of all fish and shellfish sold in Puerto Rico ranged from 3.0 million dollars (1988) to 7.6 million dollars (2001) (Table 19 and Figure 11). The monthly total sales of all fish and shellfish in Puerto Rico have remained for the most part stable across all years in the time series (Table 20, Figures 12a, b). Lines, pots, and dive gear contributed most to the value of the Puerto Rico commercial fishery contributing on average annually 33%, 29%, and 22% respectively of the total value of all fish and shellfish combined (Tables 21 and 22). The significant dive component in the total value is not surprising as this gear is the main gear used to obtain conch and the percentage contribution of the conch fishery to the overall value was about 7% of the total combined fish and shellfish landings (see Table 14). Within the 21 year time series however there appeared to be a declining trend in value from the dive fishery beginning around 1984 (35% contribution) and continuing through 1992 (16% contribution) (Table 22). Since 1992, total value from the dive fishery increased to about 20% and has remained stable. Patterns in percentage contributions in total value are similarly difficult

to interpret as in landings percentage contributions because of increasing landings (and thus total value) of landings from the rod and reel fisheries for some species (e.g., yellowtail snapper, see Tables 2 and 11a). Similarly, value (all fish and shellfish combined) in the pot fishery declined from about 40% in the early 1980's to about 25 % by 1993 (Table 22). Percentage contribution by the pot fisheries to total value has remained stable since 1993 at about 25% as has total landings of all fish and shellfish by pots (see Table 11a). Total value (\$) in the line fishery appeared to vary without strong trend over the 21 year period

Catch Per Unit of Effort of Yellowtail Snapper Sold in Puerto Rico

Nominal CPUE of Yellowtail Snapper

The individual fisher reported sales of yellowtail snapper were used to calculate nominal catch per unit of effort (CPUE). As discussed earlier in the data methods section information recorded on each fisher sales record included the identification of the fisher making the sale, date of sale, municipality and fishing center where the sale was made, gear used in the capture, total weight sold, and information on price, and the number of fishing trips making up this sale. However, not all variables were always recorded on each sales record. The number of fishing trips variable, 'ntrips', was used in selection of data to include in the yellowtail snapper CPUE analyses. Although, the CFFSP, FSP data collection program was intended to collect trip specific sales records often fishers recorded as many as up to 95 trips. In total, there were some 99,668 individual fisher sales records identified as yellowtail snapper from the 1983-2003 Puerto Rico landings data. Of these observations, the 'ntrips' variable was coded as zero ('0') for 17% (16,990) of the records; these records were excluded from subsequent calculations of CPUE. 82,687 data records remained for use in evaluating CPUE for yellowtail snapper. The remaining data records were further reviewed in order to determine an appropriate cutoff value for the 'ntrips' variable for use in CPUE analyses. Mean CPUE, calculated as total pounds per trip divided by the number of trips (i.e., 'ntrips'), was computed, the standard deviation of mean CPUE (stddev) along with several other univariate statistics were also computed and these are presented here in Table 23 and Figure 14. The stddev variable plotted in Figure 14 describes the between sale variation in nominal CPUE.

The CPUE summaries indicate that the majority of fishers (71%) landing yellowtail snapper, reported only having made a single trip ('ntrip' = 1) on the sales form. Ninety-five percent ($n = 78,112$) of all of the fisher sales observations recorded ntrips = 9 or less while the standard deviation (stddev) of mean CPUE increased nearly five fold for sales records indicating that the total weight represented ten or more trips (see Figure 14). One would expect the stddev to decline as 'ntrips' increases. It seemed illogical that fishers in Puerto Rico would conduct repeated fishing trips, especially more than a weeks worth, in sequence and retain that catch prior to processing. Most fishing trips are conducted during a single day. Retaining multiple day catches and having to maintain the freshness of the catch over several days prior to sale in order secure a reasonable price for the catch, would be difficult and burdensome to the fisheries operation. Therefore, the cutoff value of 'ntrips' ≤ 7 (i.e., one week) was adopted in forming the second CPUE data set. One data set was formed 1) of only observations indicating the 'ntrips' variable equal to one and 2) another of observations in which the 'ntrips' variable was coded as

seven. For each data set nominal un-adjusted CPUE of yellowtail snapper was calculated and is presented by year and each major (rod and reel, pot) and minor (nets, seines, dive, cast nets, other) gear in Tables 24 and 25 and Figures 15 and 16.

Calculations of CPUE for yellowtail snapper for the two separate data series ('ntrips'=1 and 'ntrips' 7) for each major and minor gear (rod and reel, pot, net, seines, dive, cast net) used to capture this species over the 21 year period are presented in Tables 24 and 25 and Figures 15-17. CPUE calculations were made and presented for all the gears capturing this species however the reader is reminded that the major gears responsible for the majority of yellowtail snapper landings in Puerto Rico are lines (coded as rod and reel here) and pots, followed by nets and seines. The major gears represented some 88 and 87 % of the total sales observations in the two data sets respectively (Tables 24b and 25b).

The tabled CPUE calculations from the 'ntrips' = 1 data set indicated that yellowtail snapper commercial CPUE from lines (rod and reel) varied without trend from 1985-2003 from about 31 to 54 pounds per trip and was 34 pounds per trip in 2003 (Table 24a, Figures 15a, c). The very high CPUE calculation in 1984 observed in the rod and reel nominal CPUE was evident in all gear categories. Pot CPUE of yellowtail snapper varied from about 15 pounds per trip to 31 pounds per trip over the 21 year period and was 13 pounds per trip in 2003 (Table 24a, Figures 15a, c). CPUE observations from pots and line gear contributed 88 % to the total all gear CPUE data set (Table 24b). CPUE from all gears combined varied from 25 pounds per trip to 45 pounds per trip over the 21 year period and was 28 pounds per trip in 2003 (Table 25a and Figures 15a,c). The 1984 data points are excluded from this discussion as it appears to be aberrant in all gear and closer inspection of all the data for 1984 is recommended for future analyses.

For the 'ntrips'≤ 7 CPUE data set, yellowtail snapper CPUE from line gear varied from about 21 pounds per trip to 42 pounds per trip and was 34 pounds per trip in 2003, again varying without strong trend over the 21 year period (Table 25a and Figures 16a, b). Pot CPUE of yellowtail from the 'ntrips' ≤ 7 data set varied from around 10 pounds per trip to 18 pounds per trip and was 14 pounds per trip in 2003. The lower mean value from pot fishers in the 'ntrips' ≤ 7 data set could indicate pot fishermen are checking their gear more than once per day and counting each trap set haul as a trip. Yellowtail snapper CPUE from all gears combined ranged from 17 pounds per trip to 38 pounds per trip over the 21 year period and was 8 pounds per trip in 2003 (Table 25a, Figure 16a).

Over the 21 year time series from 1983-2003, yellowtail snapper CPUE varied without major trend in nearly all fisheries. Graphical comparisons of line and pot CPUE for yellowtail snapper are shown in Figure 17. The reader is cautioned to view the 1984 data points as questionable as CPUE in this year was nearly three to four fold that of neighboring years for all gear categories.

Standardized CPUE of Yellowtail Snapper

In addition to calculating nominal unadjusted estimates of CPUE, estimates of CPUE adjusted for variation due to the year, month, fishing center (as a proxy for catch location), and gear, were computed. Simple general linear models were used for these calculations. Similarly to unadjusted CPUE two data sets were formed: 1) one containing all landings observations in which the ‘ntrips’ data variable was equal to one and 2) a set containing observations in which the ‘ntrips’ data variable equaled 7 or less. In addition separate models were fit to all the data and also separate models were calculated for the two primary gears, lines and pots, for yellowtail snapper. The same general linear model was fit to each data set and contained auxiliary terms for year, month, gear, and fishing center. CPUE was calculated as total pounds per trip. The purpose of fitting these preliminary standardization models was mainly to evaluate temporal trends in commercial CPUE for yellowtail snapper in Puerto Rico and also to evaluate appropriate choices for data inclusion for future work.

Temporal patterns in the standardized CPUE results are in general very similar to those observed in the unadjusted yellowtail snapper CPUE data. Similarly to the unadjusted CPUE values, CPUE estimates for 1984 appear somewhat out of line with surrounding years and all comparisons are made from the 1985 year and later (Tables 26-30, Figures 18a-e). Standardized CPUE of yellowtail snapper across all gears from the ‘ntrips=1’ dataset varied from about 12 pounds per trip to 18 pounds per trip (Table 26, Figure 18a). Current CPUE was 14 pounds in 2003. The total percent of variation in the data explained with this model was 30%. Standardized CPUE of yellowtail across all gears from the ‘ntrips<=7 trips’ varied from 10 pounds to 14 pounds per trip and current CPUE in 2003 for this data set was 14 pounds per trip (Table 27, Figure 18b). The total percent of variation in the data explained with this model was 29%. Standardized CPUE of yellowtail snapper from the ‘all fishing trips’ data set ranged from 10 pounds to 14 pounds per trip over the 21 year period. Current CPUE in 2003 was 14 pounds per trip (Table 28, Figure 18c). The total percent of variation in the data explained with this model for the ‘all observations data set’ was 30%. Estimates of 95% Upper and Lower confidence intervals were very narrow for all three data sets. Calculations of standardized CPUE were also made for the two major gears catching this species, lines and pots (Tables 29 and 30). CPUE ranged from 9 pounds per trip to 16 pounds per trip for lines and from 7 pounds to 16 pounds per trip for pots (Tables 29 and 30). Current CPUE in 2003 was 16 and 11 pounds per trip respectively. The total percent of variation in the data explained with the model for these two data sets was 25% and 19% respectively. The detailed results for these CPUE GLM model fits are available from the senior author regarding number of observations in the model, individual parameter estimates, and importance of each parameter to the model fit.

Important References

Cummings, N. J. The biology of yellowtail snapper, *Ocyurus chrysurus*, with emphasis on populations in the Caribbean. U.S. DOC, NOAA, NMFS, SFSC, SFD SFD 2004-045, 10 pp. SEDAR8 DW Doc-4. 28 p.

Cummings, N.J. and D. Matos-Caraballo. 2003a. Summary information on commercial fishing operations in Puerto Rico from 1969-2001 and reporting rates needed to adjust commercial landings. U.S. DOC, NOAA, NMFS, SFSC, SFD SFD, 2003-0023, 14 pp. SEDAR 4 Doc-5.

Cummings, N.J. and D. Matos-Caraballo. 2003b. Summarized reported commercial landing in Puerto Rico from 1969-2001 with specific notes on the silk snapper landings category. U.S. DOC, NOAA, NMFS, SFSC, SFD SFD, 2003-0023, 10 pp. SEDAR 4 Doc-4.

Collazo, J. and J.A. Calderon, 1988. Status of the fisheries in Puerto Rico 1979-1982. Technical Report. CODREMAR, 1(2):1-30.

Jarvis, Norman D. 1932. The fisheries of Puerto Rico. U.S. Dep. Commerce, Bureau of Fisheries Invest. Rpt. 13:41pp.

Matos-Caraballo, Daniel. 2004. Collection of Puerto Rico commercial landings data, April 2001-2004. Job 1 and 2. [In: Puerto Rico/NMFS Cooperative Fisheries Statistics Program April 2001-March 2004. Puerto Rico, DNER, Mayaguez Puerto Rico, Contract Report No. NA17FT1006], 50 pg.

Matos-Caraballo, Daniel. 2004. Comprehensive census of the marine fishery of Puerto Rico, 2002. Job 3 [In: Puerto Rico/NMFS Cooperative Fisheries Statistics Program April 2001-March 2004. Puerto Rico, DNER, Mayaguez Puerto Rico, Contract Report No. NA17FT1006] pg 51-85..

Matos-Caraballo, Daniel. 2002. Overview of Puerto Rico's small-scale fisheries statistics 1998-2001. Proceedings of the 55th Gulf and Caribbean Fisheries Research Institute Meeting. Cancun, Mexico. 17pp

Matos-Caraballo, Daniel. 2001. Overview of Puerto Rico's small-scale fisheries statistics 1998-2001. Proceedings of the 52th Gulf and Caribbean Fisheries Research Institute Meeting. 52: 197-203.

Matos-Caraballo, 2000. A Puerto Rico census 1995-1996. Proceedings of the 51th Gulf and Caribbean Fisheries Research Institute Meeting. 51: 258-270.

Matos-Caraballo, Daniel. 1998. Commercial fisheries statistics: Puerto Rico/NMFS Cooperative Fisheries Statistics Program 1997-2000. PR, DNER, Final Report to the NMFS. 73 pp.

Matos-Caraballo, Daniel, and Y. Sadovy. 1990. Overview of Puerto Rico small scale fisheries statistics 1988-90. Technical Report. CODREMAR. 1(4): 1-17.

Matos-Caraballo, Daniel, M. Cartagena-Haddock, and N. Pena-Alvarado. 2004. Determination of the correction factor for landings data and catch per unit effort (CPUE)

for a single trip, 2002-2003. Job 6 [In: Puerto Rico/NMFS Cooperative Fisheries Statistics Program April 2001-March 2004. Puerto Rico, DNER, Mayaguez, Puerto Rico, Contract Report No. NA17FT1006]: pg 207-229.

Robson, A.D. 1966. Estimation of the relative fishing power of individual ships. ICNAF Res. Bull. No. 3: 15 pp.

Wilcox, William A. 1899. Notes on the foreign fishery trade and local fisheries of Porto Rico. [In Investigations of the Aquatic resources and Fisheries of Porto Rico by the U.S. Fish Comm. Steamer Fish Hawk in 1899]: pg 1-34..

Wilcox, William A. 1900. The fisheries and fish trade of Porto Rico. [In Investigations of the Aquatic resources and Fisheries of Porto Rico by the U.S. Fish Comm. Steamer Fish Hawk in 1899]: pg 27-48.

Table 1. Summary of commercial sales (pounds) of yellowtail snapper, *Ocyurus chrysurus*, in Puerto Rico, 1983 and 2003 by year. 2003 Preliminary data.

| Calendar Year | Total # Sales | Pounds Sold |
|---------------|---------------|-------------|
| 1983 | 3685 | 167867 |
| 1984 | 2024 | 134184 |
| 1985 | 2403 | 140451 |
| 1986 | 2487 | 93804 |
| 1987 | 2704 | 92319 |
| 1988 | 2202 | 77232 |
| 1989 | 2530 | 91028 |
| 1990 | 2801 | 106978 |
| 1991 | 3622 | 148564 |
| 1992 | 3280 | 149058 |
| 1993 | 4091 | 183079 |
| 1994 | 3849 | 186350 |
| 1995 | 6645 | 291769 |
| 1996 | 7084 | 273702 |
| 1997 | 6934 | 272999 |
| 1998 | 5759 | 252015 |
| 1999 | 5964 | 279391 |
| 2000 | 7624 | 363037 |
| 2001 | 7694 | 317185 |
| 2002 | 7219 | 291024 |
| 2003 | 6340 | 176567 |
| All Years | 96941 | 4088602 |

Table 2. Commercial yellowtail snapper, *Ocyurus chrysurus*, sales (pounds) in Puerto Rico by major gear category from 1983-2003. 2003 Preliminary data.

| | | | | | GEAR | | | | |
|------|----------|-------|--------|-------------|--------|------------|--------|----------------|-----------|
| Year | Cast Net | Dive | Net | Other Gears | Pot | Rod & Reel | Seines | Vertical Lines | All Gears |
| 1983 | 116 | 570 | 7014 | | 52395 | 90220 | 15842 | 1710 | 167867 |
| 1984 | 111 | 646 | 6052 | | 34219 | 77165 | 15375 | 616 | 134184 |
| 1985 | 342 | 89 | 12464 | | 39492 | 80770 | 6919 | 375 | 140451 |
| 1986 | 542 | 571 | 21619 | | 19339 | 47301 | 4081 | 351 | 93804 |
| 1987 | 85 | 1751 | 15702 | | 18417 | 54314 | 1397 | 653 | 92319 |
| 1988 | 555 | 995 | 10759 | 350 | 11947 | 50352 | 1429 | 846 | 77232 |
| 1989 | 61 | 287 | 9026 | 60 | 11761 | 61461 | 6675 | 1698 | 91028 |
| 1990 | 40 | 284 | 5685 | | 12057 | 79649 | 7915 | 1348 | 106978 |
| 1991 | 329 | 345 | 7716 | | 19577 | 113728 | 5849 | 1021 | 148564 |
| 1992 | 260 | 318 | 11980 | | 16712 | 112787 | 6093 | 909 | 149058 |
| 1993 | 420 | 1423 | 10125 | | 18149 | 140986 | 10990 | 986 | 183079 |
| 1994 | 1023 | 1185 | 10853 | | 21713 | 136997 | 12576 | 2003 | 186350 |
| 1995 | 1336 | 1514 | 10647 | | 21694 | 246683 | 6029 | 3866 | 291769 |
| 1996 | 496 | 1504 | 26675 | | 28144 | 208646 | 3669 | 4570 | 273702 |
| 1997 | 52 | 1093 | 23930 | | 26605 | 213660 | 4284 | 3376 | 272999 |
| 1998 | 213 | 1989 | 13045 | | 20033 | 209533 | 2773 | 4429 | 252015 |
| 1999 | 127 | 1347 | 14846 | | 22716 | 229477 | 4117 | 6761 | 279391 |
| 2000 | 1212 | 1507 | 19573 | | 22210 | 306047 | 8782 | 3707 | 363037 |
| 2001 | 162 | 5954 | 17337 | | 22725 | 256205 | 12226 | 2576 | 317185 |
| 2002 | | 2461 | 18561 | 33 | 30707 | 226359 | 10078 | 2825 | 291024 |
| 2003 | 160 | 1336 | 7836 | | 18234 | 138826 | 8947 | 1229 | 176567 |
| All | 7641 | 27167 | 281443 | 443 | 488844 | 3081167 | 156046 | 45851 | 4088602 |

Table 3. Percentage of commercial sales (pounds) of yellowtail snapper, *Ocyurus chrysurus*, by gear category in Puerto Rico, 1983 through 2003. 2003 Preliminary data.

| Year | Cast Nets | Dive | Nets | Other Gears | Gear Pots | Rod & Reel | Seines | Vertical Lines | All Gears |
|------|-----------|------|------|-------------|-----------|------------|--------|----------------|-----------|
| 1983 | 0.1 | 0.3 | 4.2 | | 31.2 | 53.7 | 9.4 | 1.0 | 100 |
| 1984 | 0.1 | 0.5 | 4.5 | | 25.5 | 57.5 | 11.5 | 0.5 | 100 |
| 1985 | 0.2 | 0.1 | 8.9 | | 28.1 | 57.5 | 4.9 | 0.3 | 100 |
| 1986 | 0.6 | 0.6 | 23.0 | | 20.6 | 50.4 | 4.4 | 0.4 | 100 |
| 1987 | 0.1 | 1.9 | 17.0 | | 19.9 | 58.8 | 1.5 | 0.7 | 100 |
| 1988 | 0.7 | 1.3 | 13.9 | 0.5 | 15.5 | 65.2 | 1.9 | 1.1 | 100 |
| 1989 | 0.1 | 0.3 | 9.9 | 0.1 | 12.9 | 67.5 | 7.3 | 1.9 | 100 |
| 1990 | 0.0 | 0.3 | 5.3 | | 11.3 | 74.5 | 7.4 | 1.3 | 100 |
| 1991 | 0.2 | 0.2 | 5.2 | | 13.2 | 76.6 | 3.9 | 0.7 | 100 |
| 1992 | 0.2 | 0.2 | 8.0 | | 11.2 | 75.7 | 4.1 | 0.6 | 100 |
| 1993 | 0.2 | 0.8 | 5.5 | | 9.9 | 77.0 | 6.0 | 0.5 | 100 |
| 1994 | 0.5 | 0.6 | 5.8 | | 11.7 | 73.5 | 6.7 | 1.1 | 100 |
| 1995 | 0.5 | 0.5 | 3.6 | | 7.4 | 84.5 | 2.1 | 1.3 | 100 |
| 1996 | 0.2 | 0.5 | 9.7 | | 10.3 | 76.2 | 1.3 | 1.7 | 100 |
| 1997 | 0.0 | 0.4 | 8.8 | | 9.7 | 78.3 | 1.6 | 1.2 | 100 |
| 1998 | 0.1 | 0.8 | 5.2 | | 7.9 | 83.1 | 1.1 | 1.8 | 100 |
| 1999 | 0.0 | 0.5 | 5.3 | | 8.1 | 82.1 | 1.5 | 2.4 | 100 |
| 2000 | 0.3 | 0.4 | 5.4 | | 6.1 | 84.3 | 2.4 | 1.0 | 100 |
| 2001 | 0.1 | 1.9 | 5.5 | | 7.2 | 80.8 | 3.9 | 0.8 | 100 |
| 2002 | | 0.8 | 6.4 | 0.0 | 10.6 | 77.8 | 3.5 | 1.0 | 100 |
| 2003 | 0.1 | 0.8 | 4.4 | | 10.3 | 78.6 | 5.1 | 0.7 | 100 |
| All | 0.2 | 0.7 | 6.9 | 0.0 | 12.0 | 75.4 | 3.8 | 1.1 | 100 |

Table 4. Total monthly commercial sales (pounds) of yellowtail snapper, *Ocyurus chrysurus*, in Puerto Rico, 1983- 2003.
2003 Preliminary data.

| Year | Month | | | | | | | | | | | | | | | | | | | | | |
|------|-------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|---------|--------|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | All | | | | | | | | | |
| N | Sum | N | Sum | N | Sum | N | Sum | N | Sum | N | Sum | N | Sum | N | Sum | N | Sum | N | Sum | N | total | |
| 1983 | 390 | 13159 | 454 | 13027 | 464 | 16931 | 412 | 17402 | 501 | 17737 | 258 | 9999 | 142 | 10102 | 174 | 11645 | 265 | 16787 | 266 | 19405 | 239 | 15100 |
| 1984 | 138 | 7993 | 195 | 15057 | 197 | 17618 | 188 | 11301 | 126 | 6140 | 117 | 7711 | 94 | 7531 | 195 | 10539 | 220 | 11556 | 226 | 17974 | 174 | 12233 |
| 1985 | 147 | 9304 | 160 | 11391 | 236 | 18645 | 209 | 12016 | 173 | 7439 | 227 | 8203 | 203 | 9643 | 267 | 15203 | 255 | 14909 | 205 | 13319 | 191 | 11853 |
| 1986 | 169 | 11072 | 150 | 9375 | 192 | 11010 | 221 | 12311 | 235 | 6342 | 198 | 5005 | 222 | 6377 | 213 | 4538 | 248 | 8315 | 261 | 7563 | 198 | 4953 |
| 1987 | 198 | 7185 | 254 | 10149 | 263 | 12117 | 270 | 8683 | 311 | 10610 | 186 | 5290 | 195 | 4743 | 243 | 6192 | 326 | 11070 | 214 | 7552 | 162 | 6200 |
| 1988 | 121 | 4870 | 162 | 6318 | 203 | 8741 | 265 | 10611 | 228 | 6905 | 169 | 4871 | 109 | 3184 | 178 | 5291 | 243 | 7814 | 314 | 10429 | 147 | 5310 |
| 1989 | 155 | 3803 | 159 | 5338 | 206 | 8171 | 194 | 7412 | 270 | 7784 | 194 | 5798 | 254 | 8266 | 307 | 10429 | 187 | 6848 | 255 | 13484 | 207 | 9952 |
| 1990 | 180 | 5028 | 185 | 5421 | 258 | 10636 | 237 | 9443 | 200 | 9797 | 139 | 4545 | 202 | 8100 | 335 | 1673 | 387 | 1503 | 259 | 8632 | 232 | 7948 |
| 1991 | 315 | 13916 | 325 | 14464 | 354 | 16251 | 313 | 10834 | 396 | 12944 | 362 | 13349 | 303 | 11791 | 255 | 12123 | 283 | 13610 | 240 | 10346 | 164 | 7038 |
| 1992 | 324 | 13984 | 312 | 14665 | 395 | 21033 | 337 | 15711 | 178 | 7993 | 170 | 7148 | 240 | 10610 | 298 | 16007 | 415 | 17779 | 195 | 6353 | 198 | 8377 |
| 1993 | 250 | 12059 | 374 | 15620 | 308 | 11660 | 373 | 18583 | 374 | 17534 | 278 | 12922 | 299 | 13765 | 435 | 17536 | 455 | 22119 | 444 | 18869 | 275 | 13660 |
| 1994 | 310 | 14140 | 303 | 15824 | 486 | 28433 | 299 | 15452 | 310 | 12698 | 295 | 10657 | 280 | 10428 | 416 | 23785 | 248 | 12206 | 409 | 19418 | 266 | 14110 |
| 1995 | 501 | 24468 | 515 | 26888 | 654 | 36293 | 491 | 25690 | 642 | 30666 | 592 | 23826 | 601 | 20515 | 546 | 21555 | 525 | 19513 | 700 | 29641 | 463 | 17947 |
| 1996 | 503 | 16502 | 698 | 28391 | 752 | 32816 | 615 | 21373 | 587 | 23064 | 486 | 15724 | 487 | 16442 | 673 | 26972 | 522 | 21444 | 638 | 25578 | 564 | 23405 |
| 1997 | 724 | 26989 | 462 | 16146 | 631 | 23314 | 631 | 28338 | 553 | 20921 | 609 | 21812 | 612 | 22587 | 603 | 25049 | 563 | 23686 | 615 | 26043 | 480 | 19160 |
| 1998 | 609 | 24334 | 599 | 26074 | 605 | 31693 | 723 | 36225 | 584 | 22257 | 495 | 17125 | 474 | 16546 | 545 | 20853 | 264 | 9253 | 272 | 15029 | 325 | 18311 |
| 1999 | 464 | 25774 | 494 | 28270 | 700 | 39004 | 530 | 25095 | 601 | 28340 | 523 | 22708 | 539 | 24912 | 590 | 27820 | 445 | 17125 | 450 | 17346 | 333 | 12408 |
| 2000 | 491 | 20149 | 592 | 25785 | 771 | 38522 | 607 | 28232 | 721 | 26720 | 631 | 34948 | 651 | 35435 | 755 | 33753 | 749 | 37648 | 737 | 38566 | 504 | 26515 |
| 2001 | 664 | 28724 | 543 | 20717 | 916 | 38446 | 705 | 33239 | 676 | 29115 | 600 | 22506 | 620 | 20703 | 752 | 31378 | 707 | 32021 | 576 | 20604 | 584 | 25458 |
| 2002 | 575 | 22311 | 611 | 23037 | 652 | 29085 | 697 | 32702 | 587 | 22361 | 601 | 28019 | 676 | 27204 | 714 | 27176 | 615 | 23621 | 622 | 23265 | 511 | 19639 |
| 2003 | 489 | 15796 | 427 | 11674 | 761 | 26381 | 606 | 17825 | 617 | 15615 | 483 | 9897 | 547 | 14972 | 626 | 15704 | 622 | 19228 | 531 | 13538 | 319 | 8270 |
| All | 7717 | 321063 | 7974 | 343129 | 9994 | 477647 | 8923 | 397928 | 8920 | 345069 | 7621 | 292605 | 7708 | 300224 | 9114 | 375983 | 8399 | 358102 | 8694 | 377642 | 6609 | 287879 |
| | | | | | | | | | | | | | | | | | | | | 5268 | 211331 | |
| | | | | | | | | | | | | | | | | | | | | 96941 | 4088602 | |

N = number sales, sum = sum of pounds of yellowtail sold

Table 5. Percentage of commercial sales (pounds) of yellowtail snapper, *Ocyurus chrysurus*, in Puerto Rico, 1983 through 2003. 2003 Preliminary data.

| | | | | | | Month | | | | | | | |
|------------|------------|------------|-------------|------------|------------|--------------|------------|------------|------------|------------|------------|------------|------------|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | All |
| 1983 | 7.8 | 7.8 | 10.1 | 10.4 | 10.6 | 6.0 | 6.0 | 6.9 | 1.00 | 11.6 | 9.0 | 3.9 | 100 |
| 1984 | 6.0 | 11.2 | 13.1 | 8.4 | 4.6 | 5.7 | 5.6 | 7.9 | 8.6 | 13.4 | 9.1 | 6.4 | 100 |
| 1985 | 6.6 | 8.1 | 13.3 | 8.6 | 5.3 | 5.8 | 6.9 | 10.8 | 10.6 | 9.5 | 8.4 | 6.1 | 100 |
| 1986 | 11.8 | 10.0 | 11.7 | 13.1 | 6.8 | 5.3 | 6.8 | 4.8 | 8.9 | 8.1 | 5.3 | 7.4 | 100 |
| 1987 | 7.8 | 11.0 | 13.1 | 9.4 | 11.5 | 5.7 | 5.1 | 6.7 | 12.0 | 8.2 | 6.7 | 2.7 | 100 |
| 1988 | 6.3 | 8.2 | 11.3 | 13.7 | 8.9 | 6.3 | 4.1 | 6.9 | 10.1 | 13.5 | 6.9 | 3.7 | 100 |
| 1989 | 4.2 | 5.9 | 9.0 | 8.1 | 8.6 | 6.4 | 9.1 | 11.5 | 7.5 | 14.8 | 10.9 | 4.1 | 100 |
| 1990 | 4.7 | 5.1 | 9.9 | 8.8 | 9.2 | 4.2 | 7.5 | 15.7 | 14.7 | 8.1 | 7.5 | 4.7 | 100 |
| 1991 | 9.4 | 9.7 | 10.9 | 7.3 | 8.7 | 8.8 | 7.9 | 8.9 | 7.6 | 9.2 | 7.0 | 4.7 | 100 |
| 1992 | 9.0 | 9.5 | 14.7 | 10.2 | 6.8 | 5.4 | 4.8 | 7.1 | 10.7 | 11.9 | 4.3 | 5.6 | 100 |
| 1993 | 6.6 | 8.5 | 6.4 | 10.2 | 9.6 | 7.1 | 7.5 | 9.6 | 12.1 | 10.3 | 6.8 | 5.5 | 100 |
| 1994 | 7.6 | 8.5 | 15.3 | 8.3 | 6.8 | 5.7 | 5.6 | 12.8 | 6.6 | 10.4 | 7.6 | 4.9 | 100 |
| 1995 | 8.4 | 9.2 | 12.4 | 8.8 | 10.5 | 8.2 | 7.0 | 7.4 | 6.7 | 10.2 | 6.2 | 5.1 | 100 |
| 1996 | 6.0 | 10.4 | 12.0 | 7.8 | 8.4 | 5.7 | 6.0 | 9.9 | 7.8 | 9.3 | 8.6 | 8.0 | 100 |
| 1997 | 9.9 | 5.9 | 8.5 | 10.4 | 7.7 | 8.0 | 8.3 | 9.2 | 8.7 | 9.5 | 7.0 | 6.9 | 100 |
| 1998 | 9.7 | 10.3 | 12.6 | 14.4 | 8.8 | 6.8 | 6.6 | 8.3 | 3.7 | 6.0 | 7.3 | 5.7 | 100 |
| 1999 | 9.2 | 10.1 | 14.0 | 9.0 | 10.1 | 8.1 | 8.9 | 10 | 6.1 | 6.2 | 4.4 | 3.8 | 100 |
| 2000 | 5.6 | 7.1 | 10.6 | 7.8 | 7.4 | 9.6 | 9.8 | 9.3 | 10.4 | 10.6 | 7.3 | 4.6 | 100 |
| 2001 | 9.1 | 6.5 | 12.1 | 10.5 | 9.2 | 7.1 | 6.5 | 9.9 | 10.1 | 6.5 | 8.0 | 4.5 | 100 |
| 2002 | 7.7 | 7.9 | 10.0 | 11.2 | 7.7 | 9.6 | 9.3 | 9.3 | 8.1 | 8.0 | 6.7 | 4.3 | 100 |
| 2003 | 8.9 | 6.6 | 14.9 | 10.1 | 8.8 | 5.6 | 8.5 | 8.9 | 10.9 | 7.7 | 4.7 | 4.3 | 100 |
| All | 7.9 | 8.4 | 11.7 | 9.7 | 8.4 | 7.2 | 7.3 | 9.2 | 8.8 | 9.2 | 7.0 | 5.2 | 100 |

Table 6b. Percentage of commercial sales of yellowtail snapper, *Ocyurus chrysurus*, sold in Puerto Rico by area of sale 1983-2003. All gears. 2003 preliminary data.

| | | | | | | | | Year | | | | | | | | | | | | | | | | | |
|-----------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-----|--|--|
| Center | 1983 | 1984 | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | All | | | |
| Isabela | 0.3 | 0.2 | 0.3 | 0.1 | | 0 | 0.2 | 0.2 | 0.3 | 0.4 | 0.6 | 0.3 | 0.5 | 0.4 | 0.5 | 0.3 | 0.1 | 0 | 0.1 | 0.5 | 0.1 | 0.3 | | | |
| Camuy | 0.3 | 0.4 | 0.4 | 0.6 | 0.1 | 0.2 | 0.1 | | 0.1 | 0.3 | | | 0.1 | 0.1 | 0.5 | 1.5 | 0.6 | 0.4 | 0.3 | 0.3 | 0.2 | 0.3 | | | |
| Hatillo | 0.7 | 1.1 | 1.3 | 0.3 | 0.8 | 1.2 | 1.5 | 0.4 | | 0.5 | 0.5 | 0.4 | 0.4 | 0.5 | 0.8 | 0.2 | 0.5 | 0 | 0.1 | 0 | 0.1 | 0.1 | 0.4 | | |
| Arecibo | | 0 | | | | 0.1 | 0.3 | 0.1 | 0 | 0.1 | 0.5 | 0 | 0.5 | 0.8 | 0.5 | 0.3 | 0.6 | 1.3 | 0.6 | 0.6 | 0.4 | | | | |
| Barceloneta | 1.7 | 1.3 | 0.4 | 1 | 0.3 | | | 1.2 | 0.6 | 1.1 | 0.3 | 0.4 | 0.7 | 0.4 | 0.1 | 0.5 | 0.5 | 0.2 | 0.3 | 0.7 | 0.1 | 0.3 | 0.5 | | |
| Manati | 0 | 0 | 0 | 0.2 | | | | 0 | 0.1 | 0.1 | 0.1 | 0.1 | 0.3 | 0 | 0.2 | 0.3 | 0.2 | 0.1 | 0.2 | 0.2 | 0 | 0.1 | | | |
| Vega Baja | 0.2 | 0.1 | 0.9 | 1.1 | 0.1 | 0 | | | 0.4 | 0.1 | 0 | 0 | 0.1 | 0.1 | 0.2 | 0.4 | 0.2 | 0.4 | 0.8 | 0.7 | 0 | 0.3 | | | |
| Vega Alta | 0.1 | 0 | 0.1 | 0.3 | 0.1 | 0 | 0 | | | 0.1 | 0.2 | 0.1 | 0.2 | 0.2 | 0.2 | 0.4 | 0.1 | 0.2 | 0.3 | 0.1 | 0.1 | 0.2 | | | |
| Dorado | 0 | 0 | 0 | 0 | | 0 | 0.1 | 0 | 0.2 | 0 | 0.1 | 0.7 | 0.3 | 0.4 | 0.3 | 0.2 | 0.3 | 0.1 | 0.4 | 0.4 | 0.8 | 0.3 | | | |
| Toa Baja | | 0 | 0 | 0.1 | 0 | | | 0 | | | | | 0 | | | | | 0 | 0 | 0 | | 0 | | | |
| Catano | 0.8 | 1 | 0.4 | 0.8 | 0.4 | 0.4 | 0.8 | 1.5 | 4.8 | 3.6 | 2.3 | 4.1 | 4.1 | 1.7 | 2.6 | 1.5 | 1.2 | 0.6 | 0.5 | 0.6 | 1.1 | 1.7 | | | |
| <u>San Juan</u> | 19.3 | 15.1 | 15.5 | 15.9 | 18.5 | 22.3 | 8.8 | 18.6 | 16.4 | 17.5 | 11.2 | 14.6 | 11.4 | 5.9 | 8.6 | 10 | 12.3 | 9.4 | 10.8 | 9.4 | 12.3 | 12.2 | | | |
| Carolina | 0.3 | 0.1 | 0.3 | 0 | 0.5 | 1.1 | 2.5 | 0.4 | 0.2 | 1.2 | 0.3 | 0.5 | 0.5 | 1 | 0.9 | 0.5 | 1 | 0.8 | 2 | 0.4 | | 0.7 | | | |
| Loiza | 0.5 | 0.2 | 0.1 | 0.3 | 0.4 | 0.7 | | 0.3 | 1.8 | 1.1 | 0.7 | 1.3 | 1.6 | 2.5 | 2.6 | 1.3 | 0.4 | 0.2 | 1 | 2 | 1.8 | 1.2 | | | |
| Rio Grande | 1.3 | 1.3 | 0.7 | 0.4 | 0.3 | 0.1 | | 0.1 | 0.3 | 0.3 | 0.5 | 0.9 | 1.2 | 0.7 | 0.8 | 1 | 1.1 | 0.8 | 1.3 | 2 | 1.6 | 0.9 | | | |
| Luquillo | 0.9 | 0.4 | 0.5 | 0.6 | 1 | 0.8 | 0.4 | 0.1 | 0.9 | 1.2 | 0.1 | 0 | 1 | 0.6 | 0.9 | 0.3 | 0.2 | 0.2 | 0 | 0.6 | 0 | 0.5 | | | |
| Fajardo | 12.7 | 9.8 | 15.7 | 8.8 | 12.3 | 11.6 | 8.4 | 9.5 | 1.9 | 8.3 | 9 | 8.2 | 19.4 | 13.2 | 13.8 | 15 | 14.4 | 10.1 | 16.7 | 12.8 | 14.2 | 12.5 | | | |
| Ceiba | 1.4 | 0.9 | 1.4 | 2.3 | 6 | 1 | 0.1 | 0.4 | 1.4 | 0.5 | 0.1 | 0.3 | 1.7 | 1.9 | 1.4 | 1.2 | 1.2 | 1 | 1.5 | 1.8 | 1.3 | 1.3 | | | |
| Naguabo | 3.8 | 3.3 | 2.1 | 2.2 | 2.7 | 0.5 | 0.6 | 0.1 | | 0.1 | 0.4 | 1.6 | 0.9 | 0.4 | 1.1 | 0.7 | 1.2 | 1.5 | 2 | 1.5 | 1.9 | 1.3 | | | |
| Humacao | 4 | 1.8 | 6.6 | 7.5 | 7.4 | 5 | 3.8 | 6.6 | 6.2 | 4.4 | 5.8 | 6.4 | 5.4 | 4.8 | 4.7 | 2.9 | 4.1 | 2.5 | 4.7 | 4 | 5 | 4.6 | | | |
| Yabucoa | 0.6 | 0.4 | 0.6 | 1.2 | 1.5 | 0.8 | 1.2 | 3.5 | 2.6 | 0.4 | 2.8 | 1.8 | 1.7 | 2 | 2.6 | 0.7 | 1.5 | 1.6 | 2.1 | 2.8 | 2.2 | 1.7 | | | |
| Maunabo | 0.2 | 0.4 | 0.2 | 0.9 | 0.3 | 0.3 | 0.2 | 1.2 | 1.2 | | 0.1 | 0.1 | 0.2 | 0.6 | 0.9 | 0.4 | 1.1 | 0.5 | 0.6 | 0.4 | 0.1 | 0.5 | | | |
| Culebra | 1.6 | 1.4 | 3.5 | 5 | 4.2 | 3.2 | 3.5 | 1.9 | 2.1 | 2.2 | 1.4 | 1.8 | 1.6 | 0.4 | 0.1 | | 1 | 1.4 | 0.4 | 1 | 2.6 | 1.5 | | | |
| Viques | 4 | 5.6 | 2.6 | 2.6 | 4.9 | 6.1 | 3.2 | 1 | 0.8 | 1.9 | 1.8 | 0 | 0.9 | 3.3 | 2.4 | 4.1 | 1.4 | 0.9 | 9.3 | 10.9 | 4.7 | 3.6 | | | |
| Patillas | 0.1 | 0.4 | 2.9 | 2.1 | 1.2 | 2.6 | 1.4 | 0.7 | 5.3 | 1.5 | 1.6 | 2.9 | 4.2 | 1 | 2.6 | 0.9 | 0.9 | 1.1 | 1.2 | 1 | 1.4 | 1.7 | | | |
| Arroyo | 1.7 | 2.4 | 1.7 | 0.1 | 0 | | 0 | 0.5 | 1 | 0 | 0 | 0.5 | 1.4 | 1.8 | 1 | 0.5 | 0.3 | 0.2 | 0.2 | 0.2 | 0.3 | 0.7 | | | |
| Guayama | 1.8 | 3.1 | 1.6 | 1.3 | 0.9 | 1.1 | 1.4 | 0.5 | 0.6 | 2.5 | 2.2 | 2.1 | 1.3 | 2.3 | 3.2 | 2 | 2.5 | 0.8 | 0.7 | 1.4 | 2.1 | 1.7 | | | |
| Salinas | 1 | 0.5 | 1.3 | 1.1 | 0.3 | 1.1 | 0.4 | 0.6 | 0.9 | 0.7 | 2.2 | 3.6 | 2.7 | 3.9 | 2.9 | 2.8 | 2.3 | 2.3 | 1.9 | 2.6 | 2.9 | 2.1 | | | |
| Santa Isabel | 0.2 | 0 | | | | 0.1 | 2.1 | 0.2 | 0.5 | 0.1 | 0.2 | 1.8 | 1.9 | 3.1 | 2.2 | 1.7 | 1.3 | 1.8 | 1.5 | 1.4 | 1.4 | 1.3 | | | |
| Juana Diaz | 3 | 2.5 | 1 | 0.1 | 0.9 | 0 | 0.4 | 0 | 0 | 0 | 0 | 0.4 | 0.3 | 1 | 1.2 | 0.7 | 0.4 | 0.8 | 1.1 | 1 | 0.6 | 0.8 | | | |
| Ponce | 0.2 | 0.2 | 0 | 0.2 | 0 | | | | 0.2 | 0.3 | 1.2 | 6.4 | 4.4 | 7 | 4.7 | 10.8 | 10.3 | 9.1 | 6.6 | 5.2 | 11.4 | 5 | | | |
| Penuelas | 0.3 | 0.1 | 0.1 | 0 | 0.2 | 0.2 | 0.1 | 0 | 0 | 0.1 | 0 | 0.1 | 0 | 0 | 0 | 0.1 | 0.1 | 0.1 | 0.3 | 0.5 | 0.1 | 0.1 | | | |
| Guayanilla | 2.5 | 2.4 | 2.9 | 2.1 | 0.2 | 0.6 | 0.3 | 0.1 | 0.2 | | 0.1 | 0.9 | 1.1 | 1 | 0.5 | 1.4 | 2.1 | 0.9 | 1.4 | 0.5 | 1.1 | | | | |
| Guanica | 4.2 | 14.7 | 5.8 | 5.5 | 9.1 | 5.9 | 14.3 | 14.6 | 8.3 | 14.2 | 10.2 | 12.2 | 10 | 11.8 | 9.1 | 9.6 | 11.4 | 28.7 | 6.8 | 6.8 | 4.2 | 11.1 | | | |
| Lajas | 4.1 | | 2.5 | 6.5 | 2.3 | 4.2 | 1.5 | 2.7 | 3.8 | 4.7 | 2.6 | 2.5 | 2.8 | 4.4 | 4.4 | 7.6 | 7.5 | 5 | 5.3 | 9.1 | 4.1 | 4.6 | | | |
| Cabo Rojo | 17.1 | 21.5 | 18.9 | 19.3 | 13.2 | 15.4 | 18.1 | 7.2 | 12 | 9.7 | 4.3 | 2.9 | 2.8 | 5.2 | 5.1 | 3.6 | 2.8 | 4.2 | 5.4 | 4.4 | 6.6 | 7.5 | | | |
| Mayaguez | 7 | 6.2 | 5.8 | 4.1 | 4.7 | 5.8 | 6.2 | 9.6 | 18.8 | 15.1 | 27.2 | 12.3 | 7.7 | 11.7 | 9.5 | 9.7 | 9.8 | 6.7 | 6.7 | 8 | 9.3 | 9.7 | | | |
| Anasco | | 0 | 0.2 | 0.1 | 0.1 | 0.1 | 0.3 | 0.2 | 0.5 | 0 | 0 | 0 | 0.3 | 0.3 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | | | |
| Rincon | 0.3 | 0.1 | 0.1 | 0.1 | 0.3 | | 0.1 | 0.5 | | 0.3 | 0.4 | 0 | 0.2 | 0.1 | 0.1 | 0 | 0.1 | 0.1 | 0.6 | 0.2 | 0.4 | 0.2 | | | |

| | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--|
| Aguada | 0.2 | 0.3 | 0.5 | 3.6 | 0 | 0.6 | 5.5 | 7.6 | 0.9 | 2.2 | 5 | 4.9 | 0.6 | 1.5 | 1.2 | 1 | 0.9 | 1 | 1.8 | 1.1 | 1.5 | 1.7 | |
| Aguadilla | 1.6 | 0.7 | 1.2 | 1.6 | 4.8 | 7.3 | 10.6 | 8.2 | 4.2 | 4 | 4.3 | 2.6 | 4.5 | 2.2 | 4 | 4.6 | 3.2 | 2.5 | 1.6 | 2.6 | 2.1 | 3.3 | |
| All | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | |

Table 7a. Commercial sales (pounds) of yellowtail snapper sold in Puerto Rico by area of sale, 1983-2003. Rod & Reel gear. 2003 Preliminary.

| | | | | | | | | | | cyear | | | | | | | | | | | | | |
|--------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|--------|--------|-------|
| Center | 1983 | 1984 | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | All | |
| Isabela | 442 | 275 | 255 | 54 | . | . | 124 | 145 | 444 | 586 | 1103 | 336 | 1472 | 1025 | 1280 | 789 | 365 | 65 | 59 | 1181 | 60 | 10056 | |
| Camuy | 493 | 565 | 533 | 561 | 5 | 139 | 75 | . | 123 | 424 | . | 364 | 240 | 1346 | 3690 | 1803 | 1398 | 1055 | 792 | 355 | 13961 | | |
| Hatillo | 1139 | 1513 | 1857 | 319 | 664 | 912 | 1342 | 381 | . | 812 | 871 | 548 | 1157 | 1384 | 2231 | 481 | 1528 | 158 | 344 | 135 | 116 | 17891 | |
| Arecibo | . | . | 12 | . | . | . | 110 | 319 | 201 | 58 | 103 | 869 | 22 | 608 | 1921 | 1192 | 812 | 2166 | 3125 | 1607 | 953 | 14076 | |
| Barceloneta | 2807 | 1662 | 521 | 906 | 256 | . | 586 | 650 | 1621 | . | 764 | 1260 | 840 | 299 | 1302 | 1273 | 600 | 873 | 1147 | 241 | 505 | 18113 | |
| Manati | . | . | 24 | . | . | . | . | 14 | 60 | 20 | 176 | 60 | 671 | 97 | 604 | 565 | 508 | 409 | 693 | 708 | 84 | 4693 | |
| Vega Baja | 220 | 81 | 1219 | 615 | 70 | . | . | . | 616 | 46 | . | 31 | 363 | 285 | 354 | 479 | 429 | 1330 | 1696 | 1419 | 17 | 9269 | |
| Vega Alta | 69 | 2 | 97 | 157 | 68 | 24 | 4 | . | . | 88 | 95 | 195 | 427 | 437 | 349 | 940 | 382 | 604 | 774 | 245 | 172 | 5129 | |
| Dorado | 5 | 9 | 5 | 30 | . | 14 | 54 | 16 | . | . | 92 | 1183 | 492 | 725 | 208 | 78 | 325 | 297 | 627 | 56 | 488 | 4704 | |
| Toa Baja | . | . | 33 | 66 | 26 | . | . | . | 69 | . | . | 29 | . | . | . | . | 13 | . | 40 | . | . | 276 | |
| Catano | 487 | 124 | 503 | 651 | 209 | 160 | 596 | 1369 | 6841 | 5194 | 3884 | 7394 | 11799 | 4171 | 5355 | 2640 | 2576 | 1677 | 1619 | 1358 | 1546 | 60150 | |
| San Juan | 31881 | 20240 | 19993 | 12449 | 15198 | 17041 | 7869 | 17804 | 23710 | 25853 | 20284 | 26455 | 31988 | 15833 | 23180 | 24592 | 34241 | 33850 | 33378 | 25166 | 21619 | 482622 | |
| Carolina | 391 | 81 | 424 | 31 | 453 | 836 | 2284 | 454 | 223 | 1840 | 491 | 832 | 1161 | 1389 | 2385 | 1273 | 2616 | 2931 | 6285 | 1047 | . | 27426 | |
| Loiza | 456 | 100 | 155 | 27 | 219 | 60 | . | 259 | 2674 | 926 | 1200 | 2117 | 4189 | 6754 | 6513 | 2713 | 1150 | 674 | 3126 | 5540 | 3134 | 41985 | |
| Rio Grande | 1515 | 1632 | 981 | 207 | 221 | 85 | . | 50 | 473 | 437 | 949 | 1713 | 3364 | 1773 | 2182 | 2395 | 3010 | 2565 | 4195 | 5624 | 2729 | 36098 | |
| Luquillo | 1316 | 358 | 341 | 226 | 277 | 366 | 368 | 100 | 881 | 918 | 80 | 40 | 2810 | 1143 | 1905 | 653 | 311 | 502 | 25 | 1262 | 42 | 13924 | |
| Fajardo | 18593 | 9508 | 17833 | 7011 | 9825 | 8380 | 6878 | 10004 | 1221 | 12079 | 15900 | 14178 | 55154 | 34271 | 34365 | 36325 | 38139 | 35054 | 50911 | 35715 | 23722 | 475064 | |
| Ceiba | 1109 | 268 | 991 | 1213 | 1618 | 179 | 84 | 208 | 1762 | 388 | 87 | 535 | 2963 | 2536 | 1981 | 1394 | 1911 | 1490 | 1743 | 2847 | 1477 | 26782 | |
| Naguabo | 515 | 973 | 1644 | 791 | 1219 | 409 | 155 | 75 | . | 18 | . | 418 | 1915 | 557 | 2136 | 573 | 855 | 2896 | 3951 | 2086 | 1450 | 22635 | |
| Humacao | 3376 | 1549 | 5733 | 4616 | 5011 | 2720 | 2348 | 5559 | 7347 | 5147 | 7271 | 10138 | 13894 | 9722 | 9979 | 5238 | 8066 | 5940 | 12808 | 8768 | 5753 | 140982 | |
| Yabucoa | 589 | 408 | 487 | 680 | 958 | 267 | 996 | 3672 | 3061 | 430 | 3839 | 2819 | 4168 | 4527 | 6200 | 1641 | 3655 | 5560 | 6035 | 5819 | 2546 | 58356 | |
| Maunabo | 87 | 128 | 49 | 53 | 46 | 66 | . | 582 | 1037 | . | 41 | . | 47 | 159 | 1524 | 654 | 2519 | 1642 | 910 | 819 | 150 | 10513 | |
| Culebra | 1774 | 879 | 2622 | 3669 | 2080 | 1542 | 2468 | 1235 | 1703 | 322 | 1628 | 3088 | 4137 | 922 | 247 | . | 2531 | 2234 | 800 | 2696 | 4280 | 40858 | |
| Vieques | 5536 | 6595 | 3218 | 1947 | 3765 | 4553 | 2144 | 712 | 745 | 2891 | 3186 | 81 | 1608 | 5963 | 4560 | 9493 | 2809 | 1446 | 26164 | 24759 | 6777 | 118950 | |
| Patillas | . | . | 3533 | 1689 | 646 | 1414 | 866 | 320 | 7348 | 688 | 2764 | 4670 | 10471 | 2384 | 6160 | 1778 | 1912 | 3400 | 2978 | 2310 | 1959 | 57290 | |
| Arroyo | 20 | . | 688 | . | . | . | . | 21 | 138 | 22 | . | 61 | 2338 | 2392 | 645 | 795 | 202 | 6 | 296 | 99 | 46 | 7769 | |
| Guayama | 28 | . | . | 20 | 9 | 60 | . | 15 | 10 | 1825 | 2683 | 642 | 292 | 2729 | 3783 | 1335 | 3288 | 1185 | 443 | 1960 | 1324 | 21631 | |
| Salinas | 85 | 13 | 19 | 150 | 67 | 84 | 50 | 245 | 79 | 198 | 390 | 1041 | 2116 | 1996 | 2380 | 2662 | 2762 | 5006 | 2917 | 3626 | 856 | 26741 | |
| Santa Isabel | . | . | . | . | . | . | . | 263 | . | 194 | . | 6 | 420 | 1035 | 4620 | 4231 | 2386 | 1018 | 2884 | 2481 | 1904 | 1036 | 22478 |
| Juana Diaz | . | 65 | 25 | 22 | . | . | 280 | . | . | . | . | 198 | 354 | 482 | 93 | . | 503 | 135 | 262 | 114 | 2533 | | |
| Ponce | 58 | 235 | . | 100 | . | . | . | 349 | 383 | 2099 | 9994 | 11610 | 17049 | 11774 | 24494 | 23824 | 30113 | 19704 | 12656 | 20028 | 184469 | | |
| Penuelas | 430 | . | 23 | 40 | 198 | 95 | 51 | 40 | 31 | 127 | 49 | 110 | 40 | 82 | 54 | 45 | 194 | 517 | 959 | 1502 | 109 | 4695 | |
| Guayamilla | 3012 | 2861 | 2224 | 1232 | 47 | 100 | 462 | 270 | 102 | 213 | . | 185 | 2303 | 2397 | 1877 | 496 | 1027 | 1923 | 1087 | 2001 | 51 | 23869 | |
| Guanica | 4708 | 18493 | 6309 | 2421 | 4551 | 2290 | 12055 | 12780 | 10996 | 20739 | 18233 | 17770 | 27776 | 31275 | 24188 | 22772 | 31180 | 103473 | 20170 | 18970 | 7137 | 418280 | |
| Lajas | 1954 | . | . | 97 | 52 | 136 | 242 | 654 | 1439 | 1806 | 12 | 1107 | 4546 | 5680 | 6351 | 15015 | 12188 | 9716 | 10105 | 17199 | 5128 | 93426 | |
| Cabo Rojo | 3404 | 5750 | 4698 | 2186 | 1265 | 2813 | 6842 | 4799 | 8625 | 3934 | 1554 | 1483 | 4208 | 4406 | 4086 | 3265 | 3190 | 5551 | 3973 | 2399 | 1789 | 80218 | |
| Mayaguez | 597 | 1704 | 1771 | 1402 | 715 | 679 | 3207 | 7863 | 23436 | 17726 | 41932 | 20791 | 20060 | 28858 | 23349 | 21821 | 25988 | 23636 | 19088 | 21194 | 14820 | 320637 | |
| Anasco | . | . | 53 | 87 | 58 | 54 | 170 | 200 | 749 | 53 | 79 | 90 | 867 | 807 | 434 | 204 | 130 | 108 | 224 | 349 | 184 | 4899 | |
| Rincon | 448 | 70 | 132 | 91 | 280 | . | 122 | 110 | . | 454 | 789 | 8 | 434 | 239 | 260 | 71 | 221 | 240 | 837 | 195 | 599 | 5600 | |

| | | | | | | | | | | | | | | | | | | | | | | |
|-----------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|
| Aguada | 214 | 376 | 168 | 11 | 19 | 38 | 335 | 529 | 163 | 517 | 873 | 699 | 580 | 2512 | 1916 | 1812 | 2294 | 3115 | 4380 | 2404 | 2071 | 25024 |
| Aguadilla | 2462 | 648 | 1597 | 1474 | 4223 | 4837 | 8031 | 8198 | 5260 | 5627 | 7482 | 3640 | 12776 | 6050 | 9586 | 11419 | 8909 | 8914 | 4920 | 7446 | 3603 | 127101 |
| All | 90220 | 77165 | 80770 | 47301 | 54314 | 50352 | 61461 | 79649 | 113728 | 112787 | 140986 | 136997 | 246683 | 208646 | 213660 | 209533 | 229477 | 306047 | 256205 | 226359 | 138826 | 3081167 |

Table 7b. Percentage of commercial sales (pounds) of yellowtail snapper, in Puerto Rico by area of sale, 1983-2003. Rod and Reel 2003 Preliminary data.

| Center | 1983 | 1984 | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | All |
|--------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| Isabela | 0.5 | 0.4 | 0.3 | 0.1 | . | . | 0.2 | 0.2 | 0.4 | 0.5 | 0.8 | 0.2 | 0.6 | 0.5 | 0.6 | 0.4 | 0.2 | 0 | 0 | 0.5 | 0 | 0.3 |
| Camuy | 0.5 | 0.7 | 0.7 | 1.2 | 0 | 0.3 | 0.1 | . | 0.1 | 0.4 | . | . | 0.1 | 0.1 | 0.6 | 1.8 | 0.8 | 0.5 | 0.4 | 0.3 | 0.3 | 0.5 |
| Hatillo | 1.3 | 2 | 2.3 | 0.7 | 1.2 | 1.8 | 2.2 | 0.5 | . | 0.7 | 0.6 | 0.4 | 0.5 | 0.7 | 1 | 0.2 | 0.7 | 0.1 | 0.1 | 0.1 | 0.1 | 0.6 |
| Arecibo | . | . | 0 | . | . | . | 0.2 | 0.4 | 0.2 | 0.1 | 0.1 | 0.6 | 0 | 0.3 | 0.9 | 0.6 | 0.4 | 0.7 | 1.2 | 0.7 | 0.7 | 0.5 |
| Barceloneta | 3.1 | 2.2 | 0.6 | 1.9 | 0.5 | . | 1 | 0.8 | 1.4 | . | 0.5 | 0.9 | 0.3 | 0.1 | 0.6 | 0.6 | 0.3 | 0.3 | 0.4 | 0.1 | 0.4 | 0.6 |
| Manati | . | . | 0 | . | . | . | . | 0 | 0.1 | 0 | 0.1 | 0 | 0.3 | 0 | 0.3 | 0.3 | 0.2 | 0.1 | 0.3 | 0.3 | 0.1 | 0.2 |
| Vega Baja | 0.2 | 0.1 | 1.5 | 1.3 | 0.1 | . | . | . | 0.5 | 0 | . | 0 | 0.1 | 0.1 | 0.2 | 0.2 | 0.2 | 0.4 | 0.7 | 0.6 | 0 | 0.3 |
| Vega Alta | 0.1 | 0 | 0.1 | 0.3 | 0.1 | 0 | 0 | . | . | 0.1 | 0.1 | 0.1 | 0.2 | 0.2 | 0.2 | 0.4 | 0.2 | 0.2 | 0.3 | 0.1 | 0.1 | 0.2 |
| Dorado | 0 | 0 | 0 | 0.1 | . | 0 | 0.1 | 0 | . | . | 0.1 | 0.9 | 0.2 | 0.3 | 0.1 | 0 | 0.1 | 0.1 | 0.2 | 0 | 0.4 | 0.2 |
| Toa Baja | . | . | 0 | 0.1 | 0 | . | . | . | 0.1 | . | . | . | 0 | . | . | . | 0 | . | 0 | . | . | 0 |
| Catano | 0.5 | 0.2 | 0.6 | 1.4 | 0.4 | 0.3 | 1 | 1.7 | 6 | 4.6 | 2.8 | 5.4 | 4.8 | 2 | 2.5 | 1.3 | 1.1 | 0.5 | 0.6 | 0.6 | 1.1 | 2 |
| San Juan | 35.3 | 26.2 | 24.8 | 26.3 | 28 | 33.8 | 12.8 | 22.4 | 20.8 | 22.9 | 14.4 | 19.3 | 13 | 7.6 | 10.8 | 11.7 | 14.9 | 11.1 | 13 | 11.1 | 15.6 | 15.7 |
| Carolina | 0.4 | 0.1 | 0.5 | 0.1 | 0.8 | 1.7 | 3.7 | 0.6 | 0.2 | 1.6 | 0.3 | 0.6 | 0.5 | 0.7 | 1.1 | 0.6 | 1.1 | 1 | 2.5 | 0.5 | . | 0.9 |
| Lloiza | 0.5 | 0.1 | 0.2 | 0.1 | 0.4 | 0.1 | . | 0.3 | 2.4 | 0.8 | 0.9 | 1.5 | 1.7 | 3.2 | 3 | 1.3 | 0.5 | 0.2 | 1.2 | 2.4 | 2.3 | 1.4 |
| Rio Grande | 1.7 | 2.1 | 1.2 | 0.4 | 0.4 | 0.2 | . | 0.1 | 0.4 | 0.4 | 0.7 | 1.3 | 1.4 | 0.8 | 1 | 1.1 | 1.3 | 0.8 | 1.6 | 2.5 | 2 | 1.2 |
| Luquillo | 1.5 | 0.5 | 0.4 | 0.5 | 0.5 | 0.7 | 0.6 | 0.1 | 0.8 | 0.8 | 0.1 | 0 | 1.1 | 0.5 | 0.9 | 0.3 | 0.1 | 0.2 | 0 | 0.6 | 0 | 0.5 |
| Fajardo | 20.6 | 12.3 | 22.1 | 14.8 | 18.1 | 16.6 | 11.2 | 12.6 | 1.1 | 10.7 | 11.3 | 10.3 | 22.4 | 16.4 | 16.1 | 17.3 | 16.6 | 11.5 | 19.9 | 15.8 | 17.1 | 15.4 |
| Cebolla | 1.2 | 0.3 | 1.2 | 2.6 | 3 | 0.4 | 0.1 | 0.3 | 1.5 | 0.3 | 0.1 | 0.4 | 1.2 | 1.2 | 0.9 | 0.7 | 0.8 | 0.5 | 0.7 | 1.3 | 1.1 | 0.9 |
| Naguabo | 0.6 | 1.3 | 2 | 1.7 | 2.2 | 0.8 | 0.3 | 0.1 | . | 0 | . | 0.3 | 0.8 | 0.3 | 1 | 0.3 | 0.4 | 0.9 | 1.5 | 0.9 | 1 | 0.7 |
| Humacao | 3.7 | 2 | 7.1 | 9.8 | 9.2 | 5.4 | 3.8 | 7 | 6.5 | 4.6 | 5.2 | 7.4 | 5.6 | 4.7 | 4.7 | 2.5 | 3.5 | 1.9 | 5 | 3.9 | 4.1 | 4.6 |
| Yabucoa | 0.7 | 0.5 | 0.6 | 1.4 | 1.8 | 0.5 | 1.6 | 4.6 | 2.7 | 0.4 | 2.7 | 2.1 | 1.7 | 2.2 | 2.9 | 0.8 | 1.6 | 1.8 | 2.4 | 2.6 | 1.8 | 1.9 |
| Maunabo | 0.1 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | . | 0.7 | 0.9 | . | 0 | . | 0 | 0.1 | 0.7 | 0.3 | 1.1 | 0.5 | 0.4 | 0.4 | 0.1 | 0.3 |
| Culebra | 2 | 1.1 | 3.2 | 7.8 | 3.8 | 3.1 | 4 | 1.6 | 1.5 | 0.3 | 1.2 | 2.3 | 1.7 | 0.4 | 0.1 | . | 1.1 | 0.7 | 0.3 | 1.2 | 3.1 | 1.3 |
| Viñales | 6.1 | 8.5 | 4 | 4.1 | 6.9 | 9 | 3.5 | 0.9 | 0.7 | 2.6 | 2.3 | 0.1 | 0.7 | 2.9 | 2.1 | 4.5 | 1.2 | 0.5 | 10.2 | 10.9 | 4.9 | 3.9 |
| Patillas | . | . | 4.4 | 3.6 | 1.2 | 2.8 | 1.4 | 0.4 | 6.5 | 0.6 | 2 | 3.4 | 4.2 | 1.1 | 2.9 | 0.8 | 0.8 | 1.1 | 1.2 | 1 | 1.4 | 1.9 |
| Arroyo | 0 | . | 0.9 | . | . | . | . | 0 | 0.1 | 0 | . | 0 | 0.9 | 1.1 | 0.3 | 0.4 | 0.1 | 0 | 0.1 | 0 | 0 | 0.3 |
| Guayama | 0 | . | . | 0 | 0 | 0.1 | . | 0 | 0 | 1.6 | 1.9 | 0.5 | 0.1 | 1.3 | 1.8 | 0.6 | 1.4 | 0.4 | 0.2 | 0.9 | 1 | 0.7 |
| Salinas | 0.1 | 0 | 0 | 0.3 | 0.1 | 0.2 | 0.1 | 0.3 | 0.1 | 0.2 | 0.3 | 0.8 | 0.9 | 1 | 1.1 | 1.3 | 1.2 | 1.6 | 1.1 | 1.6 | 0.6 | 0.9 |
| Santa Isabel | . | . | . | . | . | . | 0.4 | . | 0.2 | . | 0 | 0.3 | 0.4 | 2.2 | 2 | 1.1 | 0.4 | 0.9 | 1 | 0.8 | 0.7 | 0.7 |
| Juana Diaz | . | 0.1 | 0 | 0 | 0 | . | 0.5 | . | . | . | . | 0.1 | 0.2 | 0.2 | 0 | . | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| Ponce | 0.1 | 0.3 | . | 0.2 | . | . | . | 0.3 | 0.3 | 1.5 | 7.3 | 4.7 | 8.2 | 5.5 | 11.7 | 10.4 | 9.8 | 7.7 | 5.6 | 14.4 | 6 | |
| Penuelas | 0.5 | . | 0 | 0.1 | 0.4 | 0.2 | 0.1 | 0.1 | 0 | 0.1 | 0 | 0.1 | 0 | 0 | 0 | 0 | 0.1 | 0.2 | 0.4 | 0.7 | 0.1 | 0.2 |
| Guayanilla | 3.3 | 3.7 | 2.8 | 2.6 | 0.1 | 0.2 | 0.8 | 0.3 | 0.1 | 0.2 | . | 0.1 | 0.9 | 1.1 | 0.9 | 0.2 | 0.4 | 0.6 | 0.4 | 0.9 | 0 | 0.8 |
| Guanica | 5.2 | 24 | 7.8 | 5.1 | 8.4 | 4.5 | 19.6 | 16 | 9.7 | 18.4 | 12.9 | 13 | 11.3 | 15 | 11.3 | 10.9 | 13.6 | 33.8 | 7.9 | 8.4 | 5.1 | 13.6 |
| Lajas | 2.2 | . | . | 0.2 | 0.1 | 0.3 | 0.4 | 0.8 | 1.3 | 1.6 | 0 | 0.8 | 1.8 | 2.7 | 3 | 7.2 | 5.3 | 3.2 | 3.9 | 7.6 | 3.7 | 3 |
| Cabo Rojo | 3.8 | 7.5 | 5.8 | 4.6 | 2.3 | 5.6 | 11.1 | 6 | 7.6 | 3.5 | 1.1 | 1.1 | 1.7 | 2.1 | 1.9 | 1.6 | 1.4 | 1.8 | 1.6 | 1.1 | 1.3 | 2.6 |
| Mayaguez | 0.7 | 2.2 | 2.2 | 3 | 1.3 | 1.3 | 5.2 | 9.9 | 20.6 | 15.7 | 29.7 | 15.2 | 8.1 | 13.8 | 10.9 | 10.4 | 11.3 | 7.7 | 7.5 | 9.4 | 10.7 | 10.4 |
| Anasco | . | . | 0.1 | 0.2 | 0.1 | 0.1 | 0.3 | 0.3 | 0.7 | 0 | 0.1 | 0.1 | 0.4 | 0.4 | 0.2 | 0.1 | 0.1 | 0 | 0.1 | 0.2 | 0.1 | 0.2 |
| Rincon | 0.5 | 0.1 | 0.2 | 0.2 | 0.5 | . | 0.2 | 0.1 | . | 0.4 | 0.6 | 0 | 0.2 | 0.1 | 0.1 | 0 | 0.1 | 0.1 | 0.3 | 0.1 | 0.4 | 0.2 |

| | | | | | | | | | | | | | | | | | | | | | | |
|-----------|-----|-----|-----|-----|-----|-----|------|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Aguada | 0.2 | 0.5 | 0.2 | 0 | 0 | 0.1 | 0.5 | 0.7 | 0.1 | 0.5 | 0.6 | 0.5 | 0.2 | 1.2 | 0.9 | 0.9 | 1 | 1 | 1.7 | 1.1 | 1.5 | 0.8 |
| Aguadilla | 2.7 | 0.8 | 2 | 3.1 | 7.8 | 9.6 | 13.1 | 10.3 | 4.6 | 5 | 5.3 | 2.7 | 5.2 | 2.9 | 4.5 | 5.4 | 3.9 | 2.9 | 1.9 | 3.3 | 2.6 | 4.1 |
| All | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | |

Table 8a. Commercial sales (pounds) of yellowtail snapper, *Ocyurus chrysurus*, in Puerto Rico by area of sale, 1983-2003. Pot gear.
2003 Preliminary data.

| Center | 1983 | 1984 | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | All |
|--------------|-------|------|-------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| Isabela | 14 | . | 96 | . | . | 31 | 54 | . | . | . | 227 | . | 28 | 28 | . | . | . | 218 | 419 | 45 | 1159 | |
| Camuy | . | . | . | . | 124 | 10 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 134 | |
| Hatillo | . | . | . | . | . | . | . | . | . | . | 118 | . | . | . | . | . | . | . | . | . | 118 | |
| Arecibo | . | . | . | . | . | . | . | 27 | 10 | 9 | . | 59 | . | 884 | 231 | 21 | 43 | 97 | 938 | 66 | 59 | 2442 |
| Barceloneta | . | 24 | 35 | . | . | 500 | . | . | . | 15 | 75 | 232 | . | 68 | 11 | 23 | . | 42 | . | 10 | 1035 | |
| Manati | 3 | . | . | 203 | . | . | . | . | 9 | 25 | 43 | . | . | 11 | 26 | 122 | . | . | . | . | 442 | |
| Vega Baja | . | . | 41 | 301 | . | 10 | . | . | . | 28 | 29 | 15 | 16 | 165 | 447 | 75 | 96 | 265 | 271 | . | 1758 | |
| Vega Alta | 15 | 13 | . | . | . | . | . | . | . | 56 | 47 | 109 | . | 40 | . | 24 | 125 | 122 | 54 | . | 605 | |
| Dorado | . | . | . | . | . | 35 | 270 | 12 | 60 | 11 | 80 | 98 | 586 | 469 | 506 | . | 702 | 852 | 733 | 4414 | | |
| Toa Baja | . | 7 | . | . | . | . | . | . | . | . | . | . | . | . | . | 11 | . | . | . | . | 18 | |
| Catano | 140 | . | . | . | 12 | 13 | 88 | 62 | 45 | . | 18 | 64 | 41 | 143 | 299 | 7 | . | 19 | . | 18 | . | 969 |
| San Juan | ■ | ■ | 1715 | 2114 | 444 | 72 | 113 | 2006 | 15 | 83 | ■ | 44 | 268 | 251 | 346 | 303 | ■ | 150 | 360 | 2005 | 84 | 10373 |
| Carolina | . | . | . | . | . | 33 | . | . | . | . | . | . | 1187 | 20 | . | 38 | 14 | 18 | . | . | 1310 | |
| Lloiza | . | . | . | . | . | . | . | . | 234 | . | 70 | 390 | 141 | 218 | 378 | . | 95 | 3 | 169 | 67 | 1765 | |
| Rio Grande | 425 | 28 | . | 56 | 100 | . | . | 13 | . | . | . | 18 | 41 | 24 | . | 145 | 22 | 24 | 170 | 28 | 1094 | |
| Luquillo | 10 | 10 | 97 | 50 | 35 | 28 | . | . | . | 30 | . | 15 | . | 57 | . | 55 | . | . | 281 | . | 668 | |
| Fajardo | 1874 | 2923 | 3372 | 436 | 752 | 368 | 491 | 122 | 1466 | 303 | 324 | 871 | 300 | 727 | 1388 | 943 | 1309 | 1148 | 1234 | 1133 | 1144 | 22626 |
| Celba | 944 | 863 | 950 | 905 | 3881 | 361 | 19 | 238 | 257 | 280 | 15 | 7 | 1836 | 2360 | 1775 | 1347 | 1227 | 1842 | 2946 | 2207 | 651 | 24909 |
| Naguabo | 5718 | 3436 | 1307 | 758 | 445 | ■ | 390 | 40 | ■ | 30 | 708 | 2496 | 588 | 135 | 125 | 405 | 1160 | 1263 | 1508 | 1211 | 1325 | 23047 |
| Humacao | 3270 | 785 | 3144 | 2172 | 1763 | 1095 | 1054 | 1447 | 1907 | 1482 | 3378 | 1002 | 1671 | 2904 | 1970 | 1712 | 2810 | 2587 | 1207 | 2397 | 1923 | 41679 |
| Yabucoa | 20 | 86 | 79 | 118 | 121 | 196 | 124 | 82 | 791 | 189 | 1306 | 435 | 458 | 735 | 175 | 231 | 145 | 235 | 176 | 1204 | 1366 | 8272 |
| Maunabo | 301 | 308 | 141 | 565 | 81 | 148 | 178 | 539 | 29 | ■ | ■ | ■ | 54 | 295 | 244 | 150 | 91 | ■ | 43 | 41 | 21 | 3229 |
| Culebra | 855 | 991 | 2322 | 983 | 1768 | 924 | 745 | 820 | 1369 | 2759 | 992 | 278 | 428 | 142 | 30 | ■ | 106 | 2651 | 14 | 13 | 6 | 18195 |
| Vieques | 1159 | 735 | 446 | 262 | 770 | 127 | 720 | 270 | 490 | ■ | 58 | ■ | 852 | 2761 | 1369 | 630 | 988 | 1577 | 2697 | 6255 | 1325 | 23490 |
| Patillas | 207 | 434 | 396 | 212 | 339 | 252 | 391 | 382 | 525 | 1306 | 154 | 488 | 1608 | 392 | 926 | 363 | 510 | 646 | 610 | 514 | 580 | 11235 |
| Arroyo | 2536 | 3006 | 1281 | 111 | 5 | ■ | 32 | 129 | 780 | ■ | ■ | 832 | 1360 | 605 | 1406 | 225 | 156 | 346 | 229 | 128 | 368 | 13535 |
| Guayama | 3024 | 4141 | 2190 | 1200 | 796 | 801 | 1228 | 535 | 941 | 1749 | 1148 | 1830 | 2644 | 3345 | 4538 | 3489 | 3704 | 1494 | 1241 | 1769 | 2246 | 44053 |
| Salinas | 619 | 295 | 266 | 560 | ■ | 444 | 202 | 282 | 1031 | 654 | 821 | 2366 | 2120 | 3029 | 2663 | 2390 | 2609 | 1917 | 1706 | 1786 | 2297 | 28056 |
| Santa Isabel | 25 | 67 | ■ | ■ | ■ | ■ | 1212 | 143 | 460 | 8 | ■ | 23 | 955 | 870 | 376 | 847 | 640 | 944 | 568 | 349 | 222 | 7709 |
| Juana Diaz | 3747 | 3243 | 1423 | 39 | 108 | 10 | 72 | 53 | 18 | 10 | ■ | 544 | 423 | 1473 | 831 | 244 | 151 | 594 | 813 | 879 | 802 | 15477 |
| Ponce | 94 | 88 | 26 | 86 | 12 | ■ | ■ | ■ | ■ | ■ | ■ | 1415 | 611 | 451 | 57 | 161 | 335 | 758 | 66 | 234 | ■ | 4394 |
| Puertolas | 8 | 20 | 86 | . | . | . | . | . | . | 14 | . | . | . | . | 58 | . | 8 | . | . | . | 193 | |
| Guayanilla | 243 | 20 | 189 | 49 | . | . | . | . | . | . | . | 11 | . | 33 | 34 | . | . | 26 | 500 | . | 1105 | |
| Guanica | 1872 | 818 | 886 | 216 | 491 | 167 | 398 | 809 | 980 | 224 | 97 | 4039 | 1123 | 151 | 164 | ■ | 112 | 14 | 107 | 336 | 33 | 13035 |
| Lajas | 2967 | ■ | 1706 | 960 | 1513 | 2712 | 602 | 1487 | 2630 | 2687 | 1981 | 1479 | 1355 | 2123 | 2224 | 1435 | 3844 | 1910 | 1412 | 2295 | 618 | 37939 |
| Cabo Rojo | 11074 | 5141 | 10865 | 4621 | 1430 | 965 | 1003 | 964 | 895 | 614 | 430 | 759 | 593 | 449 | 1667 | 1193 | 928 | 831 | 1267 | 962 | 687 | 47338 |
| Mayaguez | 11105 | 6463 | 6175 | 2362 | 3428 | 3144 | 2103 | 1555 | 4130 | 3958 | 6388 | 1583 | 1491 | 2378 | 2135 | 2389 | 883 | 658 | 798 | 1663 | 1498 | 66285 |
| Anasco | . | 7 | 208 | . | . | 18 | . | 12 | . | . | . | 45 | 22 | 50 | 30 | 10 | 107 | 72 | 21 | 10 | 612 | |
| Rincon | 16 | 50 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 320 | 31 | . | 417 | |
| Aguada | . | . | . | . | . | . | . | . | . | . | 421 | . | . | . | . | . | 59 | 40 | 853 | 345 | 35 | 1752 |

| | | | | | | | | | | | | | | | | | | | | | | |
|-----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|
| Aguadilla | 110 | 217 | 50 | . | . | 37 | 25 | 19 | 518 | 83 | 99 | 102 | 3 | . | 351 | . | 22 | 23 | 123 | 130 | 52 | 1962 |
| All | 52395 | 34219 | 39492 | 19339 | 18417 | 11947 | 11761 | 12057 | 19577 | 16712 | 18149 | 21713 | 21694 | 28144 | 26605 | 20033 | 22716 | 22210 | 22725 | 30707 | 18234 | 488844 |

Table 8b. Percentage of commercial sales (pounds) of yellowtail snapper sold in Puerto Rico by area of sale, 1983 - 2003. Pot gear.
2003 Preliminary data

| Center | Year | | | | | | | | | | | | | | | | | | | | | |
|--------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----|
| | 1983 | 1984 | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | All |
| Isabela | 0 | . | 0.2 | . | . | 0.3 | 0.5 | . | . | . | . | 1 | . | 0.1 | 0.1 | . | . | . | 1 | 1.4 | 0.2 | 0.2 |
| Camuy | . | . | . | . | 0.7 | 0.1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| Hatillo | . | . | . | . | . | . | . | . | . | . | . | 0.5 | . | . | . | . | . | . | . | . | 0 | |
| Arecibo | . | . | . | . | . | . | . | 0.2 | 0.1 | 0.1 | . | 0.3 | . | 3.1 | 0.9 | 0.1 | 0.2 | 0.4 | 4.1 | 0.2 | 0.3 | 0.5 |
| Barceloneta | . | 0.1 | 0.1 | . | . | . | 4.3 | . | . | . | 0.1 | 0.3 | 1.1 | . | 0.3 | 0.1 | 0.1 | . | 0.2 | . | 0.1 | 0.2 |
| Manati | 0 | . | . | 1 | . | . | . | . | 0 | 0.1 | 0.2 | . | . | 0 | 0.1 | 0.6 | . | . | . | . | 0.1 | |
| Vega Baja | . | . | 0.1 | 1.6 | . | 0.1 | . | . | . | . | 0.2 | 0.1 | 0.1 | 0.1 | 0.6 | 2.2 | 0.3 | 0.4 | 1.2 | 0.9 | . | 0.4 |
| Vega Alta | 0 | 0 | . | . | . | . | . | . | . | . | 0.3 | 0.2 | 0.5 | . | 0.2 | . | 0.1 | 0.6 | 0.5 | 0.2 | . | 0.1 |
| Dorado | . | . | . | . | . | . | . | 0.3 | 1.4 | 0.1 | 0.3 | 0.1 | 0.4 | 0.3 | 2.2 | 2.3 | 2.2 | . | 3.1 | 2.8 | 4 | 0.9 |
| Toa Baja | . | 0 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 0 | . | . | . | . | 0 |
| Catano | 0.3 | . | . | . | 0.1 | 0.1 | 0.7 | 0.5 | 0.2 | . | 0.1 | 0.3 | 0.2 | 0.5 | 1.1 | 0 | . | 0.1 | . | 0.1 | . | 0.2 |
| San Juan | ■ | ■ | 4.3 | 10.9 | 2.4 | 0.6 | 1 | 16.6 | 0.1 | 0.5 | ■ | 0.2 | 1.2 | 0.9 | 1.3 | 1.5 | ■ | 0.7 | 1.6 | 6.5 | 0.5 | 2.1 |
| Carolina | . | . | . | . | . | 0.3 | . | . | . | . | . | . | . | 4.2 | 0.1 | . | 0.2 | 0.1 | 0.1 | . | . | 0.3 |
| Loiza | . | . | . | . | . | . | . | . | . | 1.4 | . | 0.3 | 1.8 | 0.5 | 0.8 | 1.9 | . | 0.4 | 0 | 0.6 | 0.4 | 0.4 |
| Rio Grande | 0.8 | 0.1 | . | 0.3 | 0.5 | . | . | 0.1 | . | . | . | 0.1 | 0.1 | 0.1 | . | 0.6 | 0.1 | 0.1 | 0.6 | 0.2 | 0.2 | 0.2 |
| Luquillo | 0 | 0 | 0.2 | 0.3 | 0.2 | 0.2 | . | . | . | . | 0.2 | . | 0.1 | . | 0.2 | . | . | . | 0.9 | . | 0.1 | . |
| Fajardo | 3.6 | 8.5 | 8.5 | 2.3 | 4.1 | 3.1 | 4.2 | 1 | 7.5 | 1.8 | 1.8 | 4 | 1.4 | 2.6 | 5.2 | 4.7 | 5.8 | 5.2 | 5.4 | 3.7 | 6.3 | 4.6 |
| Celba | 1.8 | 2.5 | 2.4 | 4.7 | 21.1 | 3 | 0.2 | 2 | 1.3 | 1.7 | 0.1 | 0 | 8.5 | 8.4 | 6.7 | 6.7 | 5.4 | 8.3 | 13 | 7.2 | 3.6 | 5.1 |
| Naguabo | 10.9 | 10 | 3.3 | 3.9 | 2.4 | . | 3.3 | 0.3 | ■ | 0.2 | 3.9 | 11.5 | 2.7 | 0.5 | 0.5 | 2 | 5.1 | 5.7 | 6.6 | 3.9 | 7.3 | 4.7 |
| Humacao | 6.2 | 2.3 | 8 | 11.2 | 9.6 | 9.2 | 9 | 12 | 9.7 | 8.9 | 18.6 | 4.6 | 7.7 | 10.3 | 7.4 | 8.5 | 12.4 | 11.6 | 5.3 | 7.8 | 10.5 | 8.5 |
| Yabucoa | 0 | 0.3 | 0.2 | 0.6 | 0.7 | 1.6 | 1.1 | 0.7 | 4 | 1.1 | 7.2 | 2 | 2.1 | 2.6 | 0.7 | 1.2 | 0.6 | 1.1 | 0.8 | 3.9 | 7.5 | 1.7 |
| Maunabo | 0.6 | 0.9 | 0.4 | 2.9 | 0.4 | 1.2 | 1.5 | 4.5 | 0.1 | . | . | . | 0.2 | 1 | 0.9 | 0.7 | 0.4 | . | 0.2 | 0.1 | 0.1 | 0.7 |
| Culebra | 1.6 | 2.9 | 5.9 | 5.1 | 9.6 | 7.7 | 6.3 | 6.8 | 7 | 16.5 | 5.5 | 1.3 | 2 | 0.5 | 0.1 | ■ | 0.5 | 11.9 | 0.1 | 0 | 0 | 3.7 |
| Viñales | 2.2 | 2.1 | 1.1 | 1.4 | 4.2 | 1.1 | 6.1 | 2.2 | 2.5 | ■ | 0.3 | . | 3.9 | 9.8 | 5.1 | 3.1 | 4.3 | 7.1 | 11.9 | 20.4 | 7.3 | 4.8 |
| Patillas | 0.4 | 1.3 | 1 | 1.1 | 1.8 | 2.1 | 3.3 | 3.2 | 2.7 | 7.8 | 0.8 | 2.2 | 7.4 | 1.4 | 3.5 | 1.8 | 2.2 | 2.9 | 2.7 | 1.7 | 3.2 | 2.3 |
| Arroyo | 4.8 | 8.8 | 3.2 | 0.6 | 0 | . | 0.3 | 1.1 | 4 | ■ | . | 3.8 | 6.3 | 2.1 | 5.3 | 1.1 | 0.7 | 1.6 | 1 | 0.4 | 2 | 2.8 |
| Guayama | 5.8 | 12.1 | 5.5 | 6.2 | 4.3 | 6.7 | 10.4 | 4.4 | 4.8 | 10.5 | 6.3 | 8.4 | 12.2 | 11.9 | 17.1 | 17.4 | 16.3 | 6.7 | 5.5 | 5.8 | 12.3 | 9 |
| Salinas | 1.2 | 0.9 | 0.7 | 2.9 | ■ | 3.7 | 1.7 | 2.3 | 5.3 | 3.9 | 4.5 | 10.9 | 9.8 | 10.8 | 10 | 11.9 | 11.5 | 8.6 | 7.5 | 5.8 | 12.6 | 5.7 |
| Santa Isabel | 0 | 0.2 | ■ | ■ | ■ | ■ | 10.3 | 1.2 | 2.3 | 0 | ■ | 0.1 | 4.4 | 3.1 | 1.4 | 4.2 | 2.8 | 4.3 | 2.5 | 1.1 | 1.2 | 1.6 |
| Juana Diaz | 7.2 | 9.5 | 3.6 | 0.2 | 0.6 | 0.1 | 0.6 | 0.4 | 0.1 | 0.1 | ■ | 2.5 | 1.9 | 5.2 | 3.1 | 1.2 | 0.7 | 2.7 | 3.6 | 2.9 | 4.4 | 3.2 |
| Ponce | 0.2 | 0.3 | 0.1 | 0.4 | 0.1 | . | . | . | . | . | . | 6.5 | 2.8 | 1.6 | 0.2 | 0.8 | 1.5 | 3.4 | 0.3 | 0.8 | . | 0.9 |
| Puerto Real | 0 | 0.1 | 0.2 | . | . | . | . | . | . | 0.1 | . | . | . | . | 0.3 | . | 0 | . | . | . | 0 | . |
| Guayanilla | 0.5 | 0.1 | 0.5 | 0.3 | . | . | . | . | . | . | . | 0.1 | . | 0.1 | 0.2 | . | . | 0.1 | 1.6 | . | 0.2 | . |
| Guanica | 3.6 | 2.4 | 2.2 | 1.1 | 2.7 | 1.4 | 3.4 | 6.7 | 5 | 1.3 | 0.5 | 18.6 | 5.2 | 0.5 | 0.6 | ■ | 0.5 | 0.1 | 0.5 | 1.1 | 0.2 | 2.7 |
| Lajas | 5.7 | ■ | 4.3 | 5 | 8.2 | 22.7 | 5.1 | 12.3 | 13.4 | 16.1 | 10.9 | 6.8 | 6.2 | 7.5 | 8.4 | 7.2 | 16.9 | 8.6 | 6.2 | 7.5 | 3.4 | 7.8 |
| Cabo Rojo | 21.1 | 15 | 27.5 | 23.9 | 7.8 | 8.1 | 8.5 | 8 | 4.6 | 3.7 | 2.4 | 3.5 | 2.7 | 1.6 | 6.3 | 6 | 4.1 | 3.7 | 5.6 | 3.1 | 3.8 | 9.7 |
| Mayaguez | 21.2 | 18.9 | 15.6 | 12.2 | 18.6 | 26.3 | 17.9 | 12.9 | 21.1 | 23.7 | 35.2 | 7.3 | 6.9 | 8.4 | 8 | 11.9 | 3.9 | 3 | 3.5 | 5.4 | 8.2 | 14 |
| Anasco | . | 0 | 0.5 | . | . | . | 0.2 | . | 0.1 | . | . | 0.2 | 0.1 | 0.2 | 0.1 | 0 | 0.5 | 0.3 | 0.1 | 0.1 | 0.1 | 0.1 |
| Rincon | 0 | 0.1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1.4 | 0.1 | . | 0.1 | |

| | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Aguada | . | . | . | . | . | . | . | . | . | . | . | . | 1.9 | . | . | . | . | 0.3 | 0.2 | 3.8 | 1.1 | 0.2 | 0.4 |
| Aguadilla | 0.2 | 0.6 | 0.1 | . | . | 0.3 | 0.2 | 0.2 | 2.6 | 0.5 | 0.5 | 0.5 | 0 | . | 1.3 | . | 0.1 | 0.1 | 0.5 | 0.4 | 0.3 | 0.4 | |
| All | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | |

Table 9. Total annual commercial sales (pounds) of all fish and shellfish sold in Puerto Rico, 1983-2003. 2003 Preliminary data.

| Year | Total # Sales All Species | Tota Landings All Species (lbs) | Total # Tickets | # Sales Yellowtail | Total Yellowtail Sales (lbs) |
|-------------|----------------------------------|--|------------------------|---------------------------|-------------------------------------|
| 1983 | 64150 | 3916688 | 31632 | 3685 | 167867 |
| 1984 | 38977 | 3154298 | 18839 | 2024 | 134184 |
| 1985 | 37421 | 2855085 | 16260 | 2403 | 140451 |
| 1986 | 46339 | 2535388 | 18175 | 2487 | 93804 |
| 1987 | 46121 | 2081941 | 18129 | 2704 | 92319 |
| 1988 | 45264 | 2013691 | 18953 | 2202 | 77232 |
| 1989 | 52372 | 2290865 | 19969 | 2530 | 91028 |
| 1990 | 52474 | 2179705 | 21770 | 2801 | 106978 |
| 1991 | 66097 | 2458664 | NA | 3622 | 148564 |
| 1992 | 49540 | 2043970 | 24218 | 3280 | 149058 |
| 1993 | 60104 | 2495161 | 25303 | 4091 | 183079 |
| 1994 | 65172 | 2708878 | 23882 | 3849 | 186350 |
| 1995 | 94685 | 3687686 | 39141 | 6645 | 291769 |
| 1996 | 97650 | 3581209 | 38280 | 7084 | 273702 |
| 1997 | 100005 | 3804030 | 38470 | 6934 | 272999 |
| 1998 | 86957 | 3453324 | 32839 | 5759 | 252015 |
| 1999 | 92205 | 3327699 | 35545 | 5964 | 279391 |
| 2000 | 97054 | 3281062 | 38887 | 7624 | 363037 |
| 2001 | 104782 | 3389010 | 42436 | 7694 | 317185 |
| 2002 | 101850 | 3271960 | 41142 | 7219 | 291024 |
| 2003 | 101490 | 2387974 | 43564 | 6340 | 176567 |

NA- information not available

Table 10. Distribution (%) of commercial sales of all fish and shellfish sold in Puerto Rico, 1983-2003 by month. 2003 Preliminary data.

| Year | Month | | | | | | | | | | | | All |
|------|-------|------|------|------|------|------|-----|------|-----|------|-----|-----|-----|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | |
| 1983 | 10.2 | 9.1 | 8.3 | 8.7 | 9.7 | 8.2 | 6.9 | 7.8 | 9.1 | 8.4 | 7.7 | 5.9 | 100 |
| 1984 | 9.0 | 8.6 | 9.1 | 8.5 | 8.4 | 8.3 | 7.3 | 9.4 | 8.0 | 9.0 | 7.7 | 6.7 | 100 |
| 1985 | 8.3 | 7.4 | 9.3 | 5.6 | 9.5 | 7.5 | 8.4 | 10.9 | 8.9 | 7.9 | 8.1 | 8.2 | 100 |
| 1986 | 10.7 | 9.5 | 9.7 | 8.0 | 7.4 | 8.0 | 8.1 | 8.3 | 9.3 | 8.0 | 5.9 | 7.1 | 100 |
| 1987 | 7.4 | 8.0 | 9.7 | 10.8 | 10.3 | 8.2 | 9.6 | 8.0 | 8.0 | 7.8 | 6.3 | 5.9 | 100 |
| 1988 | 6.7 | 7.4 | 8.7 | 8.6 | 11.3 | 9.1 | 8.5 | 8.0 | 7.8 | 8.6 | 8.7 | 6.5 | 100 |
| 1989 | 7.6 | 7.5 | 9.5 | 8.8 | 10.2 | 8.8 | 8.5 | 9.1 | 6.9 | 8.9 | 7.7 | 6.4 | 100 |
| 1990 | 8.4 | 7.8 | 8.5 | 8.1 | 8.9 | 7.8 | 9.1 | 10.1 | 9.9 | 8.0 | 6.1 | 7.3 | 100 |
| 1991 | 9.3 | 8.7 | 8.5 | 8.3 | 9.5 | 9.2 | 8.0 | 8.3 | 8.2 | 8.4 | 7.1 | 6.6 | 100 |
| 1992 | 10.6 | 9.5 | 11.6 | 10.4 | 8.3 | 5.1 | 5.8 | 6.4 | 8.4 | 8.0 | 7.9 | 8.1 | 100 |
| 1993 | 7.9 | 8.5 | 8.6 | 9.7 | 8.5 | 8.0 | 7.8 | 10.5 | 8.6 | 8.0 | 6.0 | 7.8 | 100 |
| 1994 | 8.1 | 8.2 | 9.7 | 8.5 | 9.3 | 7.9 | 7.0 | 10.5 | 6.5 | 8.4 | 7.4 | 8.4 | 100 |
| 1995 | 9.0 | 7.9 | 9.4 | 8.2 | 10.0 | 10.3 | 9.0 | 8.1 | 6.0 | 7.7 | 7.4 | 7.0 | 100 |
| 1996 | 8.2 | 9.2 | 10.3 | 9.0 | 9.3 | 7.0 | 6.9 | 9.2 | 6.6 | 8.5 | 7.7 | 8.0 | 100 |
| 1997 | 9.6 | 7.4 | 9.2 | 9.5 | 8.3 | 8.0 | 7.9 | 8.2 | 7.7 | 9.3 | 7.4 | 7.5 | 100 |
| 1998 | 10.7 | 10.3 | 11.1 | 11.1 | 11.1 | 8.0 | 8.4 | 8.2 | 4.0 | 4.4 | 6.7 | 5.9 | 100 |
| 1999 | 9.0 | 9.8 | 11.3 | 9.8 | 9.5 | 8.7 | 8.4 | 7.2 | 6.7 | 6.6 | 6.3 | 6.6 | 100 |
| 2000 | 9.2 | 9.8 | 10.1 | 9.5 | 9.5 | 7.2 | 8.0 | 7.4 | 7.3 | 8.6 | 7.2 | 6.2 | 100 |
| 2001 | 10.2 | 9.0 | 9.6 | 9.2 | 8.5 | 7.6 | 6.7 | 9.4 | 8.4 | 8.3 | 7.1 | 6.1 | 100 |
| 2002 | 9.4 | 9.0 | 9.9 | 9.4 | 8.0 | 8.6 | 8.4 | 8.7 | 7.6 | 8.3 | 7.1 | 5.5 | 100 |
| 2003 | 9.1 | 7.5 | 10.7 | 9.7 | 9.0 | 7.7 | 7.0 | 8.1 | 7.6 | 10.1 | 6.5 | 6.9 | 100 |
| All | 9.1 | 8.6 | 9.7 | 9 | 9.2 | 8.1 | 7.9 | 8.6 | 7.6 | 8.1 | 7.2 | 6.8 | 100 |

Table 11a. Total commercial sales (pounds) of all fish and shellfish sold in Puerto Rico, 1983-2003 by gear. 2003 Preliminary data.

| Year | Cast Net | Dive | Net | Other | Pots | Rod & Reel | Seines | Vertical Lines | All Gears |
|------|----------|---------|---------|-------|----------|------------|---------|----------------|-----------|
| 1983 | 16197 | 832782 | 412383 | 198 | 1578675 | 834650 | 212275 | 29528 | 3916688 |
| 1984 | 19199 | 671430 | 338442 | 12 | 1381524 | 571450 | 145825 | 26416 | 3154298 |
| 1985 | 19012 | 454937 | 369909 | 2126 | 1137407 | 745825 | 103810 | 22059 | 2855085 |
| 1986 | 13389 | 339356 | 364492 | 219 | 926486 | 792287 | 89315 | 9844 | 2535388 |
| 1987 | 18401 | 261573 | 304113 | | 781681 | 588904 | 115245 | 12024 | 2081941 |
| 1988 | 6051 | 364056 | 267329 | 21757 | 599004 | 640525 | 91586 | 23383 | 2013691 |
| 1989 | 8945 | 314160 | 241756 | 10525 | 824369 | 739847 | 125125 | 26139 | 2290865 |
| 1990 | 5744 | 266870 | 343800 | 1136 | 720784 | 728096 | 85358 | 27918 | 2179705 |
| 1991 | 17824 | 299865 | 470118 | | 750184 | 779144 | 121731 | 19799 | 2458664 |
| 1992 | 14993 | 228697 | 399394 | 26 | 571637 | 728587 | 82425 | 18213 | 2043970 |
| 1993 | 13796 | 343961 | 506627 | 208 | 613365 | 887387 | 101764 | 28052 | 2495161 |
| 1994 | 28988 | 364119 | 473793 | | 711561 | 1022672 | 87625 | 20121 | 2708878 |
| 1995 | 30163 | 498365 | 537022 | 232 | 853848 | 1588324 | 138890 | 40306 | 3687150 |
| 1996 | 25831 | 525762 | 657515 | 20 | 821807 | 1381037 | 119828 | 49409 | 3581209 |
| 1997 | 31964 | 511746 | 700863 | | 884094 | 1493811 | 124054 | 57499 | 3804030 |
| 1998 | 24693 | 616723 | 625094 | 157 | 760661 | 1281572 | 70363 | 73943 | 3453207 |
| 1999 | 33212 | 555109 | 619643 | 16 | 713329 | 1277032 | 63058 | 66300 | 3327699 |
| 2000 | 32706 | 655273 | 523973 | 530 | 633807 | 1257090 | 59829 | 117853 | 3281062 |
| 2001 | 27263 | 627053 | 507313 | 1139 | 785733 | 1311577 | 77211 | 51721 | 3389010 |
| 2002 | 28046 | 649525 | 527279 | 1936 | 727646 | 1199879 | 84334 | 53315 | 3271960 |
| 2003 | 15798 | 413636 | 344112 | 207 | 546714 | 962419 | 73378 | 31710 | 2387974 |
| All | 432211 | 9794999 | 9534969 | 40442 | 17324316 | 20812117 | 2173029 | 805550 | 60917633 |

Table 11b. Percentage (%) of total commercial sales (pounds) of all fish and reef fish sold in Puerto Rico by gear category, 1983-2003. 2003 Preliminary data.

| Year | Cast Net | Dive | Net | Other | Pot | R&R | Seine | Vertical Lines | All |
|-------------|-----------------|-------------|-------------|--------------|-------------|----------------|--------------|-----------------------|------------|
| 1983 | 0.4 | 21.3 | 10.5 | 0.0 | 40.3 | 21.3 | 5.4 | 0.8 | 100 |
| 1984 | 0.6 | 21.3 | 10.7 | 0.0 | 43.8 | 18.1 | 4.6 | 0.8 | 100 |
| 1985 | 0.7 | 15.9 | 13.0 | 0.1 | 39.8 | 26.1 | 3.6 | 0.8 | 100 |
| 1986 | 0.5 | 13.4 | 14.4 | 0.0 | 36.5 | 31.2 | 3.5 | 0.4 | 100 |
| 1987 | 0.9 | 12.6 | 14.6 | 0.0 | 37.5 | 28.3 | 5.5 | 0.6 | 100 |
| 1988 | 0.3 | 18.1 | 13.3 | 1.1 | 29.7 | 31.8 | 4.5 | 1.2 | 100 |
| 1989 | 0.4 | 13.7 | 10.6 | 0.5 | 36.0 | 32.3 | 5.5 | 1.1 | 100 |
| 1990 | 0.3 | 12.2 | 15.8 | 0.1 | 33.1 | 33.4 | 3.9 | 1.3 | 100 |
| 1991 | 0.7 | 12.2 | 19.1 | 0.0 | 30.5 | 31.7 | 5.0 | 0.8 | 100 |
| 1992 | 0.7 | 11.2 | 19.5 | 0.0 | 28.0 | 35.6 | 4.0 | 0.9 | 100 |
| 1993 | 0.6 | 13.8 | 20.3 | 0.0 | 24.6 | 35.6 | 4.1 | 1.1 | 100 |
| 1994 | 1.1 | 13.4 | 17.5 | 0.0 | 26.3 | 37.8 | 3.2 | 0.7 | 100 |
| 1995 | 0.8 | 13.5 | 14.6 | 0.0 | 23.2 | 43.1 | 3.8 | 1.1 | 100 |
| 1996 | 0.7 | 14.7 | 18.4 | 0.0 | 22.9 | 38.6 | 3.3 | 1.4 | 100 |
| 1997 | 0.8 | 13.5 | 18.4 | 0.0 | 23.2 | 39.3 | 3.3 | 1.5 | 100 |
| 1998 | 0.7 | 17.9 | 18.1 | 0.0 | 22.0 | 37.1 | 2.0 | 2.1 | 100 |
| 1999 | 1.0 | 16.7 | 18.6 | 0.0 | 21.4 | 38.4 | 1.9 | 2.0 | 100 |
| 2000 | 1.0 | 20 | 16.0 | 0.0 | 19.3 | 38.3 | 1.8 | 3.6 | 100 |
| 2001 | 0.8 | 18.5 | 15.0 | 0.0 | 23.2 | 38.7 | 2.3 | 1.5 | 100 |
| 2002 | 0.9 | 19.9 | 16.1 | 0.1 | 22.2 | 36.7 | 2.6 | 1.6 | 100 |
| 2003 | 0.7 | 17.3 | 14.4 | 0.0 | 22.9 | 40.3 | 3.1 | 1.3 | 100 |
| All | 0.7 | 16.1 | 15.7 | 0.1 | 28.4 | 34.2 | 3.6 | 1.3 | 100 |

Table 12. Total commercial sales (pounds) of all shellfish and reefish by individual species group in Puerto Rico, 1983-2003. 2003 preliminary data.

| COMMON_NAME | 1983 | 1984 | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | All I | | | | | | | |
|--|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|--------|---|-------------------|------------------------|-----------------|-------|-------|-------|--|
| AMBERJACK, GREATER ANCHOVIES | | | | | 884 | 1732 | 10 | 1929 | 1075 | 1160 | 902 | 598 | 366 | 1763 | 1205 | 802 | 270 | 151 | 7 | 8 | 213 | 9 | 13071 233 2 | | | | | | |
| ANCHOVY, STRIPED ANCHOVY, WHALEBONE ANGELFISH, GRAY ANGELFISH, QUEEN BAILYHOO | 22167 | 11268 | 18666 | 9195 | 9584 | 449 | 82 | 5495 | 14903 | 27880 | 22951 | 29726 | 28 | 32239 | 56786 | 57695 | 55734 | 49407 | 50647 | 56934 | 60539 | 68045 | 41094 | 701402 1056 3302 | | | | | |
| BARRACUDA, GREAT BARRACUDAS | 25553 | 10889 | 9441 | 18893 | 19517 | 10843 | 15816 | 7123 | 21289 | 9508 | 8948 | 13016 | 3 | 17756 | 20769 | 26176 | 215 | 215 | 24078 | 24963 | 1102 | 846 | 172 | 23771 | 11086 371495 | | | | |
| BASS, CHALK BASS, PEACOCK BASS, REDYE BATFISH, SHORTNOSE BATFISHES BEARDFI SH BEARDFI SHES BEARDFI SHES BI GEYE BI GEYES BLUEGILL BONEFI SH BONEFI SHES BOXFI SHES BROTLA, BEARDED BUMPER, ATLANTIC BUTTERFI SH BUTTERFLYFISSES BUTTERFLYFI SH, BANDED BUTTERFLYFI SH, FOUREYE BUTTERFLYFI SH, SPOTFIN BUTTERFLYFI SHES CARDINALFI SHES CARPS AND MI NOWS CATIFI SH, BERMUDA CATIFI SH, CHANNEL CATIFI SH, WHI TE CATIFI SHES, BULLHEAD CHROMIS, BROWN CHUB, BERMUDA CHUB, YELLOW CI CHLIDS CLAMS COBI A COBI AS CONCH, QUEEN CONGER EELS CONGER, MANYTOOTH CORNETIFI SH, BLUESPOTTE CORNETIFI SHES COTTONWICK COWFI SH, HONEYCOMB CRAB, BLUE LAND CRAB, FLAME BOX CRAB, MARI NE CRAB, SPECKLED SWIMMING CREOLE FISH CROAKER, REEF CUSK-EELS CUTLASSFI SH, ATLANTIC CUTLASSFI SHES | 40376 | 38547 | 34103 | 36154 | 36116 | 58 | 3136 | 24001 | 33063 | 39138 | 53955 | 52611 | 66618 | 64981 | 80937 | 90669 | 83709 | 83795 | 75822 | 79048 | 58587 | 1075422 177 21078 405 97 14 915 110 80 2 442 1634 140 154 46 101 12 27 1560 283 3251 2 149 472 35 7384 9 464 15 81716 390 3223 18216 6527 299 3504 3598 50841 284 4251 2467 | | | | | | | |
| DAMSELFISHES DOLPHIN, POMPANO DOLPHINFISH DOLPHINS DRUM, SAND DRUM, SPOTTED DRUMMER, GROUND DRUMMER, MONGOLAR DRUMMER, WHITEMOUTH DRUMS, DURGON, BLACK EAGLE RAY, SPOTTED EAGLE RAYS EEL, AMERICAN EELS, FRESHWATER FI LEFI SH, ORANGE FI LEFI SH, ORANGESPOT FI RST CLASS FLAMEFI SH FLYING GURNARD FLYING GURNARDS FI YNGFI SH, ATLANTIC FI YNGFI SHES GOATFI SH, SPOTTED | 167 | 42170 | 14867 | 19246 | 33098 | 28620 | 27 | 43 | 69286 | 69195 | 32033 | 14823 | 4548 | 1279 | 664 | 1847 | 667 | 7865 | 195674 | 148490 | 158417 | 136936 | 129795 | 1260 | 9052 | 45157 | 45798 | 54633 | 10204 396 27 320 1335 8283 1774 1012 29612 2862 323 170 1002 2940 1615 2132 849 146 1567 28 8669 195248 |
| DURGON, BLACK EAGLE RAY, SPOTTED EAGLE RAYS EEL, AMERICAN EELS, FRESHWATER FI LEFI SH, ORANGE FI LEFI SH, ORANGESPOT FI RST CLASS FLAMEFI SH FLYING GURNARD FLYING GURNARDS FI YNGFI SH, ATLANTIC FI YNGFI SHES GOATFI SH, SPOTTED | 120 | 53 | 105 | | | 924 | 1018 | 853 | 895 | 4556 | 8 | 5862 | 3105 | 198 | 2034 | 411 | 8010 | 1492 | 94 | 172 | 94 | | | | | | | | |
| DURGON, BLACK EAGLE RAY, SPOTTED EAGLE RAYS EEL, AMERICAN EELS, FRESHWATER FI LEFI SH, ORANGE FI LEFI SH, ORANGESPOT FI RST CLASS FLAMEFI SH FLYING GURNARD FLYING GURNARDS FI YNGFI SH, ATLANTIC FI YNGFI SHES GOATFI SH, SPOTTED | 40 | 17 | 21 | 44 | 67 | 321 | 322 | 40 | 897 | 140 | 222 | 57 | 774 | 182 | 308 | 559 | 207 | 31 | 340 | 74 | 715 | 146 | | | | | | | |
| DURGON, BLACK EAGLE RAY, SPOTTED EAGLE RAYS EEL, AMERICAN EELS, FRESHWATER FI LEFI SH, ORANGE FI LEFI SH, ORANGESPOT FI RST CLASS FLAMEFI SH FLYING GURNARD FLYING GURNARDS FI YNGFI SH, ATLANTIC FI YNGFI SHES GOATFI SH, SPOTTED | 630 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| SNAPPER, CARDINAL | | | | | | | 204 | 84 | 288 | 1 | 542 | 2302 | 3644 | 4952 | 7165 | 6197 | 7233 | 32612 | | | | | | |
| SNAPPER, CUBERA | | | | | | | 36 | 46 | 760 | 20 | 121 | 119 | 59 | 78 | 75 | 1537 | 120 | 14 | 2956 | | | | | |
| SNAPPER, DOG | | | | | | | 38 | 5 | 58 | 291 | 48 | 168 | 10 | 10 | 85 | 53 | 35 | 101 | | | | | | |
| SNAPPER, GLASSEYE | | | | | | | 48 | 29 | 357 | 8 | 118 | 767 | 52 | 3 | 10 | 75 | 1537 | 120 | 14 | 2956 | | | | |
| SNAPPER, GRAY(GREY) | | | | | | | 32 | 29 | 767 | 118 | 241803 | 265551 | 270196 | 220979 | 196931 | 211910 | 183271 | 184591 | 123150 | 3236318 | | | | |
| SNAPPER, LANE | 167173 | 152406 | 119138 | 80672 | 60091 | 80035 | 109495 | 112789 | 138774 | 91020 | 90927 | 135416 | 210847 | 22937 | 196931 | 211910 | 183271 | 7 | 3839 | | | | | |
| SNAPPER, MAHOGANY | | | | | | | 85 | 1665 | 41754 | 25175 | 42100 | 32484 | 29327 | 39694 | 79888 | 76417 | 76573 | 77393 | 96346 | 86807 | 88558 | 91841 | 79979 | 1190100 |
| SNAPPER, MUTTON | 65141 | 53086 | 45633 | 30338 | 20031 | 21536 | 31754 | 25175 | 42100 | 25260 | 32310 | 27731 | 34114 | 36671 | 38770 | 46070 | 66682 | 82866 | 102137 | 110058 | 126999 | 793348 | | |
| SNAPPER, QUEEN | | | | | | | 4378 | 14759 | 15405 | 11379 | 17763 | 207830 | 243962 | 338664 | 311207 | 285631 | 209261 | 224695 | 188115 | 266798 | 197985 | 169825 | 5456046 | |
| SNAPPER, SILK | 396343 | 357156 | 371827 | 356898 | 206976 | 169954 | 245912 | 176783 | | | | | | | | | | | | | | | | |
| SNAPPER, SOUTHERN RED | | | | | | | | | | | | | | | | | | | | | | | | |
| SNAPPER, VERMILION | | | | | | | | | | | | | | | | | | | | | | | | |
| SNAPPER, YELLOWTAIL | 167867 | 134184 | 140451 | 93804 | 92319 | 77232 | 91028 | 106978 | 148564 | 5920 | 5561 | 7505 | 18240 | 10184 | 14016 | 16580 | 17237 | 22397 | 44805 | 23136 | 15835 | 212715 | | |
| SNAPPERS | 65870 | 36215 | 32953 | 28950 | 23453 | 21425 | 22642 | 34333 | 50927 | 38 | 43837 | 39549 | 48789 | 50722 | 66928 | 55953 | 62083 | 49623 | 56558 | 56695 | 34328 | 926530 | | |
| SNOOK, COMMON | | | | | | | | | | | | | | | | | | | | | | | | |
| SNOK, FAT | | | | | | | | | | | | | | | | | | | | | | | | |
| SNOK, SWORDSPINE | | | | | | | | | | | | | | | | | | | | | | | | |
| SNOK, TARPON | | | | | | | | | | | | | | | | | | | | | | | | |
| SNOOKS | 41697 | 25138 | 22625 | 24820 | 29530 | 29188 | 24397 | 19970 | 32329 | 28990 | 28179 | 34624 | 48070 | 49157 | 5002 | 52802 | 44881 | 49659 | 40121 | 34926 | 26964 | 12164 | 700229 | |
| SOAPFISH, GREATER | | | | | | | | | | | | | | | | | | | | | | | | |
| SOAPFISHES | | | | | | | | | | | | | | | | | | | | | | | | |
| SOLDIERFISH, BLACKBAR | | | | | | | | | | | | | | | | | | | | | | | | |
| SPADEFISH, ATLANTIC | | | | | | | | | | | | | | | | | | | | | | | | |
| SPADEFISHES | | | | | | | | | | | | | | | | | | | | | | | | |
| SPANISH FLAG | | | | | | | | | | | | | | | | | | | | | | | | |
| SQUIRRELFISH | | | | | | | | | | | | | | | | | | | | | | | | |
| SQUIRRELFI SHES | 19152 | 12539 | 15931 | 12487 | 3943 | 4 | 4394 | 5235 | 4587 | 4396 | 1348 | 684 | 263 | 1032 | 311 | 184 | 234 | 112 | 127 | 49 | 5 | 32 | 22995 | |
| STINGRAY, SOUTHERN | | | | | | | | | | | | | | | | | | | | | | | | |
| STINGRAYS | | | | | | | | | | | | | | | | | | | | | | | | |
| SUNFISH, REDBREAST | | | | | | | | | | | | | | | | | | | | | | | | |
| SUNFISHES | | | | | | | | | | | | | | | | | | | | | | | | |
| SURGEON, OCEAN | | | | | | | | | | | | | | | | | | | | | | | | |
| SURGEONFISHES | | | | | | | | | | | | | | | | | | | | | | | | |
| SWORDFISH | | | | | | | | | | | | | | | | | | | | | | | | |
| SWORDFISHES | | | | | | | | | | | | | | | | | | | | | | | | |
| SWORDTAIL, GREEN | | | | | | | | | | | | | | | | | | | | | | | | |
| TARPON | 12583 | 3347 | 4807 | 6319 | 6229 | 3175 | 4732 | 4654 | 47 | 1795 | 105 | 2433 | 1316 | 1274 | 354 | 2186 | 7 | 4420 | 2436 | 63264 | 9157 | 147 | | |
| TARPONS | | | | | | | | | | | | | | | | | | | | | | | | |
| TATTLER | | | | | | | | | | | | | | | | | | | | | | | | |
| THIRD CLASS | | | | | | | | | | | | | | | | | | | | | | | | |
| THREADFINS | 25995 | 27207 | 51666 | 60785 | 51358 | 63175 | 38679 | 3 | 69290 | 39754 | 34 | 87627 | 8 | 71405 | 121711 | 65703 | 33090 | 49562 | 46620 | 29917 | 9953 | 943494 | 212 | |
| TI LAPA, BLUE | | | | | | | | | | | | | | | | | | | | | | | | |
| TI LAPA, MOZAMBIQUE | | | | | | | | | | | | | | | | | | | | | | | | |
| TI LAPA, NI LE | | | | | | | | | | | | | | | | | | | | | | | | |
| TI LAPA, REDEYE | | | | | | | | | | | | | | | | | | | | | | | | |
| TI LEFTISH, BLACKLINE | | | | | | | | | | | | | | | | | | | | | | | | |
| TI LEFTISH, SAND | | | | | | | | | | | | | | | | | | | | | | | | |
| TI LEFTISHES | | | | | | | | | | | | | | | | | | | | | | | | |
| TOBACCOFISH | | | | | | | | | | | | | | | | | | | | | | | | |
| TONNO, LINES | | | | | | | | | | | | | | | | | | | | | | | | |
| TRASH FISH | | | | | | | | | | | | | | | | | | | | | | | | |
| TRI GGERFISH, GRAY | 9533 | 6467 | 5553 | 3343 | 7806 | 7 | 7067 | 5382 | 4386 | 922 | 2706 | 2560 | 2016 | 14 | 246 | 86 | 475 | 568 | 513 | 791 | 114 | 60277 | | |
| TRI GGERFISH, OCEAN | | | | | | | | | | | | | | | | | | | | | | | | |
| TRI GGERFISH, QUEEN | 89865 | 72920 | 46348 | 31034 | 38347 | 27578 | 33027 | 28507 | 30919 | 27700 | 38127 | 46605 | 69013 | 63605 | 73157 | 64372 | 49508 | 41147 | 59673 | 53493 | 41921 | 1026866 | | |
| TRI GGERFISH, SARGASSUM | | | | | | | | | | | | | | | | | | | | | | | | |
| TRI GGERFISHES | 56 | | | | | | | | | | | | | | | | | | | | | | | |
| TRI PLETAL, L | | | | | | | | | | | | | | | | | | | | | | | | |
| TRI PLETAL, LS | | | | | | | | | | | | | | | | | | | | | | | | |
| TRUMPETFISH | | | | | | | | | | | | | | | | | | | | | | | | |
| TRUNKFISH | | | | | | | | | | | | | | | | | | | | | | | | |
| TULI P, TRUE | 189 | | | | | | | | | | | | | | | | | | | | | | | |
| TUNA, ALBACORE | | | | | | | | | | | | | | | | | | | | | | | | |
| TUNA, BLACKFIN | | | | | | | | | | | | | | | | | | | | | | | | |
| TUNA, SKI JACK | | | | | | | | | | | | | | | | | | | | | | | | |
| TUNA, YELLOWFIN | 214 | | | | | | | | | | | | | | | | | | | | | | | |
| TUNNY, LITTLE | | | | | | | | | | | | | | | | | | | | | | | | |
| WAHOO | | | | | | | | | | | | | | | | | | | | | | | | |
| WARMOUTH | | | | | | | | | | | | | | | | | | | | | | | | |
| WRASSES | | | | | | | | | | | | | | | | | | | | | | | | |
| AII | | | | | | | | | | | | | | | | | | | | | | | | |
| | 3916688 | 3154298 | 2855085 | 2535388 | 2081941 | 2013691 | 2290865 | 2179705 | 2458664 | 2043970 | 2495161 | 2708878 | 3687150 | 3581209 | 3804030 | 3453207 | 3327699 | 3281062 | 3389010 | 3271960 | 2387974 | 6.092E7 | | |

| | | | | | | | | | | | | | | | | | | | | | | |
|---------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------------|-----------------|
| THREADFINS | | | | | 61 | 46 | 61 | 393 | 150 | 91 | 83 | 213 | 53 | | 12 | | 34 | 69 | 3 | 1268 | | |
| TILAPIA | | | | | 44 | 95 | 31 | 52 | 181 | 35 | 90 | 260 | 337 | 321 | 603 | 620 | 1007 | 237 | 105 | 44 | 68 | |
| TILEFISHES | | | | | | | | | | | | | | | | 14 | 246 | | | 4104 | | |
| TONGUEFISHES | | | | | | | | | | | | | | | | | | | | 260 | | |
| TRIGGERFISHES | 89921 | 72920 | 46348 | 31034 | 38417 | 28789 | 33482 | 28594 | 31076 | 27731 | 38270 | 46729 | 69385 | 64171 | 73484 | 64457 | 49936 | 41985 | 59774 | 53716 | 41976 1032196 | |
| TROCHIDAE | | | | | | | | | | | | | | | | | | | | | | |
| TRUE GOBIES | | | | | | | | | | | | | | | | | | | | | | |
| TRUMPETFISHES | | | | | | | | | | | | | | | | | | | | | | |
| TRUNKFISHES | 40376 | 38547 | 34103 | 36154 | 36117 | 36972 | 50013 | 47424 | 49209 | 40105 | 55805 | 53463 | 68489 | 67419 | 81834 | 90893 | 83884 | 83795 | 76325 | 79054 | 58587 1208567 | |
| UNKNOWN | 2 | | | 126 | 97 | 209 | | | 7 | 61 | 43 | 20 | 68 | 1619 | 1663 | 281 | 664 | 2477 | 2520 | 2211 | 3374 | 3688 2339 21468 |
| WHALE SHARKS | | | | | | | | | | | | | | | | | | | | | | |
| WHI PRAYS | | | | | | | | | | | | | | | | | | | | | | |
| WOBBLEGONGS | | | | | | | | | | | | | | | | | | | | | | |
| WRASSES | 72696 | 70980 | 41814 | 37668 | 36599 | 76911 | 7532 | 70771 | 54467 | 29080 | 35340 | 41249 | 50845 | 61238 | 68695 | 49844 | 46519 | 58419 | 67785 | 68863 | 55957 1171069 | |
| AI | 3916688 | 3154298 | 2855085 | 2535388 | 2081941 | 2013691 | 2290865 | 2179705 | 2458664 | 2043970 | 2495161 | 2708878 | 3687150 | 3581209 | 3804030 | 3453207 | 3327699 | 3281062 | 3389010 | 3271960 | 2387974 | 6.092E7 |

Table 14. Percentage distribution (by weight) of all fish and shellfish sold in Puerto Rico by year from 1983-2003. 2003 Preliminary data.

| Family Name | 1983 | 1984 | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | All |
|-------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----|
| TUNAS | 10.6 | 7.1 | 7 | 7.6 | 9.7 | 11 | 9.9 | 10.6 | 8.9 | 6.8 | 8.3 | 7.9 | 8.2 | 8.5 | 11.2 | 11 | 10.6 | 9.7 | 9.6 | 8.9 | 9.8 | 9.2 |
| ANCHOVIES | | | | | | 0 | | | 0 | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANGELFISHES | | | | | | 0 | | | | | 0 | | | | 0 | | 0 | | 0 | 0 | 0 | 0 |
| BANANAFTSHES | | | | | | 0 | 0 | 0.1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| BARRACUDAS | 0.7 | 0.3 | 0.3 | 0.7 | 1 | 0.7 | 0.7 | 0.4 | 1 | 0.5 | 0.5 | 0.5 | 0.5 | 0.6 | 0.7 | 1 | 0.7 | 0.8 | 0.6 | 0.8 | 0.5 | 0.6 |
| BATFISHES | | | | | | | 0 | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.3 | 0 | 0 |
| BEARDFISHES | | | | | | 0 | 0 | | | | | | | | 0.1 | | | | | | | 0 |
| BIGEYED HERRINGS | | | | | 0.1 | 0.1 | 0 | 0.1 | 0.1 | 0.1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| BILLFISHES | 0.3 | 0.3 | 0.4 | 0.5 | 0.3 | 0.5 | 0.3 | 0.2 | 0.3 | 0.3 | 0.3 | 0.1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.2 |
| BONNETHEAD SHARKS | | | | | | | 0 | 0 | 0 | | 0 | | 0 | | | | | | | | | 0 |
| BOX CRABS | | | | | | | | | | | | | | | | | 0 | | | 0 | | 0 |
| BROTULAS | | | | | | 0 | 0 | | | | | | | | 0 | | | | | 0 | | 0 |
| BUTTERFLYFISHES | | | | | 0 | 1 | | 0 | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CARDINALFISHES | | | | | | | 0 | 0 | 0 | 0 | | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CATALUFAS | | | | | 0 | 0 | | 0 | 0 | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CHICHIDS | | | | | | 0 | 0 | 0 | 0 | | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| COBIAS | | | | | | | 0 | 0 | | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CONGERS | | | | | | 0 | | 0 | | | 0 | 0 | 0 | 0 | 0.2 | 0 | | | 0 | | 0 | 0 |
| CORNETFISHES | | | | | | 0 | | | | | | 0 | 0 | | | | 0 | 0 | | | | 0 |
| COW SHARKS | | | | | | 0 | | | 0 | | | 0 | | 0 | 0 | | 0.1 | 0 | | 0 | | 0 |
| CROAKERS | | | | | 0 | 0.3 | 0.1 | 0.1 | 0.2 | 0.2 | 0.1 | 0.1 | 0.2 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.2 | 0.1 |
| DAMSELFISHES | | | | | | | 0 | | | | 0 | 0 | | 0 | 0 | | | | 0 | | | 0 |
| DOLPHINSH | 1.1 | 0.5 | 0.7 | 1.3 | 1.4 | 3.4 | 3 | 4.5 | 2.8 | 4.2 | 3 | 3.4 | 5.4 | 4.2 | 4.4 | 4 | 3.9 | 4.2 | 3.1 | 3.1 | 2.7 | 3.1 |
| DRIFTFISHES | | | | | | | | | | | | 0 | | | | | 0 | | | | | 0 |
| EAGLE RAYS | | | | | 0 | 0 | | 0.1 | 0 | 0.1 | 0 | 0.2 | 0.2 | 0.1 | 0 | 0.1 | 0 | 0.3 | 0 | 0 | | 0.1 |
| FASCIOLARIIDAE | | | | | | | | | | | 0 | | | | | | | | | | | 0 |
| FILEFISHES | | | | | | | | | | | | | | | | 0 | | | | | | 0 |
| FLASHERS | | | | | | | 0 | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLYING FISHES | | | | | | 0 | 0 | 0 | | | | | | | 0 | | | | | | | 0 |
| FLYING GURNARDS | | | | | | 0 | | | | | | 0 | 0 | 0 | 0.1 | 0 | | 0 | 0 | 0 | 0 | 0 |
| FLYINGFISHES | | | | | | 0 | | | | | | 0 | 0 | | | | 0 | | | | | 0 |
| FRESHWATER EELS | | | | | | | | | | | | 0 | 0 | 0 | 0 | 0 | | | | | | 0 |
| FROGFI SHES | | | | | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | | 0 |
| First Class | | | 0.3 | 4.8 | 4.4 | 5.6 | 9.4 | 8.2 | 7.9 | 8.1 | 7.5 | 6.4 | 6.5 | 4.1 | 3.7 | 4 | 3.1 | 2.6 | 2.8 | 2.3 | 2.6 | 4.2 |
| GOAT FISHES | 4.2 | 4 | 2.1 | 0.8 | 0.5 | 0.3 | 0.4 | 0.6 | 0.6 | 0.4 | 0.3 | 0.4 | 0.4 | 0.6 | 0.5 | 0.4 | 0.8 | 0.6 | 0.7 | 0.6 | 0.5 | 1 |
| GRUNTS | 10.3 | 10.5 | 9.6 | 7.2 | 7.7 | 4.5 | 3.5 | 5.5 | 6 | 5.9 | 6.5 | 5.4 | 4 | 4.9 | 4.4 | 3.3 | 3.6 | 3.6 | 4.5 | 4.5 | 4.5 | 5.7 |
| HALFBEAKS | 0.6 | 0.4 | 0.7 | 0.4 | 0.5 | 1.6 | 1.2 | 1.4 | 1.5 | 1.2 | 1.2 | 1.5 | 1.6 | 1.5 | 1.4 | 1.5 | 1.7 | 1.8 | 2.1 | 1.7 | 1.3 | |
| HERRINGS | 0.5 | 0.6 | 0.7 | 0.5 | 1.1 | 0.4 | 0.6 | 0.5 | 1 | 0.9 | 0.7 | 0.9 | 0.8 | 0.8 | 0.8 | 0.7 | 0.8 | 0.8 | 0.7 | 0.9 | 0.7 | 0.7 |

| | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|-----|------|------|------|------|------|------|------|-----|
| JACKS | 1.1 | 1 | 1.2 | 1.8 | 2.3 | 1.6 | 2.4 | 2.1 | 2.5 | 1.9 | 2 | 2.3 | 2.4 | 1.9 | 2.5 | 2.9 | 2.7 | 2.6 | 2.9 | 3.2 | 2.8 | 2.2 | |
| LAND CRABS | 0.1 | 0 | 0 | 0 | 0.1 | 0.1 | 0.2 | 0.1 | 0.2 | 0.1 | 0.1 | 0.1 | 0.2 | 0.4 | 0.3 | 0.1 | 0.1 | 0.1 | 0.2 | 0.2 | 0.1 | 0.1 | |
| LIVEBEARERS | | | | | | | | | | | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| LIZARDFISHES | | | | | | | | | | 0 | | 0 | 0 | | 0 | 0 | | | 0 | | 0 | 0 | |
| MANTA RAYS | | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| MINNOWS | | | | | | 0 | | | | | | | | 0 | | 0 | | | | | | 0 | |
| MOJARRAS | 0.3 | 0.3 | 0.3 | 0.4 | 0.4 | 0.9 | 0.5 | 0.7 | 0.8 | 1 | 0.8 | 1.1 | 0.9 | 0.7 | 0.6 | 0.6 | 0.7 | 0.6 | 0.6 | 0.6 | 0.7 | 0.6 | |
| MORAYS | | | | | | | | 0 | 0 | | 0 | | 0 | | | 0 | 0 | | | 0 | 0 | 0 | |
| MULLETS | 1.4 | 1.2 | 1.6 | 1.3 | 1.5 | 1.4 | 0.8 | 1 | 1.3 | 1.3 | 1.1 | 1.1 | 1.6 | 1.5 | 1.5 | 1.5 | 1.9 | 1.6 | 1.8 | 1.7 | 1.8 | 1.5 | |
| NEEDLEFISHES | | | | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| NORTH AMERICAN | | | | | | | | | | | | | | | | | | | | | | | |
| FRESHWATER CATFISHES | | | | | | | 0 | | | 0 | | | 0 | | | | | 0 | 0 | 0 | 0 | 0 | |
| Nurse Sharks | | | | | | | | | | 0 | 0 | | | 0.2 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | |
| OCTOPODI DAE | 0.5 | 0.5 | 1.1 | 0.5 | 0.4 | 0.8 | 0.7 | 1.1 | 0.8 | 0.6 | 0.8 | 1 | 0.5 | 1 | 1 | 1.1 | 1.3 | 1.5 | 1 | 0.9 | 1.1 | 0.9 | |
| OSTRIDI DAE | 1.3 | 1.5 | 1 | 0 | 0 | 0.1 | 0 | 0 | 0 | 0 | 0 | 0.1 | 0.2 | 0.2 | 0 | 0 | 0 | 0.1 | 0 | 0 | 0 | 0.3 | |
| Other | 4.6 | 4.7 | 6.7 | 8 | 6.1 | 2.8 | 1.6 | 0.1 | 0.2 | 0.1 | 0.2 | 0.3 | 1.1 | 1.3 | 1.6 | 2.4 | 1.6 | 1.5 | 1.1 | 1.6 | 0.1 | 2.3 | |
| PARROT FISHES | 6 | 7.3 | 7.8 | 4.2 | 3.7 | 0.6 | 0.2 | 1.7 | 2.8 | 4.5 | 6.4 | 4.3 | 2.2 | 2.9 | 2.9 | 2.8 | 2.4 | 2.3 | 2.9 | 3.3 | 2.9 | 3.6 | |
| PILLOTFISHES | | | | | | | 0 | 0 | 0 | 0.1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| PIPEFISHES | | | | | | | | | | | | 0 | | | | | | | | 0 | 0 | 0 | |
| PORBEAGLES | | | | | | | | | | | 0 | 0 | 0 | 0 | 0.2 | | | | 0 | 0 | 0 | 0 | |
| PORCUPINEFISHES | | | | | | | | 0 | 0 | | 0 | 0 | 0 | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| PORGIES | 2.1 | 2.1 | 0.8 | 0.7 | 0.5 | 0.5 | 0.4 | 0.4 | 0.5 | 0.5 | 0.4 | 0.4 | 0.5 | 0.5 | 0.9 | 0.7 | 0.8 | 1 | 0.9 | 1.1 | 1.2 | 0.9 | 0.9 |
| RABBITFISHES | 0 | | | | | | | 0 | | | | | 0 | 0 | | 0 | | | | | | 0 | |
| REMORAS | | | | | | 0 | | 0 | | 0 | 0 | | 0 | 0 | 0.1 | 0 | 0 | 0.1 | 0 | 0 | 0 | 0 | 0 |
| REQUIEM SHARKS | | | | | 0.6 | 1.4 | 1.3 | 1.9 | 1.9 | 1.7 | 1.5 | 1.3 | 2 | 1.7 | 1.5 | 1.4 | 1.3 | 1.3 | 1.3 | 1.2 | 1.1 | 1.1 | |
| ROBBONFISHES | | | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| RUDDERFISHES | | | | | 0 | | | | 0 | 0 | 0 | 0.2 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| SEA BASSES | 8.5 | 10.1 | 10.7 | 7.7 | 7.1 | 5.1 | 6.2 | 5.1 | 6.3 | 6.5 | 5.6 | 4.7 | 4.4 | 4.7 | 4.4 | 4.4 | 4 | 4.5 | 4.4 | 4.9 | 5.5 | 4.7 | 5.9 |
| SHELLFISH | 0.1 | 0.1 | 0.1 | 0.2 | 0.1 | 0.3 | 0.2 | 0.1 | 0.1 | 0 | 0.1 | 0.2 | 0.2 | 0.2 | 0.1 | 0.4 | 0.3 | 0.3 | 0.3 | 0.2 | 0.2 | 0.2 | |
| SHRIMP | | | 0 | 0 | 0 | 0 | | 0 | 0 | 0 | 0 | 0.1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| SILVERSIDES | | | | | 0 | | | | | | | | | | 0 | | 0 | | | | | 0 | |
| SLEEPERS | | | | | 0 | 0 | 0 | | 0 | | | 0 | 0 | | 0 | | | | 0 | 0 | 0 | 0 | |
| SLIPPER LOBSTERS | | | | | | | | | | | | | | 0 | | | 0 | 0 | 0 | 0 | 0 | 0 | |
| SMOOTH-HOUNDS | | | | | | | | | 0 | | | | | 0 | | | 0 | | | | | 0 | |
| SNAKE MACKERELS | | | | | 0 | 0 | 0 | | | 0 | | | 0.1 | 0 | | 0 | 0 | | | | 0 | 0 | |
| SNAPPERS | 22 | 23.2 | 24.9 | 23.3 | 19.7 | 19.3 | 22.7 | 21.6 | 23.2 | 27.3 | 25.3 | 28.7 | 29.3 | 28.6 | 27 | 25.6 | 28.6 | 31.1 | 31.8 | 29.7 | 31.2 | 26.3 | |
| SNOOKS | 1.1 | 0.8 | 0.8 | 1 | 1.4 | 1.5 | 1.1 | 0.9 | 1.3 | 1.4 | 1.1 | 1.3 | 1.3 | 1.4 | 1.5 | 1.3 | 1.5 | 1.2 | 1.4 | 1.4 | 1.5 | 1.3 | |
| SOAPFISHES | | | | | | | | | | | | | | | 0 | 0 | | 0 | 0 | | | 0 | |
| SPADEFISHES | | | | | | | 0 | | | | | | | 0 | | | | | | 0 | | 0 | |
| SPINY LOBSTERS | 7 | 7.9 | 7.4 | 8.3 | 7.4 | 7 | 8.1 | 7.7 | 8.6 | 7.9 | 6.8 | 7.1 | 7.6 | 7.8 | 7.4 | 8.6 | 9.8 | 7.9 | 8.3 | 9.2 | 10.1 | 8 | |
| SQUIRRELFI SHES | 0.5 | 0.4 | 0.6 | 0.5 | 0.2 | 0.2 | 0.3 | 0.3 | 0.4 | 0.3 | 0.3 | 0.3 | 0.4 | 0.4 | 0.6 | 0.6 | 0.4 | 0.5 | 0.5 | 0.5 | 0.4 | 0.4 | |

| | 10. 2 | 9. 3 | 9. 1 | 7. 4 | 6. 9 | 11. 5 | 7 | 5 | 4. 4 | 4. 4 | 6. 6 | 6. 3 | 5. 8 | 6. 7 | 6. 3 | 7. 6 | 6. 4 | 8. 6 | 7. 2 | 7. 2 | 7. 9 | 7. 3 | |
|----------------|-------|------|------|------|------|-------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| SUNFISHES | | | | | 0 | 0 | 0 | 0.4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| SWIMMING CRABS | | | | | 0 | | | | 0 | 0 | 0 | 0.1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| SWORDFISHES | | | | | 0.3 | 0 | 0.4 | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| Second Class | | | | 5. 4 | 6. 8 | 6. 2 | 7 | 6. 7 | 5. 6 | 4. 6 | 3. 7 | 5. 3 | 3. 6 | 4. 1 | 2. 7 | 3. 5 | 3. 2 | 1. 8 | 1 | 1. 4 | 1. 8 | 3. 2 | |
| TANGS | | | | | 0 | | | | 0 | 0 | | | 0 | 0 | | 0 | 0 | | 0 | 0 | 0 | 0 | 0 |
| TARPONS | | | | | 0. 6 | 0. 2 | 0. 2 | 0. 3 | 0. 3 | 0. 2 | 0. 2 | 0. 2 | 0 | 0 | 0. 1 | 0 | 0. 1 | 0 | 0. 1 | 0. 1 | 0. 1 | 0. 1 | |
| THREADFINS | | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0 | 0 | 0 | 0 | |
| TILAPIA | | | | | | | | | | | 0 | | | | | | | | | | | 0 | |
| TILEFISHES | | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| TONGUEFISHES | | | | | | | | | | | | | | | | | 0 | 0 | | | | 0 | |
| TRIGGERFISHES | 2. 3 | 2. 3 | 1. 6 | 1. 2 | 1. 8 | 1. 4 | 1. 5 | 1. 3 | 1. 3 | 1. 4 | 1. 5 | 1. 7 | 1. 9 | 1. 8 | 1. 9 | 1. 9 | 1. 5 | 1. 3 | 1. 8 | 1. 6 | 1. 8 | 1. 7 | |
| TROCHIDAE | | | | | | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| TRUE GOBIES | | | | | 0. 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| TRUMPETFISHES | | | | | | | 0 | | | | | | | | 0 | | | | | | | 0 | |
| TRUNKFISHES | 1 | 1. 2 | 1. 2 | 1. 4 | 1. 7 | 1. 8 | 2. 2 | 2. 2 | 2 | 2 | 2. 2 | 2 | 1. 9 | 1. 9 | 2. 2 | 2. 6 | 2. 5 | 2. 6 | 2. 3 | 2. 4 | 2. 5 | 2 | |
| Third Class | | | | | 1 | 1. 3 | 2. 6 | 2. 7 | 2. 4 | 2. 6 | 1. 9 | 2. 8 | 1. 5 | 2. 4 | 2 | 3. 2 | 1. 9 | 1 | 1. 5 | 1. 4 | 0. 9 | 0. 4 | 1. 5 |
| Trash | | | | | 0. 4 | 0. 3 | 0. 3 | 0. 1 | 0. 4 | 0. 3 | 0. 3 | 0. 2 | 0 | 0. 1 | 0. 1 | 0. 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0. 1 |
| UNKNOWN | 0 | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0. 1 | 0 | 0 | 0 | 0. 1 | 0. 1 | 0. 1 | 0. 1 | 0. 1 | 0. 1 | 0. 1 | |
| WHALE SHARKS | | | | | | | 0 | 0. 5 | | | | | 0 | 0. 3 | 0. 1 | 0 | 0 | | | | | | 0 |
| WHIPRAYS | | | | | 0. 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| WOBBEONGS | | | | | | | | | 0 | | 0. 1 | 0 | | | | | | | | | | 0 | |
| WRASSES | 1. 9 | 2. 3 | 1. 5 | 1. 5 | 1. 8 | 3. 8 | 3. 3 | 3. 2 | 2. 2 | 1. 4 | 1. 4 | 1. 5 | 1. 4 | 1. 7 | 1. 8 | 1. 4 | 1. 4 | 1. 8 | 2 | 2. 1 | 2. 3 | 1. 9 | |
| All | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | |

Tables 15. Total annual value (\$) of yellowtail snapper, *Ocyurus chrysurus*, commercial sales in Puerto Rico, 1983-2001. 2003 Preliminary data.

| Year | # sales | Total value (\$) |
|------|---------|------------------|
| 1983 | 3685 | 217900 |
| 1984 | 2024 | 169381 |
| 1985 | 2403 | 193824 |
| 1986 | 2487 | 131233 |
| 1987 | 2704 | 134262 |
| 1988 | 2202 | 119351 |
| 1989 | 2530 | 142805 |
| 1990 | 2801 | 178735 |
| 1991 | 3622 | 264498 |
| 1992 | 3280 | 265214 |
| 1993 | 4091 | 321267 |
| 1994 | 3849 | 349834 |
| 1995 | 6645 | 573296 |
| 1996 | 7084 | 505331 |
| 1997 | 6934 | 540493 |
| 1998 | 5759 | 501011 |
| 1999 | 5964 | 592754 |
| 2000 | 7624 | 699582 |
| 2001 | 7694 | 665092 |
| 2002 | 7219 | 618796 |
| 2003 | 6340 | 381282 |

Table 16. Average price per pound (\$) of yellowtail snapper sold in Puerto Rico, 1983-2003, by year and gear category of sale.
2003 Preliminary data.

| | 1983 | 1984 | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | All |
|----------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| Cast Nets | 1.83 | 1.05 | 1.21 | 1.59 | 1.46 | 1.40 | 1.83 | 2.50 | 1.90 | 2.32 | 2.48 | 2.29 | 2.42 | 2.17 | 1.75 | 1.90 | 2.33 | 2.02 | 1.58 | | 2.00 | 2.05 |
| Dive | 1.36 | 1.55 | 1.31 | 1.35 | 1.93 | 1.46 | 1.44 | 1.59 | 1.65 | 1.71 | 1.84 | 1.82 | 2.38 | 2.06 | 2.07 | 2.05 | 2.16 | 2.24 | 2.25 | 2.22 | 2.22 | 2.04 |
| Nets | 1.24 | 1.23 | 1.15 | 1.10 | 1.25 | 1.44 | 1.52 | 1.57 | 1.7 | 1.68 | 1.68 | 1.75 | 1.74 | 1.69 | 1.70 | 1.75 | 1.85 | 1.76 | 1.91 | 1.97 | 1.87 | 1.70 |
| Other | | | | | | | | | | | | | | | | | | | | 2.00 | | 1.75 |
| Pots | 1.05 | 1.05 | 1.19 | 1.19 | 1.25 | 1.32 | 1.41 | 1.55 | 1.67 | 1.78 | 1.8 | 1.89 | 1.89 | 1.92 | 1.94 | 2.08 | 2.08 | 2.16 | 2.21 | 2.20 | 2.22 | 1.76 |
| Rod & Reels | 1.45 | 1.42 | 1.46 | 1.51 | 1.52 | 1.55 | 1.59 | 1.65 | 1.8 | 1.86 | 1.82 | 1.96 | 1.99 | 1.85 | 2.03 | 2.04 | 2.16 | 2.07 | 2.17 | 2.21 | 2.25 | 1.95 |
| Seines | 1.02 | 0.99 | 1.09 | 1.32 | 1.73 | 1.11 | 1.49 | 1.49 | 1.73 | 1.61 | 1.51 | 1.53 | 1.83 | 1.78 | 1.81 | 1.73 | 1.62 | 1.55 | 1.58 | 1.73 | 1.69 | 1.53 |
| Vertical Lines | 1.07 | 1.27 | 1.28 | 1.2 | 1.49 | 1.51 | 1.48 | 1.56 | 1.63 | 1.61 | 1.93 | 1.94 | 2.01 | 1.86 | 2.04 | 2.09 | 2.42 | 2.52 | 2.34 | 2.44 | 2.57 | 2.05 |
| All Gears | 1.26 | 1.25 | 1.31 | 1.32 | 1.41 | 1.48 | 1.54 | 1.61 | 1.76 | 1.82 | 1.79 | 1.92 | 1.96 | 1.85 | 1.97 | 2.02 | 2.12 | 2.06 | 2.15 | 2.18 | 2.20 | 1.88 |

Table 17. Annual total value (\$) of yellowtail snapper commercial sales sold in Puerto Rico, 1983-2003, by gear category. 2003 preliminary data.

| Calendar Year | Cast Nets | Dive | Nets | Gear | | Rod & Reels | Seines | Vertical Lines | All gears |
|---------------|-----------|-------|--------|------|--------|-------------|--------|----------------|-----------|
| 1983 | 227 | 778 | 8099 | | 57106 | 133890 | 16038 | 1763 | 217900 |
| 1984 | 120 | 877 | 6988 | | 37972 | 107039 | 15565 | 820 | 169381 |
| 1985 | 439 | 110 | 13920 | | 50567 | 120747 | 7558 | 483 | 193824 |
| 1986 | 798 | 823 | 25309 | | 26489 | 72920 | 4478 | 416 | 131233 |
| 1987 | 116 | 3169 | 20277 | | 24088 | 83293 | 2281 | 1039 | 134262 |
| 1988 | 706 | 1404 | 15662 | 438 | 16478 | 81774 | 1615 | 1275 | 119351 |
| 1989 | 120 | 407 | 13397 | 90 | 16992 | 99263 | 10046 | 2491 | 142805 |
| 1990 | 100 | 447 | 8741 | | 19488 | 136159 | 11744 | 2055 | 178735 |
| 1991 | 650 | 568 | 12657 | | 32765 | 207637 | 8522 | 1699 | 264498 |
| 1992 | 545 | 517 | 20172 | | 28761 | 204770 | 8995 | 1455 | 265214 |
| 1993 | 1036 | 2505 | 16127 | | 31766 | 251282 | 16864 | 1686 | 321267 |
| 1994 | 2059 | 2277 | 18869 | | 41195 | 262534 | 19108 | 3792 | 349834 |
| 1995 | 3207 | 3556 | 18234 | | 41738 | 488429 | 10640 | 7493 | 573296 |
| 1996 | 1017 | 2910 | 44566 | | 53611 | 388797 | 5585 | 8846 | 505331 |
| 1997 | 96 | 2441 | 40744 | | 52850 | 429546 | 7579 | 7237 | 540493 |
| 1998 | 400 | 3920 | 22546 | | 42366 | 417726 | 4698 | 9354 | 501011 |
| 1999 | 321 | 2945 | 27322 | | 47307 | 493188 | 6646 | 15023 | 592754 |
| 2000 | 2535 | 3189 | 35087 | | 48421 | 588708 | 12690 | 8952 | 699582 |
| 2001 | 231 | 12492 | 34684 | | 50707 | 543080 | 18197 | 5702 | 665092 |
| 2002 | | 5287 | 36708 | 66 | 66279 | 488693 | 15436 | 6327 | 618796 |
| 2003 | 320 | 2885 | 15020 | | 40904 | 305009 | 13955 | 3189 | 381282 |
| All | 15042 | 53507 | 455129 | 594 | 827849 | 5904484 | 218238 | 91096 | 7565938 |

Table 18. Percentage value yellowtail snapper sales, *Ocyurus chrysurus*, commercial in Puerto Rico by gear category, 1983-2003. 2003 Preliminary.

| Calendar Year | Cast Nets | Dive | Nets | Other | Pots | Rod& Reel | Seines | Vertical Lines | All Gears |
|---------------|-----------|------|------|-------|------|-----------|--------|----------------|-----------|
| 1983 | 0.1 | 0.4 | 3.7 | | 26.2 | 61.4 | 7.4 | 0.8 | 100 |
| 1984 | 0.1 | 0.5 | 4.1 | | 22.4 | 63.2 | 9.2 | 0.5 | 100 |
| 1985 | 0.2 | 0.1 | 7.2 | | 26.1 | 62.3 | 3.9 | 0.2 | 100 |
| 1986 | 0.6 | 0.6 | 19.3 | | 20.2 | 55.6 | 3.4 | 0.3 | 100 |
| 1987 | 0.1 | 2.4 | 15.1 | | 17.9 | 62.0 | 1.7 | 0.8 | 100 |
| 1988 | 0.6 | 1.2 | 13.1 | 0.4 | 13.8 | 68.5 | 1.4 | 1.1 | 100 |
| 1989 | 0.1 | 0.3 | 9.4 | 0.1 | 11.9 | 69.5 | 7.0 | 1.7 | 100 |
| 1990 | 0.1 | 0.3 | 4.9 | | 10.9 | 76.2 | 6.6 | 1.2 | 100 |
| 1991 | 0.2 | 0.2 | 4.8 | | 12.4 | 78.5 | 3.2 | 0.6 | 100 |
| 1992 | 0.2 | 0.2 | 7.6 | | 10.8 | 77.2 | 3.4 | 0.5 | 100 |
| 1993 | 0.3 | 0.8 | 5.0 | | 9.9 | 78.2 | 5.2 | 0.5 | 100 |
| 1994 | 0.6 | 0.7 | 5.4 | | 11.8 | 75.0 | 5.5 | 1.1 | 100 |
| 1995 | 0.6 | 0.6 | 3.2 | | 7.3 | 85.2 | 1.9 | 1.3 | 100 |
| 1996 | 0.2 | 0.6 | 8.8 | | 10.6 | 76.9 | 1.1 | 1.8 | 100 |
| 1997 | 0.0 | 0.5 | 7.5 | | 9.8 | 79.5 | 1.4 | 1.3 | 100 |
| 1998 | 0.1 | 0.8 | 4.5 | | 8.5 | 83.4 | 0.9 | 1.9 | 100 |
| 1999 | 0.1 | 0.5 | 4.6 | | 8.0 | 83.2 | 1.1 | 2.5 | 100 |
| 2000 | 0.4 | 0.5 | 5.0 | | 6.9 | 84.2 | 1.8 | 1.3 | 100 |
| 2001 | 0.0 | 1.9 | 5.2 | | 7.6 | 81.7 | 2.7 | 0.9 | 100 |
| 2002 | 0.0 | 0.9 | 5.9 | 0.0 | 10.7 | 79.0 | 2.5 | 1.0 | 100 |
| 2003 | 0.1 | 0.8 | 3.9 | | 10.7 | 80.0 | 3.7 | 0.8 | 100 |
| All | 0.2 | 0.7 | 6.0 | 0.0 | 10.9 | 78.0 | 2.9 | 1.2 | 100 |

Table 19. Total annual value (\$) of all fish and shellfish sold in Puerto Rico, 1983-2003. 2003 Preliminary Data.

| Year | #Sales | Value (\$) |
|-------------|---------------|-------------------|
| 1983 | 64150 | 4719730 |
| 1984 | 38977 | 3969018 |
| 1985 | 37421 | 4004500 |
| 1986 | 46339 | 3724647 |
| 1987 | 46121 | 3025652 |
| 1988 | 45264 | 3096314 |
| 1989 | 52372 | 3794705 |
| 1990 | 52474 | 3560764 |
| 1991 | 66097 | 4292384 |
| 1992 | 49540 | 3707795 |
| 1993 | 60104 | 4444681 |
| 1994 | 65172 | 5156078 |
| 1995 | 94685 | 7242214 |
| 1996 | 97634 | 6993718 |
| 1997 | 100005 | 7607758 |
| 1998 | 86957 | 7180580 |
| 1999 | 92205 | 7232123 |
| 2000 | 97049 | 7138272 |
| 2001 | 104781 | 7679811 |
| 2002 | 101849 | 7502764 |
| 2003 | 101490 | 5621405 |

Table 20. Distribution of commercial sales for all fish and shellfish by month in Puerto Rico, 1983-2003. 2003 Preliminary Data.

| Year | Month | | | | | | | | | | | | All |
|------|-------|-----|------|------|------|------|-----|------|------|------|-----|-----|-----|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | |
| 1983 | 9.8 | 9.2 | 8.7 | 8.9 | 9.8 | 8.1 | 6.5 | 7.4 | 9.1 | 8.6 | 8.0 | 5.9 | 100 |
| 1984 | 9.0 | 8.9 | 9.3 | 8.7 | 8.5 | 8.0 | 6.8 | 9.2 | 8.0 | 9.0 | 7.9 | 6.8 | 100 |
| 1985 | 7.6 | 7.0 | 8.6 | 5.4 | 9.7 | 7.1 | 8.3 | 10.9 | 9.1 | 8.6 | 8.6 | 9.0 | 100 |
| 1986 | 10.1 | 9.5 | 10.0 | 8.3 | 7.6 | 7.8 | 7.9 | 8.3 | 8.8 | 8.3 | 6.0 | 7.3 | 100 |
| 1987 | 7.5 | 8.1 | 9.9 | 10.5 | 10.5 | 8.0 | 9.3 | 7.8 | 7.9 | 7.7 | 6.1 | 6.4 | 100 |
| 1988 | 6.7 | 7.2 | 8.7 | 8.6 | 11.1 | 8.7 | 8.6 | 7.6 | 8.1 | 9.0 | 9.1 | 6.8 | 100 |
| 1989 | 7.8 | 8.1 | 9.9 | 9.0 | 10.1 | 8.6 | 8.5 | 9.2 | 6.8 | 8.2 | 7.3 | 6.6 | 100 |
| 1990 | 8.1 | 7.8 | 8.8 | 7.9 | 8.5 | 7.6 | 8.8 | 10.1 | 10.0 | 8.9 | 6.5 | 7.0 | 100 |
| 1991 | 8.8 | 8.9 | 8.3 | 8.3 | 9.9 | 9.4 | 8.1 | 8.1 | 8.2 | 8.2 | 7.2 | 6.6 | 100 |
| 1992 | 10.5 | 9.3 | 11.4 | 10.3 | 8.4 | 5.2 | 6.5 | 6.5 | 8.1 | 8.2 | 7.6 | 7.9 | 100 |
| 1993 | 7.7 | 8.5 | 8.5 | 9.4 | 8.3 | 8.3 | 7.6 | 10.5 | 8.8 | 8.0 | 6.5 | 7.9 | 100 |
| 1994 | 7.7 | 8.0 | 10.4 | 8.7 | 9.1 | 7.6 | 7.2 | 10.5 | 6.7 | 8.3 | 7.3 | 8.4 | 100 |
| 1995 | 9.0 | 7.9 | 9.4 | 8.2 | 9.8 | 10.6 | 9.0 | 8.2 | 6.3 | 7.8 | 7.2 | 6.7 | 100 |
| 1996 | 8.5 | 9.4 | 10.3 | 8.7 | 9.0 | 7.0 | 6.9 | 9.4 | 6.7 | 8.5 | 7.9 | 7.7 | 100 |
| 1997 | 9.5 | 7.2 | 8.9 | 9.1 | 9.1 | 7.7 | 7.7 | 8.0 | 7.4 | 10.4 | 7.5 | 7.6 | 100 |
| 1998 | 10.6 | 9.9 | 10.7 | 11.0 | 11.2 | 7.9 | 8.1 | 8.8 | 4.2 | 4.6 | 6.8 | 6.0 | 100 |
| 1999 | 9.2 | 9.6 | 10.9 | 9.4 | 9.3 | 8.3 | 8.1 | 7.1 | 7.0 | 7.0 | 6.8 | 7.4 | 100 |
| 2000 | 9.1 | 9.7 | 10.0 | 9.4 | 9.2 | 7.1 | 8.1 | 7.4 | 7.4 | 8.9 | 7.5 | 6.4 | 100 |
| 2001 | 10.3 | 9.1 | 9.6 | 8.8 | 8.2 | 7.6 | 6.7 | 9.2 | 8.5 | 8.7 | 7.2 | 6.2 | 100 |
| 2002 | 9.3 | 9.0 | 9.6 | 9.7 | 8.0 | 8.5 | 8.3 | 8.7 | 7.5 | 8.6 | 7.1 | 5.7 | 100 |
| 2003 | 9.2 | 7.6 | 10.6 | 9.2 | 8.6 | 7.4 | 6.9 | 7.9 | 7.8 | 10.8 | 6.9 | 7.1 | 100 |
| All | 9.0 | 8.7 | 9.7 | 9.0 | 9.2 | 8.0 | 7.8 | 8.6 | 7.5 | 8.4 | 7.3 | 7.0 | 100 |

Table 21. Total value (\$) of commercial sales of all fish and shellfish sold in Puerto Rico, 1983-2003, by gear. 2003 preliminary data

| Year | Cast | Dive | Net | Other | Gear | Rod & Reel | Sel ne | Verti cal | All |
|-------------|-------------|-------------|------------|--------------|-------------|-----------------------|---------------|------------------|------------|
| | | | | | Pots | | | Li nes | |
| 1983 | 15920 | 1628350 | 327862 | 772 | 1559365 | 973200 | 183687 | 30575 | 4719730 |
| 1984 | 18691 | 1399899 | 267302 | 12 | 1399799 | 726611 | 128386 | 28318 | 3969018 |
| 1985 | 17882 | 836318 | 355155 | 4312 | 1563805 | 1104935 | 95530 | 26562 | 4004500 |
| 1986 | 15925 | 690549 | 385578 | 773 | 1341472 | 1182905 | 94585 | 12861 | 3724647 |
| 1987 | 19154 | 533699 | 359381 | | 1144025 | 831795 | 120634 | 16965 | 3025652 |
| 1988 | 6962 | 754796 | 317677 | 53698 | 940859 | 898932 | 92913 | 30477 | 3096314 |
| 1989 | 12403 | 719917 | 301526 | 33861 | 1411332 | 1142816 | 134611 | 38240 | 3794705 |
| 1990 | 5362 | 648090 | 383019 | 4625 | 1312015 | 1078783 | 87312 | 41558 | 3560764 |
| 1991 | 21280 | 783814 | 636915 | | 1417232 | 1256081 | 144952 | 32110 | 4292384 |
| 1992 | 17321 | 590141 | 519167 | 153 | 1177262 | 1272517 | 104124 | 27110 | 3707795 |
| 1993 | 20342 | 857625 | 633080 | 1041 | 1197502 | 1576962 | 115315 | 42813 | 4444681 |
| 1994 | 40899 | 933413 | 640415 | | 1472483 | 1922203 | 111276 | 35390 | 5156078 |
| 1995 | 47471 | 1313769 | 763042 | 1131 | 1868657 | 2999294 | 170554 | 77625 | 7241544 |
| 1996 | 43657 | 1430818 | 893522 | 80 | 1850868 | 2522201 | 160883 | 91689 | 6993718 |
| 1997 | 47561 | 1464699 | 1064610 | | 1959542 | 2793442 | 164424 | 113479 | 7607758 |
| 1998 | 33707 | 1700976 | 929348 | 897 | 1798506 | 2426325 | 120291 | 170413 | 7180463 |
| 1999 | 47446 | 1608762 | 921435 | 62 | 1853124 | 2559342 | 89211 | 152741 | 7232123 |
| 2000 | 49811 | 1792635 | 845334 | 2298 | 1629186 | 2422263 | 85164 | 311582 | 7138272 |
| 2001 | 39156 | 1824268 | 814070 | 5809 | 2056365 | 2716584 | 98719 | 124840 | 7679811 |
| 2002 | 40602 | 1914313 | 830380 | 10018 | 1954319 | 2537507 | 115895 | 99730 | 7502764 |
| 2003 | 17769 | 1269229 | 535116 | 1439 | 1559440 | 2076002 | 94066 | 68344 | 5621405 |
| All | 579321 | 24696081 | 12723932 | 120982 | 32467158 | 37020700 | 2512530 | 1573421 | 1.12E+08 |

Table 22. Percentage value of commercial sales value of all fish and shellfish sold in Puerto Rico, 1983-2003 by gear. 2003 preliminary data.

| Year | Cast Nets | Dive | Nets | Pots | Rod & Reel | Seines | Vertical Lines | Other | All Gears |
|-------------|----------------------|-------------|-------------|-------------|---------------------------|---------------|---------------------------|--------------|----------------------|
| 1983 | 0.3 | 34.5 | 6.9 | 33.0 | 20.6 | 3.9 | 0.6 | 0.0 | 100 |
| 1984 | 0.5 | 35.3 | 6.7 | 35.3 | 18.3 | 3.2 | 0.7 | 0.0 | 100 |
| 1985 | 0.4 | 20.9 | 8.9 | 39.1 | 27.6 | 2.4 | 0.7 | 0.1 | 100 |
| 1986 | 0.4 | 18.5 | 10.4 | 36.0 | 31.8 | 2.5 | 0.3 | 0.0 | 100 |
| 1987 | 0.6 | 17.6 | 11.9 | 37.8 | 27.5 | 4.0 | 0.6 | | 100 |
| 1988 | 0.2 | 24.4 | 10.3 | 30.4 | 29.0 | 3.0 | 1.0 | 1.7 | 100 |
| 1989 | 0.3 | 19.0 | 7.9 | 37.2 | 30.1 | 3.5 | 1.0 | 0.9 | 100 |
| 1990 | 0.2 | 18.2 | 10.8 | 36.8 | 30.3 | 2.5 | 1.2 | 0.1 | 100 |
| 1991 | 0.5 | 18.3 | 14.8 | 33.0 | 29.3 | 3.4 | 0.7 | | 100 |
| 1992 | 0.5 | 15.9 | 14.0 | 31.8 | 34.3 | 2.8 | 0.7 | 0.0 | 100 |
| 1993 | 0.5 | 19.3 | 14.2 | 26.9 | 35.5 | 2.6 | 1.0 | 0.0 | 100 |
| 1994 | 0.8 | 18.1 | 12.4 | 28.6 | 37.3 | 2.2 | 0.7 | | 100 |
| 1995 | 0.7 | 18.1 | 10.5 | 25.8 | 41.4 | 2.4 | 1.1 | 0.0 | 100 |
| 1996 | 0.6 | 20.5 | 12.8 | 26.5 | 36.1 | 2.3 | 1.3 | 0.0 | 100 |
| 1997 | 0.6 | 19.3 | 14.0 | 25.8 | 36.7 | 2.2 | 1.5 | | 100 |
| 1998 | 0.5 | 23.7 | 12.9 | 25.0 | 33.8 | 1.7 | 2.4 | 0.0 | 100 |
| 1999 | 0.7 | 22.2 | 12.7 | 25.6 | 35.4 | 1.2 | 2.1 | 0.0 | 100 |
| 2000 | 0.7 | 25.1 | 11.8 | 22.8 | 33.9 | 1.2 | 4.4 | 0.0 | 100 |
| 2001 | 0.5 | 23.8 | 10.6 | 26.8 | 35.4 | 1.3 | 1.6 | 0.1 | 100 |
| 2002 | 0.5 | 25.5 | 11.1 | 26.0 | 33.8 | 1.5 | 1.3 | 0.1 | 100 |
| 2003 | 0.3 | 22.6 | 9.5 | 27.7 | 36.9 | 1.7 | 1.2 | 0.0 | 100 |
| All | 0.5 | 22.1 | 11.4 | 29.1 | 33.1 | 2.2 | 1.4 | 0.1 | 100 |

Table 23. Summary CPUE statistics for yellowtail snapper from commercial sales records in Puerto Rico, 1983-2003, all gears and years combined. Q1 and Q3 =lower 25th and upper 75th percentiles.

| Ntrips | N | Mean CPUE | Min CPUE | Max CPUE | STDDEV (CPUE) | Q1 | Q3 |
|--------|-------|-----------|----------|----------|---------------|----|------|
| 1 | 57900 | 37.1 | 0.5 | 3051 | 54.9 | 10 | 45 |
| 2 | 4458 | 18 | 0.5 | 440.5 | 24.7 | 5 | 20 |
| 3 | 3469 | 14.5 | 0.3 | 237 | 20 | 3 | 16.7 |
| 4 | 2893 | 12.9 | 0.3 | 300 | 20 | 3 | 14.4 |
| 5 | 2616 | 9.1 | 0.2 | 135.2 | 12.9 | 2 | 9.8 |
| 6 | 2144 | 9 | 0.2 | 247.2 | 14.3 | 2 | 10 |
| 7 | 1262 | 8.5 | 0.1 | 114.3 | 13.1 | 2 | 8.6 |
| 8 | 1058 | 9.3 | 0.2 | 193.8 | 13.5 | 2 | 10.4 |
| 9 | 536 | 9.3 | 0.1 | 91.3 | 12.3 | 2 | 9.8 |
| 10 | 1033 | 16.4 | 0.2 | 1510 | 65.3 | 2 | 10 |
| 11 | 369 | 14.4 | 0.1 | 320 | 30.8 | 2 | 13.6 |
| 12 | 652 | 11.8 | 0.1 | 419 | 28.4 | 2 | 10 |
| 13 | 181 | 13.7 | 0.2 | 307 | 30.9 | 2 | 15.4 |
| 14 | 266 | 7.6 | 0.1 | 117.2 | 13.1 | 1 | 7.6 |
| 15 | 335 | 14.5 | 0.1 | 1167 | 69.1 | 1 | 12 |
| 16 | 285 | 9.9 | 0.2 | 464 | 30.8 | 1 | 10.4 |
| 17 | 145 | 14.9 | 0.1 | 494 | 46.5 | 2 | 12.4 |
| 18 | 178 | 6.4 | 0.1 | 118 | 11.5 | 1 | 7.8 |
| 19 | 126 | 8.1 | 0.1 | 71.3 | 10.6 | 1 | 12.7 |
| 20 | 323 | 8.3 | 0.2 | 359 | 25.3 | 1 | 7.5 |
| 21 | 81 | 7.8 | 0.1 | 43.6 | 8.6 | 1 | 13.7 |
| 22 | 88 | 9.9 | 0.1 | 356 | 43.5 | 1 | 4.5 |
| 23 | 56 | 5.7 | 0.1 | 91 | 12.9 | 1 | 6.5 |
| 24 | 82 | 4.1 | 0.1 | 29.2 | 5.7 | 1 | 4.4 |
| 25 | 79 | 4 | 0.2 | 31.6 | 6.5 | 1 | 4.4 |
| 26 | 34 | 3.9 | 0.4 | 26.2 | 4.7 | 1 | 5.4 |
| 27 | 22 | 2.5 | 0.1 | 13.8 | 3.7 | 1 | 2.2 |
| 28 | 28 | 2.9 | 0.1 | 23.2 | 5.1 | 1 | 1.9 |
| 29 | 5 | 1.7 | 0.1 | 4.7 | 1.8 | 1 | 2.1 |
| 30 | 59 | 4 | 0.2 | 37.5 | 6.2 | 1 | 5.7 |
| 31 | 9 | 2.9 | 0.1 | 6.5 | 2.1 | 1 | 4 |
| 32 | 5 | 1.2 | 0.3 | 2.3 | 0.8 | 1 | 1.6 |
| 33 | 2 | 0.2 | 0.1 | 0.4 | 0.2 | 0 | 0.4 |
| 34 | 2 | 0.3 | 0.1 | 0.4 | 0.2 | 0 | 0.4 |
| 35 | 2 | 12.7 | 0.4 | 24.9 | 17.3 | 0 | 24.9 |
| 36 | 5 | 2.3 | 0.4 | 5.7 | 2.1 | 1 | 2.8 |
| 37 | 1 | 0.5 | 0.5 | 0.5 | | 1 | 0.5 |
| 38 | 3 | 2.1 | 0.3 | 3.7 | 1.7 | 0 | 3.7 |
| 39 | 2 | 3.6 | 0.1 | 7.1 | 5 | 0 | 7.1 |
| 40 | 13 | 2 | 0.2 | 10 | 3.1 | 0 | 2 |
| 41 | 2 | 0.5 | 0.1 | 0.8 | 0.5 | 0 | 0.8 |
| 42 | 1 | 0.7 | 0.7 | 0.7 | | 1 | 0.7 |

| | | | | | | | |
|-----|-------|------|------|------|------|---|------|
| 45 | 2 | 0.3 | 0.2 | 0.4 | 0.1 | 0 | 0.4 |
| 46 | 2 | 12.5 | 0 | 25 | 17.6 | 0 | 25 |
| 47 | 1 | 0 | 0 | 0 | | 0 | 0 |
| 48 | 2 | 0.2 | 0 | 0.4 | 0.2 | 0 | 0.4 |
| 50 | 5 | 1.3 | 0.1 | 4 | 1.6 | 0 | 1.4 |
| 51 | 1 | 16.4 | 16.4 | 16.4 | . 1 | 6 | 16.4 |
| 53 | 1 | 1.7 | 1.7 | 1.7 | | 2 | 1.7 |
| 55 | 2 | 3.6 | 2.6 | 4.5 | 1.4 | 3 | 4.5 |
| 56 | 1 | 0.3 | 0.3 | 0.3 | | 0 | 0.3 |
| 58 | 2 | 0.2 | 0.1 | 0.3 | 0.1 | 0 | 0.3 |
| 59 | 1 | 11.7 | 11.7 | 11.7 | . 1 | 2 | 11.7 |
| 60 | 3 | 0.2 | 0.1 | 0.4 | 0.2 | 0 | 0.4 |
| 62 | 3 | 2.5 | 0.6 | 4 | 1.7 | 1 | 4 |
| 63 | 1 | 0.7 | 0.7 | 0.7 | | 1 | 0.7 |
| 64 | 1 | 0.1 | 0.1 | 0.1 | | 0 | 0.1 |
| 66 | 1 | 0.4 | 0.4 | 0.4 | | 0 | 0.4 |
| 69 | 1 | 0.7 | 0.7 | 0.7 | | 1 | 0.7 |
| 70 | 3 | 0.8 | 0.1 | 1.9 | 1 | 0 | 1.9 |
| 78 | 1 | 8.3 | 8.3 | 8.3 | | 8 | 8.3 |
| 79 | 1 | 0.4 | 0.4 | 0.4 | | 0 | 0.4 |
| 80 | 1 | 5 | 5 | 5 | | 5 | 5 |
| 87 | 1 | 0.7 | 0.7 | 0.7 | | 1 | 0.7 |
| 90 | 3 | 0.9 | 0.1 | 2 | 1 | 0 | 2 |
| 95 | 1 | 0.1 | 0.1 | 0.1 | | 0 | 0.1 |
| 96 | 1 | 0.2 | 0.2 | 0.2 | | 0 | 0.2 |
| 97 | 7 | 0.4 | 0.1 | 0.9 | 0.3 | 0 | 0.5 |
| 99 | 10 | 0.6 | 0.1 | 1.8 | 0.6 | 0 | 1.2 |
| All | 80869 | 30.1 | 0 | 3051 | 49.7 | 6 | 35.5 |

Table 24a. Nominal unadjusted catch per unit of effort (CPUE) for yellowtail snapper commercial catches in Puerto Rico, 1983-2003, by gear and year for fisher sales records where the 'ntrips' variable = 1 trip.

| | Cast | Nest | Dive, Spear, Scuba | | Nets | | Other | | Pots | | Rod & Reel | | Sei nes | | Verti cal Li nes | | All | |
|------|------|-------|--------------------------|-------|-------|------|-------|-------|-------|------|---------------|-------|---------|-------|---------------------|-------|-------|-------|
| | | | N | Mean | N | Mean | N | Mean | N | Mean | N | Mean | N | Mean | N | Mean | N | Mean |
| 1983 | . | . | 5.0 | 35.6 | 21.0 | 23.5 | . | . | 688.0 | 12.2 | 810.0 | 30.4 | 23.0 | 45.9 | 20.0 | 12.9 | 1567 | 22.3 |
| 1984 | 0.0 | . | 4.0 | 60.8 | 5.0 | 65.0 | . | . | 107.0 | 71.9 | 75.0 | 117.6 | 5.0 | 681.4 | 2.0 | 170.0 | 198.0 | 105.2 |
| 1985 | . | . | 32.0 | 34.1 | . | . | 118.0 | 14.7 | 155.0 | 31.3 | 4.0 | 51.3 | 3.0 | 17.3 | 312.0 | 25.4 | . | . |
| 1986 | . | . | 1.0 | 8.0 | 6.0 | 36.7 | . | . | 15.0 | 12.7 | 41.0 | 33.2 | 2.0 | 9.5 | . | . | 65.0 | 27.7 |
| 1987 | . | . | 1.0 | 600.0 | . | . | 17.0 | 13.5 | 16.0 | 25.4 | . | . | . | . | . | 34.0 | 36.4 | |
| 1988 | 3.0 | 174.7 | 28.0 | 28.2 | 118.0 | 75.6 | . | . | 422.0 | 18.8 | 1226 | 37.1 | 18.0 | 39.4 | 51.0 | 16.0 | 1866 | 34.9 |
| 1989 | 3.0 | 20.3 | 11.0 | 15.5 | 89.0 | 75.6 | 1.0 | 60.0 | 402.0 | 17.9 | 1426 | 34.0 | 41.0 | 132.3 | 73.0 | 21.4 | 2046 | 34.0 |
| 1990 | 1.0 | 40.0 | 10.0 | 17.7 | 53.0 | 20.0 | . | . | 194.0 | 15.1 | 806.0 | 41.8 | 2.0 | 63.5 | 21.0 | 26.7 | 1087 | 35.5 |
| 1991 | 2.0 | 28.5 | 18.0 | 12.9 | 112.0 | 34.2 | . | . | 353.0 | 12.8 | 1429 | 42.9 | 7.0 | 48.4 | 13.0 | 13.5 | 1934 | 36.4 |
| 1992 | 5.0 | 14.0 | 6.0 | 7.2 | 97.0 | 34.1 | . | . | 156.0 | 23.8 | 1156 | 35.8 | 30.0 | 83.2 | 22.0 | 14.6 | 1472 | 34.9 |
| 1993 | 7.0 | 34.1 | 10.0 | 66.9 | 138.0 | 27.8 | . | . | 198.0 | 30.9 | 1820 | 46.9 | 103.0 | 72.8 | 50.0 | 17.1 | 2326 | 44.9 |
| 1994 | 11.0 | 54.3 | 29.0 | 27.6 | 130.0 | 32.0 | . | . | 314.0 | 23.6 | 1881 | 45.7 | 89.0 | 107.1 | 50.0 | 14.1 | 2504 | 43.6 |
| 1995 | 20.0 | 34.4 | 30.0 | 22.6 | 244.0 | 22.6 | . | . | 641.0 | 19.1 | 3601 | 45.9 | 75.0 | 61.9 | 58.0 | 28.2 | 4669 | 40.9 |
| 1996 | 2.0 | 19.0 | 41.0 | 22.8 | 399.0 | 21.1 | . | . | 528.0 | 17.8 | 3130 | 40.3 | 31.0 | 33.0 | 86.0 | 13.4 | 4217 | 34.9 |
| 1997 | . | 38.0 | 16.6 | 436.0 | 23.5 | . | . | 363.0 | 22.1 | 3124 | 46.6 | 20.0 | 50.6 | 17.0 | 9.8 | 3998 | 41.4 | |
| 1998 | 3.0 | 49.3 | 23.0 | 39.1 | 153.0 | 29.7 | . | . | 452.0 | 14.6 | 2341 | 46.6 | 20.0 | 78.8 | 87.0 | 9.2 | 3079 | 40.2 |
| 1999 | 3.0 | 42.3 | 32.0 | 28.6 | 305.0 | 22.3 | . | . | 685.0 | 13.3 | 2553 | 42.8 | 11.0 | 139.0 | 66.0 | 9.8 | 3655 | 35.1 |
| 2000 | 8.0 | 14.4 | 53.0 | 19.9 | 525.0 | 17.8 | . | . | 859.0 | 15.1 | 3745 | 54.0 | 81.0 | 101.2 | 103.0 | 17.6 | 5374 | 43.8 |
| 2001 | 6.0 | 27.0 | 138.0 | 26.4 | 436.0 | 20.5 | . | . | 776.0 | 16.7 | 4428 | 43.8 | 89.0 | 123.4 | 94.0 | 19.6 | 5967 | 39.0 |
| 2002 | . | 65.0 | 28.1 | 444.0 | 19.0 | 3.0 | 11.0 | 771.0 | 22.2 | 3916 | 40.5 | 102.0 | 87.0 | 127.0 | 10.5 | 5428 | 36.1 | |
| 2003 | . | 68.0 | 19.6 | 642.0 | 12.1 | . | . | 1373 | 13.0 | 4000 | 34.2 | 93.0 | 96.2 | 124.0 | 9.7 | 6300 | 27.6 | |
| All | 74.0 | 38.7 | 610.0 | 25.0 | 4386 | 23.9 | 4.0 | 23.3 | 9432 | 17.4 | 41679 | 42.9 | 846.0 | 91.7 | 1067 | 15.2 | 58098 | 37.4 |

. = No data in that cell

Table 24b. Relative contribution (sample sizes) by gear and year of Yellowtail snapper data in Table 24a ('ntrips'=1).

| Cast | Net | Dive, Spear, Scuba | Nets | Other | Pots | Rod & Reel | Sei nes | Verti cal Li nes | All |
|------|------|--------------------------|------|-------|------|---------------|---------|---------------------|------|
| N | Mean | N | Mean | N | Mean | N | Mean | N | Mean |

| | | | | | | | | | | | | | | | | | | |
|------|------|-----|-------|-----|-------|-----|-----|-----|-------|------|-------|------|-------|-----|-------|-----|-------|-------|
| 1983 | 0. | 0. | 5.0 | 0.0 | 21.0 | 0.0 | . | . | 688.0 | 1.2 | 810.0 | 1.4 | 23.0 | 0.0 | 20.0 | 0.0 | 1567 | 2.7 |
| 1984 | 0.0 | 0.0 | 4.0 | 0.0 | 5.0 | 0.0 | . | . | 107.0 | 0.2 | 75.0 | 0.1 | 5.0 | 0.0 | 2.0 | 0.0 | 198.0 | 0.3 |
| 1985 | . | . | . | . | 32.0 | 0.1 | . | . | 118.0 | 0.2 | 155.0 | 0.3 | 4.0 | 0.0 | 3.0 | 0.0 | 312.0 | 0.5 |
| 1986 | . | . | 1.0 | 0.0 | 6.0 | 0.0 | . | . | 15.0 | 0.0 | 41.0 | 0.1 | 2.0 | 0.0 | . | . | 65.0 | 0.1 |
| 1987 | . | . | . | . | 1.0 | 0.0 | . | . | 17.0 | 0.0 | 16.0 | 0.0 | . | . | . | . | 34.0 | 0.1 |
| 1988 | 3.0 | 0.0 | 28.0 | 0.0 | 118.0 | 0.2 | . | . | 422.0 | 0.7 | 1226 | 2.1 | 18.0 | 0.0 | 51.0 | 0.1 | 1866 | 3.2 |
| 1989 | 3.0 | 0.0 | 11.0 | 0.0 | 89.0 | 0.2 | 1.0 | 0.0 | 402.0 | 0.7 | 1426 | 2.5 | 41.0 | 0.1 | 73.0 | 0.1 | 2046 | 3.5 |
| 1990 | 1.0 | 0.0 | 10.0 | 0.0 | 53.0 | 0.1 | . | . | 194.0 | 0.3 | 806.0 | 1.4 | 2.0 | 0.0 | 21.0 | 0.0 | 1087 | 1.9 |
| 1991 | 2.0 | 0.0 | 18.0 | 0.0 | 112.0 | 0.2 | . | . | 353.0 | 0.6 | 1429 | 2.5 | 7.0 | 0.0 | 13.0 | 0.0 | 1934 | 3.3 |
| 1992 | 5.0 | 0.0 | 6.0 | 0.0 | 97.0 | 0.2 | . | . | 156.0 | 0.3 | 1156 | 2.0 | 30.0 | 0.1 | 22.0 | 0.0 | 1472 | 2.5 |
| 1993 | 7.0 | 0.0 | 10.0 | 0.0 | 138.0 | 0.2 | . | . | 198.0 | 0.3 | 1820 | 3.1 | 103.0 | 0.2 | 50.0 | 0.1 | 2326 | 4.0 |
| 1994 | 11.0 | 0.0 | 29.0 | 0.0 | 130.0 | 0.2 | . | . | 314.0 | 0.5 | 1881 | 3.2 | 89.0 | 0.2 | 50.0 | 0.1 | 2504 | 4.3 |
| 1995 | 20.0 | 0.0 | 30.0 | 0.1 | 244.0 | 0.4 | . | . | 641.0 | 1.1 | 3601 | 6.2 | 75.0 | 0.1 | 58.0 | 0.1 | 4669 | 8.0 |
| 1996 | 2.0 | 0.0 | 41.0 | 0.1 | 399.0 | 0.7 | . | . | 528.0 | 0.9 | 3130 | 5.4 | 31.0 | 0.1 | 86.0 | 0.1 | 4217 | 7.3 |
| 1997 | . | . | 38.0 | 0.1 | 436.0 | 0.8 | . | . | 363.0 | 0.6 | 3124 | 5.4 | 20.0 | 0.0 | 17.0 | 0.0 | 3998 | 6.9 |
| 1998 | 3.0 | 0.0 | 23.0 | 0.0 | 153.0 | 0.3 | . | . | 452.0 | 0.8 | 2341 | 4.0 | 20.0 | 0.0 | 87.0 | 0.1 | 3079 | 5.3 |
| 1999 | 3.0 | 0.0 | 32.0 | 0.1 | 305.0 | 0.5 | . | . | 685.0 | 1.2 | 2553 | 4.4 | 11.0 | 0.0 | 66.0 | 0.1 | 3655 | 6.3 |
| 2000 | 8.0 | 0.0 | 53.0 | 0.1 | 525.0 | 0.9 | . | . | 859.0 | 1.5 | 3745 | 6.4 | 81.0 | 0.1 | 103.0 | 0.2 | 5374 | 9.2 |
| 2001 | 6.0 | 0.0 | 138.0 | 0.2 | 436.0 | 0.8 | . | . | 776.0 | 1.3 | 4428 | 7.6 | 89.0 | 0.2 | 94.0 | 0.2 | 5967 | 10.3 |
| 2002 | . | . | 65.0 | 0.1 | 444.0 | 0.8 | 3.0 | 0.0 | 771.0 | 1.3 | 3916 | 6.7 | 102.0 | 0.2 | 127.0 | 0.2 | 5428 | 9.3 |
| 2003 | . | . | 68.0 | 0.1 | 642.0 | 1.1 | . | . | 1373 | 2.4 | 4000 | 6.9 | 93.0 | 0.2 | 124.0 | 0.2 | 6300 | 10.8 |
| All | 74.0 | 0.1 | 610.0 | 1.0 | 4386 | 7.5 | 4.0 | 0.0 | 9432 | 16.2 | 41679 | 71.7 | 846.0 | 1.5 | 1067 | 1.8 | 58098 | 100.0 |

. = No data in that cell

Table 25a. Nominal unadjusted catch per unit of effort (CPUE) for yellowtail snapper commercial catches in Puerto Rico, 1983-2003, by gear and year for fisher sales records where the 'ntrips' variable<=7 trip.

| | Dive, Spear, Scuba | | | | Nets | | | | Other | | | | Pots | | | | Rod & Reel | | | | Sel nes | | | | Vertical Li nes | | | | All | |
|------|--------------------------|-------------|------------|-------|-------|------|------|-------|-------|------|-------|-------|-------|-------|-------|-------|---------------|-------|---|------|---------|------|---|------|--------------------|------|----------|-------------|-----|--|
| | Cast N | Net Mean | Scuba N | Mean | N | Mean | N | Mean | N | Mean | N | Mean | N | Mean | N | Mean | N | Mean | N | Mean | N | Mean | N | Mean | N | Mean | All N | All Mean | | |
| 1983 | | | 7.0 | 27.1 | 82.0 | 22.3 | | | 1387 | 12.3 | 1366 | 26.8 | 105.0 | 43.9 | 46.0 | 16.4 | 2993 | 20.4 | | | | | | | | | | | | |
| 1984 | 0.0 | . | 5.0 | 51.9 | 5.0 | 65.0 | . | . | 114.0 | 71.4 | 83.0 | 121.0 | 5.0 | 681.4 | 3.0 | 118.8 | 215.0 | 104.8 | | | | | | | | | | | | |
| 1985 | 3.0 | 14.3 | 5.0 | 2.9 | 171.0 | 19.5 | . | . | 790.0 | 10.8 | 919.0 | 21.1 | 66.0 | 30.9 | 13.0 | 8.3 | 1967 | 17.0 | | | | | | | | | | | | |
| 1986 | 3.0 | 28.1 | 2.0 | 21.1 | 51.0 | 20.4 | . | . | 133.0 | 9.5 | 216.0 | 22.1 | 7.0 | 20.6 | 4.0 | 12.9 | 416.0 | 17.8 | | | | | | | | | | | | |
| 1987 | 1.0 | 11.5 | . | 6.0 | 123.2 | . | . | 48.0 | 11.8 | 61.0 | 25.7 | . | . | . | . | . | . | . | . | . | 116.0 | 24.9 | | | | | | | | |
| 1988 | 3.0 | 174.7 | 29.0 | 27.4 | 123.0 | 73.1 | 1.0 | 175.0 | 444.0 | 18.2 | 1301 | 35.7 | 20.0 | 39.6 | 52.0 | 15.7 | 1973 | 33.7 | | | | | | | | | | | | |
| 1989 | 3.0 | 20.3 | 11.0 | 15.5 | 105.0 | 66.7 | 1.0 | 60.0 | 464.0 | 17.2 | 1497 | 33.3 | 46.0 | 119.0 | 73.0 | 21.4 | 2200 | 32.8 | | | | | | | | | | | | |
| 1990 | 1.0 | 40.0 | 12.0 | 14.9 | 91.0 | 14.8 | . | . | 359.0 | 10.5 | 1023 | 38.0 | 2.0 | 63.5 | 31.0 | 19.8 | 1519 | 29.6 | | | | | | | | | | | | |
| 1991 | 3.0 | 49.2 | 22.0 | 11.5 | 183.0 | 24.1 | . | . | 578.0 | 10.9 | 1824 | 37.9 | 11.0 | 34.3 | 18.0 | 11.5 | 2639 | 30.6 | | | | | | | | | | | | |
| 1992 | 7.0 | 21.2 | 12.0 | 5.7 | 136.0 | 27.7 | . | . | 309.0 | 15.5 | 1474 | 33.5 | 37.0 | 77.3 | 26.0 | 12.9 | 2001 | 30.6 | | | | | | | | | | | | |
| 1993 | 11.0 | 27.6 | 16.0 | 42.8 | 176.0 | 25.3 | . | . | 483.0 | 16.2 | 2253 | 40.7 | 105.0 | 71.9 | 52.0 | 16.8 | 3096 | 36.6 | | | | | | | | | | | | |
| 1994 | 14.0 | 47.7 | 33.0 | 26.9 | 172.0 | 26.5 | . | . | 518.0 | 18.6 | 2242 | 41.5 | 95.0 | 101.1 | 86.0 | 14.4 | 3160 | 37.9 | | | | | | | | | | | | |
| 1995 | 29.0 | 30.1 | 53.0 | 15.8 | 333.0 | 18.6 | . | . | 858.0 | 15.9 | 4450 | 40.3 | 99.0 | 48.5 | 112.0 | 17.6 | 5934 | 35.0 | | | | | | | | | | | | |
| 1996 | 5.0 | 34.0 | 56.0 | 18.3 | 659.0 | 16.8 | . | . | 764.0 | 13.7 | 3896 | 35.6 | 61.0 | 25.1 | 117.0 | 11.4 | 5558 | 29.6 | | | | | | | | | | | | |
| 1997 | . | 43.0 | 15.3 | 620.0 | 19.4 | . | . | 575.0 | 15.9 | 3778 | 40.9 | 57.0 | 26.5 | 28.0 | 9.9 | 5101 | 34.9 | | | | | | | | | | | | | |
| 1998 | 4.0 | 40.3 | 33.0 | 29.4 | 247.0 | 20.4 | . | . | 668.0 | 11.5 | 2849 | 41.1 | 26.0 | 64.4 | 117.0 | 9.3 | 3944 | 33.9 | | | | | | | | | | | | |
| 1999 | 3.0 | 42.3 | 38.0 | 25.3 | 457.0 | 16.4 | . | . | 1025 | 10.6 | 3275 | 37.1 | 24.0 | 78.0 | 167.0 | 8.5 | 4989 | 28.9 | | | | | | | | | | | | |
| 2000 | 9.0 | 13.2 | 61.0 | 18.1 | 745.0 | 14.0 | . | . | 1336 | 11.2 | 4491 | 47.5 | 86.0 | 96.0 | 144.0 | 13.6 | 6872 | 36.4 | | | | | | | | | | | | |
| 2001 | 6.0 | 27.0 | 145.0 | 26.7 | 621.0 | 16.2 | . | . | 1138 | 13.0 | 5043 | 40.3 | 100.0 | 111.0 | 140.0 | 14.5 | 7193 | 34.1 | | | | | | | | | | | | |
| 2002 | . | 71.0 | 26.4 | 657.0 | 14.5 | 3.0 | 11.0 | 1179 | 16.8 | 4565 | 36.8 | 106.0 | 84.1 | 158.0 | 9.0 | 6739 | 31.1 | | | | | | | | | | | | | |
| 2003 | 1.0 | 40.0 | 68.0 | 19.6 | 646.0 | 12.1 | . | . | 1379 | 13.0 | 4020 | 34.2 | 93.0 | 96.2 | 125.0 | 9.7 | 6332 | 27.6 | | | | | | | | | | | | |
| All | 106.0 | 34.8 | 722.0 | 22.4 | 6286 | 19.3 | 5.0 | 53.6 | 14549 | 14.0 | 50626 | 38.4 | 1151 | 74.4 | 1512 | 13.0 | 74957 | 31.9 | | | | | | | | | | | | |

. = No data in that cell

Table 25b. Relative contribution (sample sizes) by gear and year of Yellowtail snapper data in Table 25a (ntrips<=7).

| | Dive, Spear, Scuba | | | | Nets | | Other | | Pots | | Rod & Reel | | Seines | | Vertical Lines | | All | |
|------|--------------------------|-----|-------|------|-------|------|-------|------|-------|------|---------------|------|--------|------|-------------------|------|-------|-------|
| | Cast | Net | N | Mean | N | Mean | N | Mean | N | Mean | N | Mean | N | Mean | N | Mean | All | |
| 1983 | . | . | 7.0 | 0.0 | 82.0 | 0.1 | . | . | 1387 | 1.9 | 1366 | 1.8 | 105.0 | 0.1 | 46.0 | 0.1 | 2993 | 4.0 |
| 1984 | 0.0 | 0.0 | 5.0 | 0.0 | 5.0 | 0.0 | . | . | 114.0 | 0.2 | 83.0 | 0.1 | 5.0 | 0.0 | 3.0 | 0.0 | 215.0 | 0.3 |
| 1985 | 3.0 | 0.0 | 5.0 | 0.0 | 171.0 | 0.2 | . | . | 790.0 | 1.1 | 919.0 | 1.2 | 66.0 | 0.1 | 13.0 | 0.0 | 1967 | 2.6 |
| 1986 | 3.0 | 0.0 | 2.0 | 0.0 | 51.0 | 0.1 | . | . | 133.0 | 0.2 | 216.0 | 0.3 | 7.0 | 0.0 | 4.0 | 0.0 | 416.0 | 0.6 |
| 1987 | 1.0 | 0.0 | . | . | 6.0 | 0.0 | . | . | 48.0 | 0.1 | 61.0 | 0.1 | . | . | . | . | 116.0 | 0.2 |
| 1988 | 3.0 | 0.0 | 29.0 | 0.0 | 123.0 | 0.2 | 1.0 | 0.0 | 444.0 | 0.6 | 1301 | 1.7 | 20.0 | 0.0 | 52.0 | 0.1 | 1973 | 2.6 |
| 1989 | 3.0 | 0.0 | 11.0 | 0.0 | 105.0 | 0.1 | 1.0 | 0.0 | 464.0 | 0.6 | 1497 | 2.0 | 46.0 | 0.1 | 73.0 | 0.1 | 2200 | 2.9 |
| 1990 | 1.0 | 0.0 | 12.0 | 0.0 | 91.0 | 0.1 | . | . | 359.0 | 0.5 | 1023 | 1.4 | 2.0 | 0.0 | 31.0 | 0.0 | 1519 | 2.0 |
| 1991 | 3.0 | 0.0 | 22.0 | 0.0 | 183.0 | 0.2 | . | . | 578.0 | 0.8 | 1824 | 2.4 | 11.0 | 0.0 | 18.0 | 0.0 | 2639 | 3.5 |
| 1992 | 7.0 | 0.0 | 12.0 | 0.0 | 136.0 | 0.2 | . | . | 309.0 | 0.4 | 1474 | 2.0 | 37.0 | 0.0 | 26.0 | 0.0 | 2001 | 2.7 |
| 1993 | 11.0 | 0.0 | 16.0 | 0.0 | 176.0 | 0.2 | . | . | 483.0 | 0.6 | 2253 | 3.0 | 105.0 | 0.1 | 52.0 | 0.1 | 3096 | 4.1 |
| 1994 | 14.0 | 0.0 | 33.0 | 0.0 | 172.0 | 0.2 | . | . | 518.0 | 0.7 | 2242 | 3.0 | 95.0 | 0.1 | 86.0 | 0.1 | 3160 | 4.2 |
| 1995 | 29.0 | 0.0 | 53.0 | 0.1 | 333.0 | 0.4 | . | . | 858.0 | 1.1 | 4450 | 5.9 | 99.0 | 0.1 | 112.0 | 0.1 | 5934 | 7.9 |
| 1996 | 5.0 | 0.0 | 56.0 | 0.1 | 659.0 | 0.9 | . | . | 764.0 | 1.0 | 3896 | 5.2 | 61.0 | 0.1 | 117.0 | 0.2 | 5558 | 7.4 |
| 1997 | . | . | 43.0 | 0.1 | 620.0 | 0.8 | . | . | 575.0 | 0.8 | 3778 | 5.0 | 57.0 | 0.1 | 28.0 | 0.0 | 5101 | 6.8 |
| 1998 | 4.0 | 0.0 | 33.0 | 0.0 | 247.0 | 0.3 | . | . | 668.0 | 0.9 | 2849 | 3.8 | 26.0 | 0.0 | 117.0 | 0.2 | 3944 | 5.3 |
| 1999 | 3.0 | 0.0 | 38.0 | 0.1 | 457.0 | 0.6 | . | . | 1025 | 1.4 | 3275 | 4.4 | 24.0 | 0.0 | 167.0 | 0.2 | 4989 | 6.7 |
| 2000 | 9.0 | 0.0 | 61.0 | 0.1 | 745.0 | 1.0 | . | . | 1336 | 1.8 | 4491 | 6.0 | 86.0 | 0.1 | 144.0 | 0.2 | 6872 | 9.2 |
| 2001 | 6.0 | 0.0 | 145.0 | 0.2 | 621.0 | 0.8 | . | . | 1138 | 1.5 | 5043 | 6.7 | 100.0 | 0.1 | 140.0 | 0.2 | 7193 | 9.6 |
| 2002 | . | . | 71.0 | 0.1 | 657.0 | 0.9 | 3.0 | 0.0 | 1179 | 1.6 | 4565 | 6.1 | 106.0 | 0.1 | 158.0 | 0.2 | 6739 | 9.0 |
| 2003 | 1.0 | 0.0 | 68.0 | 0.1 | 646.0 | 0.9 | . | . | 1379 | 1.8 | 4020 | 5.4 | 93.0 | 0.1 | 125.0 | 0.2 | 6332 | 8.4 |
| All | 106.0 | 0.1 | 722.0 | 1.0 | 6286 | 8.4 | 5.0 | 0.0 | 14549 | 19.4 | 50626 | 67.5 | 1151 | 1.5 | 1512 | 2.0 | 74957 | 100.0 |

. = No data in that cell.

Table 26. General linear modeling results of standardized CPUE of Yellowtail Snapper in Puerto Rico, 1983-2003, for the 'ntrips'=1 data set. Estimates and 95% Confidence Intervals Columns in Bold.

| cyear | cyear | LSMEAN | STDERR | CVLSM | L95LSM | U95LSM | CPUE | U95CI | L95CI |
|-------|-------|----------|----------|----------|----------|----------|-------------|--------------|--------------|
| 2003 | 0 | 2. 64787 | 0. 02464 | 0. 02465 | 2. 59987 | 2. 69648 | 14. 1283 | 14. 8274 | 13. 4620 |
| 2002 | 1 | 2. 82568 | 0. 02510 | 0. 02510 | 2. 77681 | 2. 87518 | 16. 8777 | 17. 7286 | 16. 0677 |
| 2001 | 2 | 2. 81667 | 0. 02484 | 0. 02484 | 2. 76830 | 2. 86567 | 16. 7263 | 17. 5608 | 15. 9315 |
| 2000 | 3 | 2. 90116 | 0. 02517 | 0. 02517 | 2. 85216 | 2. 95080 | 18. 2011 | 19. 1213 | 17. 3251 |
| 1999 | 4 | 2. 83825 | 0. 02664 | 0. 02665 | 2. 78639 | 2. 89082 | 17. 0919 | 18. 0081 | 16. 2223 |
| 1998 | 5 | 2. 87398 | 0. 02739 | 0. 02739 | 2. 82067 | 2. 92803 | 17. 7139 | 18. 6908 | 16. 7881 |
| 1997 | 6 | 2. 85057 | 0. 02624 | 0. 02624 | 2. 79949 | 2. 90234 | 17. 3036 | 18. 2167 | 16. 4363 |
| 1996 | 7 | 2. 70917 | 0. 02595 | 0. 02595 | 2. 65865 | 2. 76036 | 15. 0218 | 15. 8055 | 14. 2770 |
| 1995 | 8 | 2. 83039 | 0. 02544 | 0. 02544 | 2. 78086 | 2. 88057 | 16. 9576 | 17. 8244 | 16. 1329 |
| 1994 | 9 | 2. 83697 | 0. 02846 | 0. 02847 | 2. 78159 | 2. 89316 | 17. 0709 | 18. 0503 | 16. 1447 |
| 1993 | 10 | 2. 86215 | 0. 02907 | 0. 02907 | 2. 80560 | 2. 91955 | 17. 5065 | 18. 5329 | 16. 5371 |
| 1992 | 11 | 2. 66923 | 0. 03267 | 0. 03268 | 2. 60573 | 2. 73380 | 14. 4365 | 15. 3912 | 13. 5411 |
| 1991 | 12 | 2. 78362 | 0. 03053 | 0. 03054 | 2. 72424 | 2. 84393 | 16. 1851 | 17. 1832 | 15. 2449 |
| 1990 | 13 | 2. 67346 | 0. 03628 | 0. 03629 | 2. 60301 | 2. 74522 | 14. 4995 | 15. 5681 | 13. 5043 |
| 1989 | 14 | 2. 79514 | 0. 03035 | 0. 03036 | 2. 73611 | 2. 85509 | 16. 3724 | 17. 3760 | 15. 4268 |
| 1988 | 15 | 2. 88300 | 0. 03081 | 0. 03082 | 2. 82309 | 2. 94386 | 17. 8764 | 18. 9891 | 16. 8288 |
| 1987 | 16 | 2. 52830 | 0. 16420 | 0. 16532 | 2. 21994 | 2. 86362 | 12. 7023 | 17. 5249 | 9. 2068 |
| 1986 | 17 | 2. 83553 | 0. 11779 | 0. 11820 | 2. 61160 | 3. 07333 | 17. 1580 | 21. 6137 | 13. 6209 |
| 1985 | 18 | 2. 73925 | 0. 05759 | 0. 05764 | 2. 62803 | 2. 85378 | 15. 5010 | 17. 3533 | 13. 8465 |
| 1984 | 19 | 3. 97952 | 0. 07071 | 0. 07080 | 3. 84343 | 4. 12061 | 53. 6253 | 61. 5967 | 46. 6855 |
| 1983 | 20 | 2. 40850 | 0. 03283 | 0. 03284 | 2. 34470 | 2. 47338 | 11. 1232 | 11. 8625 | 10. 4301 |

Table 27. General linear modeling results of standardized CPUE of Yellowtail Snapper in Puerto Rico, 1983-2003, for the 'ntrips'<=1 data set. Estimates and 95% Confidence Intervals Columns in Bold

| cyear | cnew | LSMEAN | STDERR | CVLSM | L95LSM | U95LSM | CPUE | U95CI | L95CI |
|-------|------|----------|-----------|-----------|----------|----------|-------------|--------------|--------------|
| 2003 | 0 | 2. 60774 | 0. 022879 | 0. 022882 | 2. 56316 | 2. 65284 | 13. 5719 | 14. 1944 | 12. 9767 |
| 2002 | 1 | 2. 58510 | 0. 022640 | 0. 022643 | 2. 54098 | 2. 62973 | 13. 2680 | 13. 8700 | 12. 6921 |
| 2001 | 2 | 2. 59502 | 0. 022454 | 0. 022456 | 2. 55126 | 2. 63928 | 13. 4002 | 14. 0031 | 12. 8233 |
| 2000 | 3 | 2. 58763 | 0. 022621 | 0. 022624 | 2. 54355 | 2. 63222 | 13. 3016 | 13. 9046 | 12. 7247 |
| 1999 | 4 | 2. 50341 | 0. 023748 | 0. 023751 | 2. 45715 | 2. 55024 | 12. 2276 | 12. 8102 | 11. 6715 |
| 1998 | 5 | 2. 59747 | 0. 024796 | 0. 024800 | 2. 54918 | 2. 64638 | 13. 4339 | 14. 1029 | 12. 7966 |
| 1997 | 6 | 2. 55141 | 0. 023676 | 0. 023680 | 2. 50529 | 2. 59810 | 12. 8288 | 13. 4382 | 12. 2471 |
| 1996 | 7 | 2. 44701 | 0. 023236 | 0. 023240 | 2. 40174 | 2. 49282 | 11. 5569 | 12. 0954 | 11. 0423 |
| 1995 | 8 | 2. 57235 | 0. 022872 | 0. 022875 | 2. 52778 | 2. 61744 | 13. 1000 | 13. 7006 | 12. 5257 |
| 1994 | 9 | 2. 63046 | 0. 025999 | 0. 026004 | 2. 57984 | 2. 68175 | 13. 8848 | 14. 6107 | 13. 1950 |
| 1993 | 10 | 2. 56244 | 0. 026285 | 0. 026290 | 2. 51127 | 2. 61430 | 12. 9719 | 13. 6577 | 12. 3205 |
| 1992 | 11 | 2. 45347 | 0. 029485 | 0. 029491 | 2. 39611 | 2. 51170 | 11. 6337 | 12. 3258 | 10. 9804 |
| 1991 | 12 | 2. 52411 | 0. 027530 | 0. 027535 | 2. 47053 | 2. 57845 | 12. 4845 | 13. 1767 | 11. 8287 |
| 1990 | 13 | 2. 39348 | 0. 032431 | 0. 032440 | 2. 33044 | 2. 45757 | 10. 9573 | 11. 6764 | 10. 2824 |
| 1989 | 14 | 2. 63967 | 0. 029048 | 0. 029054 | 2. 58315 | 2. 69702 | 14. 0144 | 14. 8355 | 13. 2388 |
| 1988 | 15 | 2. 70831 | 0. 029776 | 0. 029782 | 2. 65039 | 2. 76711 | 15. 0105 | 15. 9126 | 14. 1595 |
| 1987 | 16 | 2. 34540 | 0. 095672 | 0. 095892 | 2. 16246 | 2. 53749 | 10. 4853 | 12. 6479 | 8. 6925 |
| 1986 | 17 | 2. 26836 | 0. 053040 | 0. 053078 | 2. 16581 | 2. 37373 | 9. 6772 | 10. 7374 | 8. 7217 |
| 1985 | 18 | 2. 14069 | 0. 029709 | 0. 029716 | 2. 08291 | 2. 19937 | 8. 5091 | 9. 0193 | 8. 0278 |
| 1984 | 19 | 3. 89153 | 0. 071686 | 0. 071778 | 3. 75360 | 4. 03461 | 49. 1119 | 56. 5206 | 42. 6744 |
| 1983 | 20 | 2. 37205 | 0. 026349 | 0. 026353 | 2. 32076 | 2. 42405 | 10. 7231 | 11. 2914 | 10. 1834 |

Table 28. General linear modeling results of Standardized CPUE of Yellowtail Snapper in Puerto Rico, 1983-2003, for the ‘ntrips’=all data set, excluding ‘ntrips’=0 observations. Estimates and 95% Confidence Intervals
Columns in Bold

| cyear | cnew | LSMEAN | STDERR | CVLSM | L95LSM | U95LSM | CPUE | U95CI | L95CI |
|--------------|-------------|---------------|---------------|--------------|---------------|---------------|-------------|--------------|--------------|
| 2003 | 0 | 2. 60131 | 0. 023156 | 0. 023159 | 2. 55620 | 2. 64697 | 13. 4851 | 14. 1112 | 12. 8867 |
| 2002 | 1 | 2. 50911 | 0. 022600 | 0. 022603 | 2. 46507 | 2. 55367 | 12. 2972 | 12. 8541 | 11. 7643 |
| 2001 | 2 | 2. 51988 | 0. 022455 | 0. 022458 | 2. 47612 | 2. 56414 | 12. 4302 | 12. 9895 | 11. 8950 |
| 2000 | 3 | 2. 51191 | 0. 022589 | 0. 022591 | 2. 46789 | 2. 55644 | 12. 3316 | 12. 8898 | 11. 7975 |
| 1999 | 4 | 2. 36742 | 0. 023576 | 0. 023579 | 2. 32149 | 2. 41391 | 10. 6728 | 11. 1776 | 10. 1909 |
| 1998 | 5 | 2. 49605 | 0. 024762 | 0. 024766 | 2. 44783 | 2. 54489 | 12. 1382 | 12. 7419 | 11. 5632 |
| 1997 | 6 | 2. 41792 | 0. 023570 | 0. 023574 | 2. 37200 | 2. 46439 | 11. 2256 | 11. 7563 | 10. 7188 |
| 1996 | 7 | 2. 30126 | 0. 023162 | 0. 023165 | 2. 25613 | 2. 34693 | 9. 9894 | 10. 4534 | 9. 5461 |
| 1995 | 8 | 2. 41721 | 0. 022792 | 0. 022795 | 2. 37279 | 2. 46214 | 11. 2174 | 11. 7299 | 10. 7273 |
| 1994 | 9 | 2. 51523 | 0. 026108 | 0. 026113 | 2. 46439 | 2. 56674 | 12. 3736 | 13. 0233 | 11. 7564 |
| 1993 | 10 | 2. 49128 | 0. 026556 | 0. 026560 | 2. 43959 | 2. 54369 | 12. 0810 | 12. 7265 | 11. 4683 |
| 1992 | 11 | 2. 36317 | 0. 029570 | 0. 029577 | 2. 30565 | 2. 42156 | 10. 6292 | 11. 2634 | 10. 0307 |
| 1991 | 12 | 2. 41623 | 0. 027454 | 0. 027459 | 2. 36280 | 2. 47042 | 11. 2078 | 11. 8274 | 10. 6207 |
| 1990 | 13 | 2. 28787 | 0. 032593 | 0. 032601 | 2. 22452 | 2. 35229 | 9. 8592 | 10. 5096 | 9. 2491 |
| 1989 | 14 | 2. 55550 | 0. 029381 | 0. 029387 | 2. 49835 | 2. 61352 | 12. 8833 | 13. 6470 | 12. 1624 |
| 1988 | 15 | 2. 69824 | 0. 030484 | 0. 030492 | 2. 63895 | 2. 75845 | 14. 8604 | 15. 7754 | 13. 9985 |
| 1987 | 16 | 2. 18384 | 0. 085692 | 0. 085849 | 2. 01956 | 2. 35547 | 8. 9130 | 10. 5431 | 7. 5350 |
| 1986 | 17 | 2. 11164 | 0. 048569 | 0. 048597 | 2. 01762 | 2. 20801 | 8. 2715 | 9. 0976 | 7. 5204 |
| 1985 | 18 | 2. 04405 | 0. 028906 | 0. 028912 | 1. 98782 | 2. 10113 | 7. 7251 | 8. 1754 | 7. 2996 |
| 1984 | 19 | 3. 83741 | 0. 074720 | 0. 074824 | 3. 69375 | 3. 98665 | 46. 5350 | 53. 8744 | 40. 1955 |
| 1983 | 20 | 2. 34226 | 0. 026582 | 0. 026587 | 2. 29052 | 2. 39472 | 10. 4084 | 10. 9651 | 9. 8800 |

Table 29. General linear modeling results of standardized CPUE of Yellowtail Snapper in Puerto Rico, 1983-2003, for the rod and reel fisheries. Estimates and 95% Confidence Intervals Columns in Bold

| cyear | cnew | LSMEAN | STDERR | CVLSM | L95LSM | U95LSM | CPUE | U95CI | L95CI |
|-------|------|----------|----------|----------|----------|----------|-------------|--------------|--------------|
| 2003 | 0 | 2. 75557 | 0. 02169 | 0. 02169 | 2. 71330 | 2. 79831 | 15. 7338 | 16. 4169 | 15. 0790 |
| 2002 | 1 | 2. 66523 | 0. 02042 | 0. 02042 | 2. 62541 | 2. 70546 | 14. 3742 | 14. 9612 | 13. 8103 |
| 2001 | 2 | 2. 69304 | 0. 02020 | 0. 02021 | 2. 65365 | 2. 73285 | 14. 7796 | 15. 3766 | 14. 2058 |
| 2000 | 3 | 2. 73887 | 0. 02065 | 0. 02065 | 2. 69860 | 2. 77955 | 15. 4727 | 16. 1118 | 14. 8590 |
| 1999 | 4 | 2. 52833 | 0. 02221 | 0. 02221 | 2. 48505 | 2. 57210 | 12. 5356 | 13. 0932 | 12. 0017 |
| 1998 | 5 | 2. 68432 | 0. 02351 | 0. 02351 | 2. 63851 | 2. 73067 | 14. 6522 | 15. 3432 | 13. 9924 |
| 1997 | 6 | 2. 59100 | 0. 02152 | 0. 02153 | 2. 54905 | 2. 63342 | 13. 3462 | 13. 9213 | 12. 7949 |
| 1996 | 7 | 2. 45777 | 0. 02125 | 0. 02125 | 2. 41634 | 2. 49965 | 11. 6814 | 12. 1782 | 11. 2048 |
| 1995 | 8 | 2. 54845 | 0. 02063 | 0. 02063 | 2. 50824 | 2. 58909 | 12. 7900 | 13. 3177 | 12. 2833 |
| 1994 | 9 | 2. 56303 | 0. 02597 | 0. 02597 | 2. 51247 | 2. 61426 | 12. 9795 | 13. 6572 | 12. 3354 |
| 1993 | 10 | 2. 59363 | 0. 02622 | 0. 02623 | 2. 54258 | 2. 64537 | 13. 3829 | 14. 0887 | 12. 7125 |
| 1992 | 11 | 2. 43258 | 0. 03023 | 0. 03024 | 2. 37378 | 2. 49228 | 11. 3934 | 12. 0888 | 10. 7380 |
| 1991 | 12 | 2. 58820 | 0. 02795 | 0. 02795 | 2. 53381 | 2. 64336 | 13. 3109 | 14. 0604 | 12. 6014 |
| 1990 | 13 | 2. 42507 | 0. 03504 | 0. 03505 | 2. 35701 | 2. 49436 | 11. 3100 | 12. 1140 | 10. 5594 |
| 1989 | 14 | 2. 59098 | 0. 03073 | 0. 03074 | 2. 53122 | 2. 65169 | 13. 3492 | 14. 1780 | 12. 5688 |
| 1988 | 15 | 2. 65023 | 0. 03285 | 0. 03286 | 2. 58638 | 2. 71516 | 14. 1649 | 15. 1071 | 13. 2816 |
| 1987 | 16 | 2. 14177 | 0. 12050 | 0. 12093 | 1. 91286 | 2. 38521 | 8. 5766 | 10. 8613 | 6. 7724 |
| 1986 | 17 | 2. 10890 | 0. 06592 | 0. 06599 | 1. 98188 | 2. 24027 | 8. 2571 | 9. 3959 | 7. 2564 |
| 1985 | 18 | 1. 95835 | 0. 03485 | 0. 03486 | 1. 89065 | 2. 02725 | 7. 0919 | 7. 5932 | 6. 6237 |
| 1984 | 19 | 3. 65442 | 0. 11632 | 0. 11672 | 3. 43319 | 3. 88918 | 38. 9074 | 48. 8708 | 30. 9753 |
| 1983 | 20 | 2. 26551 | 0. 03141 | 0. 03142 | 2. 20444 | 2. 32757 | 9. 6408 | 10. 2530 | 9. 0652 |

Table 29. General linear modeling results of standardized CPUE of Yellowtail Snapper in Puerto Rico, 1983-2003, for the pot fisheries. Estimates and 95% Confidence Intervals Columns in Bold

| cyear | cnew | LSMEAN | STDERR | CVLSM | L95LSM | U95LSM | CPUE | U95CI | L95CI |
|-------|------|----------|----------|----------|----------|----------|-------------|--------------|--------------|
| 2003 | 0 | 2. 37783 | 0. 03697 | 0. 03698 | 2. 30606 | 2. 45096 | 10. 7888 | 11. 5995 | 10. 0348 |
| 2002 | 1 | 2. 19986 | 0. 03724 | 0. 03725 | 2. 12757 | 2. 27354 | 9. 0300 | 9. 7137 | 8. 3945 |
| 2001 | 2 | 2. 08300 | 0. 03751 | 0. 03752 | 2. 01019 | 2. 15722 | 8. 0342 | 8. 6471 | 7. 4647 |
| 2000 | 3 | 1. 99813 | 0. 03695 | 0. 03696 | 1. 92639 | 2. 07122 | 7. 3803 | 7. 9345 | 6. 8647 |
| 1999 | 4 | 2. 04672 | 0. 03866 | 0. 03868 | 1. 97168 | 2. 12325 | 7. 7482 | 8. 3582 | 7. 1828 |
| 1998 | 5 | 1. 92414 | 0. 04334 | 0. 04337 | 1. 84013 | 2. 01004 | 6. 8557 | 7. 4636 | 6. 2973 |
| 1997 | 6 | 1. 90856 | 0. 04425 | 0. 04427 | 1. 82280 | 1. 99627 | 6. 7500 | 7. 3616 | 6. 1892 |
| 1996 | 7 | 1. 90484 | 0. 04034 | 0. 04036 | 1. 82658 | 1. 98473 | 6. 7238 | 7. 2771 | 6. 2126 |
| 1995 | 8 | 2. 16021 | 0. 03963 | 0. 03965 | 2. 08332 | 2. 23867 | 8. 6798 | 9. 3808 | 8. 0311 |
| 1994 | 9 | 2. 49333 | 0. 04812 | 0. 04815 | 2. 40018 | 2. 58880 | 12. 1155 | 13. 3138 | 11. 0252 |
| 1993 | 10 | 2. 20800 | 0. 05126 | 0. 05129 | 2. 10884 | 2. 30978 | 9. 1095 | 10. 0723 | 8. 2387 |
| 1992 | 11 | 2. 32050 | 0. 05822 | 0. 05827 | 2. 20809 | 2. 43630 | 10. 1981 | 11. 4307 | 9. 0983 |
| 1991 | 12 | 2. 17172 | 0. 04548 | 0. 04550 | 2. 08361 | 2. 26189 | 8. 7824 | 9. 6012 | 8. 0334 |
| 1990 | 13 | 2. 31122 | 0. 05651 | 0. 05656 | 2. 20205 | 2. 42358 | 10. 1028 | 11. 2861 | 9. 0436 |
| 1989 | 14 | 2. 40959 | 0. 05125 | 0. 05129 | 2. 31045 | 2. 51136 | 11. 1440 | 12. 3217 | 10. 0789 |
| 1988 | 15 | 2. 76852 | 0. 05222 | 0. 05226 | 2. 66753 | 2. 87223 | 15. 9567 | 17. 6765 | 14. 4043 |
| 1987 | 16 | 2. 13167 | 0. 11572 | 0. 11611 | 1. 91156 | 2. 36517 | 8. 4856 | 10. 6458 | 6. 7636 |
| 1986 | 17 | 2. 06017 | 0. 07489 | 0. 07500 | 1. 91619 | 2. 20977 | 7. 8694 | 9. 1136 | 6. 7950 |
| 1985 | 18 | 2. 11603 | 0. 04094 | 0. 04095 | 2. 03663 | 2. 19710 | 8. 3051 | 8. 9989 | 7. 6648 |
| 1984 | 19 | 3. 91148 | 0. 09324 | 0. 09345 | 3. 73307 | 4. 09858 | 50. 1904 | 60. 2547 | 41. 8071 |
| 1983 | 20 | 2. 35680 | 0. 03644 | 0. 03645 | 2. 28605 | 2. 42887 | 10. 5641 | 11. 3461 | 9. 8360 |




Figure 1. Puerto Rico fishing center locations used by the PR DNER, CSP, FSP in data recording. [Landing site location GIS shape file, compliments of Holly Stone, NMFS, SEFSC, Economics Division)




Figure 2a. Total Pounds of Yellowtail snapper sold in Puerto Rico, 1983 through 2003.




Figure 2b. Pounds of Yellowtail snapper sold in Puerto Rico, 1983 through 2003.




Figure 3a. Composition of commercial landings of yellowtail snapper in Puerto Rico by gear from 1983- 2003.




Figure 3b. Composition of commercial landings of yellowtail snapper in Puerto Rico by gear from 1983-2003.




Figure 3c. Percentage composition commercial landings of yellowtail snapper in Puerto Rico by gear category from 1983 through 2003.




Figure 4a. Distribution of commercial yellowtail snapper in Puerto Rico by month from 1983-2003.




Figure 4b. Percentage distribution of commercial yellowtail snapper in Puerto Rico by month from 1983-2003.




Figure 4c. Distribution of commercial yellowtail snapper in Puerto Rico by month from 1983-2003.




Figure 4d. Percentage distribution of commercial yellowtail snapper in Puerto Rico by month from 1983-2003




Figure 5a. Commercial landings of all fish and shellfish and number of fisher sales in Puerto Rico from 1983-2003.




Figure 5b. Commercial landings of all fish and shellfish in Puerto Rico and yellowtail snapper landings from 1983-2003.




Figure 6a. Percentage distribution of all fish and shellfish commercial landings in Puerto Rico by month, 1983-2003.




Figure 6b. Percentage distribution of all fish and shellfish commercial landings in Puerto Rico by month, 1983-2003.




Figure 7. Percentage distribution of all fish and shellfish commercial landings in Puerto Rico by month 1983-2003.




Figure 8. Total Annual landings and value yellowtail snapper commercial landings in Puerto Rico from 1983-2003 and number of fisher sales.




Figure 9. Average price per pound of yellowtail snapper sold in Puerto Rico by gear and year from 1983-2003.




Figure 10a. Annual value of the commercial yellowtail snapper landings in Puerto Rico by year, 1983-2003 by gear.




Figure 10b. Annual percentage value of the commercial yellowtail snapper landings in Puerto Rico by year, 1983-2003 by gear.




Figure 11. Annual distribution of commercial landings value of all fish and shellfish sold in Puerto Rico from 1983-2003.




Figure 12a. Distribution of commercial landings value of all fish and shellfish sold in Puerto Rico from 1983-2003 by month.




Figure 12b. Distribution of commercial landings value of all fish and shellfish sold in Puerto Rico from 1983-2003 by month.




Figure 13a. Distribution of commercial landings value of all fish and shellfish sold in Puerto Rico from 1983-2003 by gear category.




Figure 13b. Percentage distribution of commercial landings value of all fish and shellfish sold in Puerto Rico from 1983-2003 by gear category.




Figure 14. Mean CPUE and Standard deviation of CPUE for yellowtail snapper for commercial sales in Puerto Rico, 1983-2003..




Figure 15a. Yellowtail Snapper Commercial CPUE for 'ntrips'=1 data variable, 1983-2003, by gear and year.




Figure 15b. Yellowtail Snapper Commercial CPUE for 'ntrips'=1 data variable, 1983-2003, by gear and year for all the primary major and minor gears.




Figure 15c. Yellowtail Snapper Commercial CPUE for 'ntrips'=1 data variable, 1983-2003, by gear and year, for the two major gears used to capture yellowtail snapper in Puerto Rico.




Figure 16a. Yellowtail Snapper Commercial CPUE for 'ntrips'≤7 data variable, 1983-2003, by year for all gears.




Figure 16b. Yellowtail Snapper Commercial CPUE for 'ntrips'≤7 data variable, 1983-2003, by gear and year for all the primary major and minor gears.




Figure 16c. Yellowtail Snapper Commercial CPUE for 'ntrips'≤7 data variable, 1983-2003, by gear and year for the two major gears used to capture yellowtail snapper




Figure 17. Yellowtail Snapper commercial CPUE in Puerto Rico, 1983-2003, for rod and reel and pot gear for two data sets.




Figure 18a. Standardized commercial CPUE of yellowtail snapper in Puerto Rico, 1983-2003, for observations recorded with the 'ntrip' data variable=1.




Figure 18b. Standardized commercial CPUE of yellowtail snapper in Puerto Rico, 1983-2003, for observations recorded with the 'ntrip' data variable<=7..




Figure 18c. Standardized commercial CPUE of yellowtail snapper in Puerto Rico, 1983-2003, for all fishing trips.




Figure 18d. Standardized commercial CPUE of yellowtail snapper in Puerto Rico, 1983-2003 from 3 data




Figure 18e. Standardized commercial CPIUE of yellowtail snapper in Puerto Rico, 1983-2003, for rod and reel, pot and all gears.